



Uni-Lock® Baguette Pans



Our Uni-Lock® Baguette Pans utilize a patented locking method to provide a permanent connection between the frame and panel. Our unique design does not rely on individual fasteners or welding so there are no rivets to loosen and fall free and no broken welds to worry about.

Worry-Free Construction

Our unique patented design does not rely on individual fasteners or welding so you never have to worry about rivets coming apart or welds breaking. Uni-Lock® Baguette Pans use a patented locking method to provide a permanent connection between the frame and panel.

Easy Handling


All Uni-Lock® Baguette Pans are constructed of high strength perforated aluminum and are sized perfectly for use in commercial or rack ovens.


Item #		Description	Moulds Per Pan	Mould Dimensions, in. Top Inside	Weight Each, lb.	Overall Size, in.	Case Pack
Glazed	DuraShield						
49034	49043	16 gauge*, .081" diameter perforation, open ends	4 long	3 ⁷ / ₈ x 25 ³ / ₄	3.5	17 ³ / ₄ x 25 ³ / ₄ x 1	6
49035	49053	16 gauge*, .081" diameter perforation, open ends	5 long	3 x 25 ³ / ₄	3.7	17 ³ / ₄ x 25 ³ / ₄ x 1	6
45515	—	16 gauge*, .081" diameter perforation, open ends	5 across	3 ⁷ / ₈ x 17 ³ / ₄	3.5	17 ³ / ₄ x 25 ³ / ₄ x 1	6
49036	49063	16 gauge*, .081" diameter perforation, open ends	6 long	2 ⁷ / ₁₆ x 25 ³ / ₄	3.7	17 ³ / ₄ x 25 ³ / ₄ x 1	6


*Aluminum

To place an order or request a trial sample, call 1.800.323.3966, Ext. 130.

BUNDY BAKING SOLUTIONS:

 Baking Pans

 Coatings & Refinishings

 Equipment & Services

Ultimate Coatings

AMERICOAT® ePlus Silicone Glaze

- Longer-lasting performance
- Reduced pan oil and labor costs
- Increased durability
- Reduced food staining

DuraShield® Non-Stick Coating

- Virtually eliminates the use of oils
- Outstanding release characteristics
- Certified to be PFOA free
- Easy to clean and dishwasher safe



Patented Uni-Lock® locking method
Uni-Lock Patent U.S.A. # 7,258,246