

CONVECTION OVENS



TODAY'S COOKING SOLUTIONS

Southbend Convection Ovens were engineered to meet the needs of any professional kitchen. Our ovens deliver unparalleled performance with our patented inshot burner system and soft heat mixing zone technology. Choose from gas or electric and myriad of other options to increase your kitchen's performance.



TABLE OF CONTENTS

CONVECTION OVENS

- Features 6
- Bake to perfection 9
- G-Series 10
- SL-Series 11
- B-Series 12
- K-Series 13
- Half-Size 14
- Find your perfect match 17
- TV-Series 19

CONVECTION OVEN VARIETY DESIGNED WITH YOU IN MIND.



Convection Ovens

GS/15SC, GB/15SC, GS/15CCH, GB/15CCH, GS/25SC, GB/25SC, GS/25CCH, GB/25CCH, ES/10SC, EB/10SC, ES/10CCH, EB/10CCH, ES/20SC, EB/20SC, ES/20CCH, EB/20CCH, BGS/12SC, BGS/22SC, BGS/13SC, BGS/23SC, BES/17SC, BES/27SC, SLGS/12SC, SLGB/12SC, SLGS/12CCH, SLGB/12CCH, SLGS/22SC, SLGB/22SC, SLGS/22CCH, SLGB/22CCH, SLES/10SC, SLEB/10SC, SLES/10CCH, SLEB/10CCH, SLES/20SC, SLEB/20SC, SLES/20CCH, SLEB/20CCH, KLGs/17SC, KLGs/17CCH, KLGs/27SC, KLGs/27CCH, KLES/10SC, KLES/10CCH, KLES/20SC, KLES/20CCH

Our full-size convection ovens features patented high efficiency, non-clog inshot burners that utilize a horizontal flame like a jet engine. This burner system delivers up to 90,000 BTU's and reduces overall oven height; making it one of the **safest and lowest ovens in the industry**. We offer several Energy Star Qualified units available in both gas and electric. Available in standard and bakery depths.



Half-Size

Half Size Convection Ovens

GH/10SC, GH/10CCH, GH/20SC, GH/20CCH, EH/10SC, EH/10CCH, EH/20SC, EH/20CCH

Our half-size convection ovens are ideal for when you have limited space but are in need for the power of a full-size convection oven. Available in Gas and Electric.



TruVection

TruVection Convection Ovens

TVGS/12SC, TVGS/22SC, TVGS/32SC, TVES/10SC, TVES/20SC, TVES/30SC

TruVection is low profile, high performance convection oven designed to be used as a counter top application, stacked or range base while also allowing cook top creativity. Available in gas or electric.


☎ 919.762.1000 ✉ sales@southbendnc.com
www.southbendnc.com



BAKE TO PERFECTION EVERY TIME.


AIR MIXING TECHNOLOGY.

Soft heat mixing zone technology allows hot air to be mixed with cooler air from the baking chamber to produce tempered air for even baking and cooking.



MORE POWER THAN THE COMPETITION.

Inshot burners operate with the same concept as a jet engine. Each burner has a single large opening where the air and gas mix. This ensures consistent burn and eliminates the possibility of clogging.





SAVE HEAT. SAVE GREEN.

Efficient two stage door sealing system with integrated door stop to eliminate seal bending/damage. 304 stainless steel spring gasket, backed with a steel rope gasket on the top and bottom.



EASY TO USE. EASY TO CLEAN.

Porcelain coated interior has coved corners for ease of cleaning. Each oven features a bright interior light that illuminates the entire cavity for maximum visibility.



ENGINEERED TO PERFORM.

DEPENDENT DOORS YOU CAN DEPEND ON.

5 year warranty on 180° opening dependent doors. Our fully insulated factory sealed flat panel glass are grease vapor resistant in between the glass panels.

“NRG” SYSTEM FOR ENERGY SAVINGS.

“NRG” is a system that saves 35-50% in operational cost by use of a patented flue damping system. “NRG” is standard on G-Series ovens and is available as an option for SL-Series ovens.

ENERGY STAR QUALIFIED.

G-Series

Gas and electric, standard depth convection ovens

SL-Series

Electric standard depth convection oven. Gas standard depth ovens with optional “NRG” system.

K-Series

All K-Series, gas and electric, standard depth convection.

DURABLE AND SERVICEABLE.

Water resistant control panel seal with new heavy-duty drawer mount slides for improved serviceability and a new brushed steel poly panel.





BAKE TO PERFECTION

At Southbend we are constantly innovating our technologies and systems to provide our customers with the best product possible. Part of the innovation process is copious amounts of testing. We tested our fully-loaded convection oven to observe the baking quality and consistency, and we are proud to share the results with you.

CAKE TEST PARAMETERS

Number of pans: 5
 Amount: **5 lbs of cake per pan**
 Temperature: **300°F (149°F)**
 Time: **18 mins and 30secs**
 Fan Speed: **High**



PAN POSITION

BOTTOM
 |
 2ND FROM BOTTOM
 |
 MIDDLE
 |
 2ND FROM TOP
 |
 TOP

COMPETITOR



One of the most prominent advantages that make our convection ovens a number one choice of thousands of professionals is the soft heat mixing zone technology. This innovative feature mixes hot and cool air to produce tempered air for even baking and cooking. Don't miss your chance to boost your kitchen performance, and please your guests with mouth-watering evenly cooked meals.



No ripples! Southbend's fan and baffling system provide a strong but gentle airflow.



Rippling in the product is caused by harsh unbalanced air circulation inside the cavity.



Uniform bake! Southbend's soft air mixing technology creates a uniform bake.



Undercooked centers, overcooked edges are caused by inadequate air tempering.



Top Rack

VS.



Middle Rack

CONSISTENT



Top rack

VS.



Middle Rack

INCONSISTENT

G-SERIES CONVECTION OVENS



GS/25SC

GS/15SC




ENERGY STAR MODELS

GS/15SC, GS/15CCH, GS/25SC, GS/25C, ES/10SC, ES/10CCH, ES/20SC, and ES/20CCH.




Do you have a high output kitchen? We have a solution. The G-Series provides immediate recovery when the doors are constantly being opened and closed. Whether you roasting pork loins, whole roasted chickens, hams, legs of lamb, and then switching to finishing full sheet trays of steak or fish for banquets this oven can handle all your high-volume needs.



STANDARD FEATURES


- 90,000 BTU per deck - available in single or double deck, standard or bakery depth
 - New! " " energy saving system Saves 35-50% in operational cost
 - 60/40 dependent doors (Full 180° opening) - **5 year warranty*** *excludes glass
 - Energy saving high efficiency glass windows
 - Heat keeping dual door seal system
 - Stay cool heavy-duty door handle
 - Stainless steel front, top, sides, and legs
 - Stainless steel rear jacket
 - Oven interior coved corners and two interior lights
 - Electronic ignition and flame failure safety device
 - Single deck: 52" in height with legs, 55" with legs and casters
 - Double deck: 64.8" in height - **lowest in the industry***
 - Single gas connection for single and double deck gas ovens
 - Unibody with solid frame construction
 - Available in gas and electric
 - Available with a variety of PATENTED, interchangeable control panels
 - Slide out control panel for full view servicing
 - Fully front serviceable
- *Height excludes gas vent.



OPTIONS AND ACCESSORIES

- Stainless steel oven interior
- Swivel Caster - front with locks
- Stainless steel exterior bottom
- Stainless steel legs with rack pan guide kit
- Marine edge top
- Export crating
- Down draft diverter for direct flue
- 3/4" quick disconnect with flexible hose (specify length: 3ft, 4ft, or 5ft)
- 2" air insulation panel (stainless steel only)
- Stainless steel doors

Lowest height in the industry!



SL-SERIES CONVECTION OVENS



SLES/20SC

SLES/10SC



ENERGY STAR MODELS

SLES/10SC, SLES/10CCH, SLES/20SC, and SLES/20CCH. SLGS/12SC, SLGS/12CCH, SLGS/22SC, SLGS/22CCH with optional "NRG" system.




For your baking needs, the SL Series can get the job done. Achieve a perfect crust or sear with SL-Series - ideal for finishing dishes and in-and-out service. From cooking full cabinets of lasagna, casseroles, Saulsberry steak; to baking breaded items, this mid-tier convection oven can do it all.



STANDARD FEATURES


- 72,000 BTU per deck - available in single or double deck, standard or bakery depth
 - 60/40 dependent doors (Full 180° opening) - **5 year warranty*** *excludes glass
 - Energy saving high efficiency glass windows
 - Heat keeping dual door seal system
 - Stay cool heavy-duty door handle
 - Stainless steel front, top, sides, and legs
 - Oven interior coved corners and two interior lights
 - Electronic ignition and flame failure safety device
 - Single deck: 52" in height with legs, 55" with legs and casters
 - Double deck: 64.8" in height - **lowest in the industry***
 - Single gas connection for single and double deck gas ovens
 - Unibody with solid frame construction
 - Available in gas and electric
 - Available with a variety of PATENTED, interchangeable control panels
 - Slide out control panel for full view servicing
 - Fully front serviceable
- *Height excludes gas vent.



OPTIONS AND ACCESSORIES

- "NRG" energy saving system available. Saves 35-50% in operational cost
- Stainless steel oven interior
- Swivel Caster - front with locks
- Stainless steel exterior bottom
- Stainless steel legs with rack pan guide kit
- Marine edge top
- Export crating
- Down draft diverter for direct flue
- 3/4" quick disconnect with flexible hose (specify length: 3ft, 4ft, or 5ft)
- 2" air insulation panel (stainless steel only)
- Stainless steel doors

Lowest height in the industry!



B-SERIES CONVECTION OVENS



BGS/22SC

BGS/12SC



ENERGY STAR MODELS

BGS/13SC, BGS/23SC, BES/17SC, and BES/27SC.



Obtain the perfect golden crust or exceptional even bake in your batch cooking with the B-Series. This entry level oven is ideal for lower volume kitchens such as churches, fire stations, and community centers. Save energy and money during operation with electric and gas Energy Star compliant models.




STANDARD FEATURES


- New Energy Star compliant units - 40,000 BTU per deck - available in single or double deck standard depth
- 54,000 BTU per deck - available in single or double deck standard depth
- 60/40 dependent doors (Full 180° opening) - **1 year warranty*** *excludes glass
- Energy saving high efficiency glass windows
- Heat keeping dual door seal system
- Stay cool heavy-duty door handle
- Stainless steel front, top, and sides
- Electronic ignition and flame failure safety device
- Single deck: 52" in height with legs, 55" with legs and casters
- Double deck: 64.8" in height. - **lowest in the industry***
- Single gas connection for single and double deck gas ovens
- Unibody solid frame construction
- Available in gas and electric
- Available with standard control panel
- Slide out control panel for full view servicing
- Fully front serviceable
- *Height excludes gas vent.

OPTIONS AND ACCESSORIES

- Stainless steel rear jacket
- Casters 4" or 6"
- Swivel Caster - front with locks
- Stainless steel doors



Lowest height in the industry!



K-SERIES CONVECTION OVENS



KLGS/27SC

KLGS/17SC



ENERGY STAR MODELS

KLGS/17SC, KLGS/17CCH, KLGS/27SC, KLGS/27CCH, KLES/10SC, KLES/10CCH, KLES/20SC, and KLES/20CCH.




STANDARD FEATURES


- **3 year warranty** for schools and universities. 2 year parts and labor warranty standard.
- Energy Star Compliant
- 53,000 BTU (NAT or LP) or 11kW high efficiency heating elements
- 60/40 dependent doors (Full 180° opening) - **5 year warranty*** *excludes glass
- **10 year chassis warranty**
- Available standard depth
- Energy saving high efficiency glass windows
- Heat keeping dual door seal system
- Stay cool heavy-duty door handle
- Stainless steel front, top, sides, and legs
- Oven interior coved corners and two interior lights
- Electronic ignition and flame failure safety device
- Single deck: 52" in height with legs, 55" with legs and casters
- Double deck: 64.8" in height - **lowest in the industry***
- Single gas connection for single and double deck gas ovens
- Unibody with solid frame construction
- Available in gas and electric
- Available with a variety of PATENTED, interchangeable control panels
- Slide out control panel for full view servicing
- Fully front serviceable
- *Height excludes gas vent.

OPTIONS AND ACCESSORIES

- Stainless steel rear jacket
- Stainless steel exterior bottom
- Casters 4" or 6"
- Marine edge top
- Swivel Caster - front with locks
- Export crating
- Down draft diverter for direct flue
- Stainless steel dirt tray
- Stainless steel doors



Lowest height in the industry!



Our K-Series Oven was designed to meet your needs while featuring that same soft heat mixing technology and offering a generous 10-year chassis warranty, 5-year door warranty, and 3-year parts and labor warranty for all schools and universities.

At Southbend, we delight ourselves on being experts in the food service industry. It is our pleasure to offer solutions to each and every one of our customers, and for school and universities it's no different.



G-SERIES HALF-SIZE CONVECTION OVENS



GH/20SC



GH/10SC



If you are limited on space but need the benefits of convection cooking the half size is able to manage your production needs. Cooking chicken, fish, seafood or pork for ala carte or fast casual concepts as well as baking muffins, Danish, rolls, the half size will stand up to the challenge.




STANDARD FEATURES

- 30,000 BTU per deck- available in single or double deck standard depth
- Stainless steel front, top, sides and legs
- Single deck: 52" in height with legs, 55" with legs and casters
- Double deck: 64" in height
- Unibody with solid frame construction
- Single door with window - **5 year warranty***
*excludes glass
- Available gas or electric
- Available with a variety of PATENTED, interchangeable control panels
- Fully front serviceable

OPTIONS AND ACCESSORIES

- Ventless Design - (Electric Single Deck Only)
- Stainless steel solid doors
- Marine edge top
- 26" Stainless steel legs (with or without caster or flanged feet)
- 12" stainless steel legs
- 6" legs
- Casters
- Flanged feet



VENTLESS SOLUTIONS

- Eliminate a traditional hood system saving thousands on the hood, installation, and maintenance.
- No additional utilities or space required.
- Cook any dish you desire - Southbend's Convection Oven can handle everything from savory biscuits to protein-rich greasy bacon.
- Our new ventless feature can be retro-fitted to the existing unit in the field when installed by any Southbend authorized Service Agencies.



NEW Optional Ventless Internal Catalyst Design circulates air and breaks down grease vapor and volatile organic compounds (VOCs).



Southbend's Optional Ventless Half-Size Electric Convection Oven allows you to cook anywhere. This powerful and compact convection oven is constructed using an internal catalyst design, which allows cavity air to circulate through the catalyst. The result, all grease-laden vapors material and volatile organic compounds (VOCs) are broken down into carbon dioxide and water that can be safely released into the environment.



FIND YOUR PERFECT MATCH

EXCLUSIVE FEATURES ONLY FOUND ON SOUTHBEND CONVECTION OVENS

- Low profile design, 64.8" high double stack convection oven. **Lowest double stack gas convection oven in the industry.**
- Single gas connection on double deck units.
- Dependant door system with (2) fully sealed glass door panels. Resistant to grease vapor buildup.
- Thermal Isolated Chrome Handle with high heat phenolic resin corners. Guaranteed cool touch.
- Two stage door seal with integrated door stop to eliminate seal bending/ damage. 304 stainless spring steel gasket backed with a steel rope gasket on top and bottom.
- Water resistant control panel seal with new heavy duty drawer mount slides for front serviceability.



All Southbend Convection Ovens are **Made in the USA**



(GS/15SC)



(SLGS/12SC)



(BGS/12SC)



(KLGS/17SC)

	G-Series	SL-Series	B-Series	K-Series
Warranty	1 Year Parts and Labor	1 Year Parts and Labor	1 Year Parts and Labor	2 Year Parts and Labor* *(3 year for School and Universities)
Door Warranty	5 Year Limited Warranty	5 Year Limited Warranty	1 Year Limited Warranty	5 Year Limited Warranty
BTU's	90,000	72,000	54,000	53,000
Single Deck Legs	Stainless Steel	Stainless Steel	Black Painted Steel	Stainless Steel
Door System	Dependent	Dependent	Dependent	Dependent
Glass Panels	(2) Fully Sealed Panels			
Interior Lights	Yes	Yes	Yes	Yes
S.S. Rear Jacket	Standard	No	No	No
Double Stack Height	64.8"	64.8"	64.8"	64.8"
Available in Electric	Yes	Yes	Yes	Yes
Energy Star Models	Yes	Yes**	Yes**	Yes

*Height excludes gas vent. **Select models.

Find your perfect match today. Need help?

Contact our Sales Team today!

☎ 919.762.1000 ✉ sales@southbendnc.com

The TruVection oven is unlike any other oven in our industry today. With versatility at its forefront, the TruVection has been developed utilizing the same patented air flow and inshot burner design as our full size convection oven lineup - producing a consistent and even bake every time in the lowest profile in the market.

TRUVECTION CONVECTION OVEN



The TruVection's patented high efficiency inshot burner system provides fast cold starts and rapid cavity temperature recovery resulting in a superior uniform bake that you can count on. TruVection provides flexibility and versatility. Available to use with any top configurations you desire.




STANDARD FEATURES

- 52,000 BTU PATENTED, high efficiency, inshot burners
- Gas or Electric
- Available in standard depth only
- Single deck TruVection oven is 27-1/4" in height
- Dependent doors with windows - **5 year warranty***
*excludes glass
- Energy saving high efficiency glass windows
- Heat keeping dual door seal system
- Oven interior light
- Coved, porcelain interior
- Stay cool heavy-duty door handle
- 1/2 hp two-speed fan motor
- 5-position rack guides and 3 chrome plated oven racks
- Electronic ignition
- Cool down fan mode
- Oven "ready" indicator light
- Can stack up to 3 units
- Platinum modular equipment or Heavy Duty Counterline units can sit on single deck. Overhanging units require

OPTIONS AND ACCESSORIES

- Stainless steel rear jacket
- Stainless steel exterior bottom
- Casters 4" or 6"
- Marine edge top
- Swivel Caster - front with locks
- Export crating
- Down draft diverter for direct flue
- Stainless steel dirt tray
- Stainless steel doors



BACKED BY OUR
SERVICEFIRST®
PROGRAM



COUNT ON US.

☎ 919.762.1142 ✉ sbtechserv@southbendnc.com
www.southbendnc.com



- GUARANTEED SIX HOUR RESPONSE TIME
- GUARANTEED CERTIFIED TECHNICIAN
- GUARANTEED LOCALLY STOCKED PARTS

At Southbend, we pride ourselves on being experts in the food service industry. We know how our customers work and what equipment works for them. Our convection ovens have all the features a busy kitchen needs from the inside out.



1100 Old Honeycutt Road • Fuquay-Varina, NC 27526

☎ 919.762.1000 ✉ sales@southbendnc.com

www.southbendnc.com

