



Solutions that advance your business.

When you're faced with challenges, trust Alto-Shaam to deliver solutions and support when and where you need it. Our equipment systems are designed to add value to your business, helping create superior food experiences that drive long-term profitability. We pioneer equipment that is intuitive and dependable—giving you the confidence and support you need to embrace changes in rapidly evolving markets.

With headquarters and manufacturing in Menomonee Falls, Wisconsin, Alto-Shaam proudly provides foodservice equipment solutions made in the USA to more than 90 countries globally.



"Since implementing the heated shelf merchandiser, we're seeing an 8 to 10% increase in our rotisserie chicken sales volume. We've also expanded its use to include meat loaf, ribs, and mashed and red potatoes. It has a bright, wonderful visual presentation and graphics that have made it a real asset in our store."

Emily Peterson | Deli Manager
Fox Bros. Piggly Wiggly

Boost impulse sales.

As the foodservice industry continues to evolve, more and more consumers are looking for hot and fresh ready-to-eat meals. Drive profits and streamline food service by showcasing grab-and-go, prepared food options in an Alto-Shaam heated shelf merchandiser or display case.

Featuring exclusive Halo Heat® fanless technology for precise, even heating, merchandisers and display cases are designed to maintain the highest food quality—all while extending holding times.

Merchandisers and display cases are available in a variety of sizes and configurations to fit the needs of any foodservice operation.

Install separately or as part of a full system to cook, hold, and merchandise rotisserie chickens, pizzas, bakery, sandwiches and more.



Quality on display.

Convenient, high-quality food paired with an attractive display increases sales and keeps customers coming back for more. Durable, easy-to-install equipment keeps prepared food programs running efficiently. Discover exclusive features that set Alto-Shaam merchandisers and display cases apart—and foodservice operations up for long-term success.

Reduced Food Waste.

Exclusive Halo Heat® technology holds food at optimal, precise temperatures for minimal food waste. Drive foodservice profits and convert more food into sales with high-quality holding.

Longer Hold Times.

Halo Heat technology keeps food fresh, warm and full of flavor for longer periods of time without compromising food quality. No fans, forced air or harsh, inconsistent heating elements. No overcooking or drying out. No hot or cold spots. Only gentle, consistent heat.

Visual Displays.

Boost impulse sales with eye-catching displays. Draw customers in with customizable branding, LED-lighting, interchangeable graphics, window sides, mirrors and more.

Precise Temperatures.

Adjustable, independent temperature controls keep food at the optimal serving temperatures and quality regardless of the type of food or packaging.

Streamlined Service.

Effortlessly introduce a grab-and-go program or streamline existing programs with merchandisers and display cases. Safely merchandise and serve prepared food anywhere with a variety of casters, display bases and equipment configurations.

Low Operating Costs.

Energy-efficient Halo Heat technology provides gentle, low temperature heating—using significantly less electricity than traditional merchandising and display equipment.



Countertop Merchandisers



HSM-24/3S/T

PAN CAPACITY

Three (3) 20-7/8" [530mm] wide shelves,
Six (6) chicken boats with dome covers per shelf.

VOLTAGES

120V, 1Ph, 60Hz
208-240V, 1Ph, 60Hz
230V, 1Ph, 50/60Hz

DIMENSIONS H x W x D

45-3/4" x 24" x 27-5/16"
[1162mm x 609mm x 694mm]

SHIPPING WEIGHT

300 lb [136 kg]

NET WEIGHT

250 lb [113 kg]

PRODUCT CAPACITY

16 lb [7 kg] per shelf



HSM-36/2S/T

PAN CAPACITY

Two (2) 32-7/8" [835mm] wide shelves,
Eight (8) chicken boats with dome covers per shelf.

VOLTAGES

120V 1Ph, 60Hz
208-240V, 1Ph, 50-60Hz

DIMENSIONS H x W x D

35-3/4" x 36" x 27-1/4"
[882mm x 914mm x 685mm]

SHIPPING WEIGHT

375 lb [170 kg]

NET WEIGHT

224 lb [101 kg]

PRODUCT CAPACITY

24 lb [11 kg] per shelf



HSM-36/3S/T

PAN CAPACITY

Three (3) 32-7/8" [835mm] wide shelves,
Eight (8) chicken boats with dome covers per shelf.

VOLTAGES

208-240V, 1Ph, 60Hz
230V, 1Ph, 50/60Hz

DIMENSIONS H x W x D

45-3/4" x 36" x 27-5/16"
[1162mm x 914mm x 694mm]

SHIPPING WEIGHT

417 lb [189 kg]

NET WEIGHT

311 lb [141 kg]

PRODUCT CAPACITY

24 lb [11 kg] per shelf

3-shelf merchandisers also available with a floor-standing display base.

Floor-Standing Merchandisers



HSM-24/5S/T

PAN CAPACITY

Five (5) 20-7/8" [530mm] wide shelves,
Six (6) chicken boats with dome covers per shelf.

VOLTAGES

208-240V, 1Ph, 60Hz
230V, 1Ph, 50/60Hz

DIMENSIONS H x W x D

79-7/8" x 24" x 27-5/16"
[2029mm x 609mm x 694mm]

SHIPPING WEIGHT

550 lb [249 kg]

NET WEIGHT

406 lb [184 kg]

PRODUCT CAPACITY

16 lb [7 kg] per shelf



HSM-36/5S/T

PAN CAPACITY

Five (5) 32-7/8" [835mm] wide shelves,
Eight (8) chicken boats with dome covers per shelf.

VOLTAGES

208-240V, 1Ph, 60Hz
230V, 1Ph, 50/60Hz

DIMENSIONS H x W x D

79-7/8" x 36" x 27-5/16"
[2029mm x 914mm x 694mm]

SHIPPING WEIGHT

652 lb [296 kg]

NET WEIGHT

496 lb [225 kg]

PRODUCT CAPACITY

24 lb [11 kg] per shelf



HSM-48/5S/T

PAN CAPACITY

Five (5) 44-7/8" [1140mm] wide shelves,
Twelve (12) chicken boats with dome covers per shelf.

VOLTAGES

208-240V, 1Ph, 60Hz
230V, 1Ph, 50/60Hz

DIMENSIONS H x W x D

79-7/8" x 48" x 27-5/16"
[2029mm x 1219mm x 694mm]

SHIPPING WEIGHT

772 lb [350 kg]

NET WEIGHT

563 lb [255 kg]

PRODUCT CAPACITY

40 lb [18 kg] per shelf

Single Shelf Display Cases



ED2-48

PAN CAPACITY (DIMENSIONS)

3 Full-Size Pans [3 GN 1/1]
12" X 20" X 2-1/2"

3 One-Third Size Pans [3 GN 1/3]
12" X 6" X 2-1/2"

VOLTAGES

120V-208-240V, 1Ph, 50-60Hz
230V, 1Ph, 50-60Hz

DIMENSIONS H X W X D

30-1/8" x 48" x 44-5/16"
[765mm x 1219mm x 1125mm]

SHIPPING WEIGHT

372 lb [169 kg]

NET WEIGHT

297 lb [135 kg]

PRODUCT CAPACITY

48 lbs [22 kg]



ED2-72

PAN CAPACITY (DIMENSIONS)

5 Full-Size Pans [5 GN 1/1]
12" X 20" X 2-1/2"

5 One-Third Size Pans [5 GN 1/3]
12" X 6" X 2-1/2"

VOLTAGES

120V-208-240V, 1Ph, 60Hz
230V, 1Ph, 50-60Hz
380-415V, 3Ph, 50-60Hz

DIMENSIONS H X W X D

30-1/8" x 72" x 44-5/16"
[765mm x 1829mm x 1125mm]

SHIPPING WEIGHT


465 lb [210 kg]

NET WEIGHT

419 lb [190 kg]

PRODUCT CAPACITY

80 lbs [36 kg]



ED2-96

PAN CAPACITY (DIMENSIONS)

7 Full-Size Pans [7 GN 1/1]
12" X 20" X 2-1/2"

7 One-Third Size Pans [7 GN 1/3]
12" X 6" X 2-1/2"

VOLTAGES

120V-208-240V, 1Ph, 60Hz
380-415V, 3Ph, 50-60Hz

DIMENSIONS H X W X D

30-1/8" x 96" x 44-5/16"
[765mm x 2438mm x 1125mm]

SHIPPING WEIGHT

585 lb [265 kg]

NET WEIGHT

526 lb [239 kg]

PRODUCT CAPACITY

112 lbs [51 kg]



Single Shelf Display Cases



TY2-48

PAN CAPACITY (DIMENSIONS)

3 Full-Size Pans [3 GN 1/1]
12" X 20" X 2-1/2"

3 One-Third Size Pans [3 GN 1/3]
12" X 6" X 2-1/2"

VOLTAGES

120V-208-240V, 1Ph, 50-60Hz

DIMENSIONS H X W X D

33-7/16" x 48" x 49-5/8"
[849mm x 1219mm x 1260mm]

SHIPPING WEIGHT

415 lb [188 kg]

NET WEIGHT

225 lb [116 kg]

PRODUCT CAPACITY

48 lbs [22 kg]



TY2-72

PAN CAPACITY (DIMENSIONS)

7 Full-Size Pans [7 GN 1/1]
12" X 20" X 2-1/2"

7 One-Third Size Pans [7 GN 1/3]
12" X 6" X 2-1/2"

VOLTAGES

120V-208-240V, 1Ph, 50-60Hz
230V, 1Ph, 50-60Hz
380-415V, 3Ph, 50-60Hz

DIMENSIONS H X W X D

33-7/16" x 96" x 49-5/8"
[849mm x 2438mm x 1260mm]

SHIPPING WEIGHT

600 lb [272 kg]

NET WEIGHT

385 lb [175 kg]

PRODUCT CAPACITY

80 lbs [36 kg]



TY2-96

PAN CAPACITY (DIMENSIONS)

5 Full-Size Pans [5 GN 1/1]
12" X 20" X 2-1/2"

5 One-Third Size Pans [5 GN 1/3]
12" X 6" X 2-1/2"

VOLTAGES

120V-208-240V, 1Ph, 60Hz
230V, 1Ph, 50-60Hz
380-415V, 3Ph, 50-60Hz

DIMENSIONS H X W X D

33-7/16" x 72" x 49-5/8"
[849mm x 1829mm x 1260mm]

SHIPPING WEIGHT

610 lb [277 kg]

NET WEIGHT

501 lb [227 kg]

PRODUCT CAPACITY

112 lbs [51 kg]

Single Shelf Display Systems



*Shown with optional Cook & Hold oven system

EU2SYS-48*

PAN CAPACITY (DIMENSIONS)

3 Full-Size Steam Table Pans [2-1/2"]
3 GN 1/1 Pans [65mm]
2 Full-Size Sheet Pans

VOLTAGES

120V-208-240V, 1Ph, 50-60Hz
230V, 1Ph, 50-60Hz

DIMENSIONS H X W X D

58-3/16" x 48" x 44-5/16"
[1477mm x 1219mm x 1125mm]

SHIPPING WEIGHT

472 lb [214 kg]

NET WEIGHT

397 lb [180 kg]

PRODUCT CAPACITY

48 lbs [22 kg]



EU2SYS-72

PAN CAPACITY (DIMENSIONS)

5 Full-Size Steam Table Pans [2-1/2"]
5 GN 1/1 Pans [65mm]
3 Full-Size Sheet Pans

VOLTAGES

120V-208-240V, 1Ph, 50-60Hz
230V, 1Ph, 50-60Hz
380-415V, 3Ph, 50-60Hz

DIMENSIONS H X W X D

58-3/16" x 72" x 44-5/16"
[1477mm x 1829mm x 1125mm]

SHIPPING WEIGHT

595 lb [270 kg]

NET WEIGHT

549 lb [249 kg]

PRODUCT CAPACITY

80 lbs [36 kg]



EU2SYS-96

PAN CAPACITY (DIMENSIONS)

7 Full-Size Steam Table Pans [2-1/2"]
7 GN 1/1 Pans [65mm]
5 Full-Size Sheet Pans

VOLTAGES

120V-208-240V, 1Ph, 50-60Hz
230V, 1Ph, 50-60Hz
380-415V, 3Ph, 50-60Hz

DIMENSIONS H X W X D

58-3/16" x 96" x 44-5/16"
[1477mm x 2438mm x 1125mm]

SHIPPING WEIGHT

735 lb [333 kg]

NET WEIGHT

676 lb [307 kg]

PRODUCT CAPACITY

112 lbs [51 kg]

A partner **you can rely on.**

At Alto-Shaam we're relentlessly driven to design and manufacture products that perform flawlessly in the most demanding conditions to give operators confidence and consistency in every meal. And our team is just as committed to providing industry-leading service and support. From installation consultation to equipment training to around the clock, every day technical assistance to culinary support—you can trust that we are here for you.



ALTO-SHAAM.

Menomonee Falls, WI U.S.A.

Phone 800-558-8744 | +1-262-251-3800 | alto-shaam.com

Full Line Commercial Kitchen Equipment:

- Combitherm® Ovens
- Cook & Hold Ovens
- Food Wells
- Heated Holding
- Smokers
- Quickchillers™
- Rotisseries
- Carving Stations
- Merchandisers & Display Cases
- Multi-Cook Ovens

ASIA

Shanghai, China
Phone +86-21-6173-0336

AUSTRALIA

Brisbane, Queensland
Phone 800-558-8744

CANADA

Concord, Ontario Canada
Toll Free Phone 866-577-4484
Phone +1-905-660-6781

FRANCE

Aix en Provence, France
Phone +33(0)4-88-78-21-73

GMBH

Bochum, Germany
Phone +49 (0)234 298798-0

ITALY

Padua, Italy
Phone +39 3476073504

INDIA

Pune, India
Phone +91 9657516999

MEXICO

Phone +1 (954) 655-5727

MIDDLE EAST & AFRICA

Dubai, UAE
Phone +971-4-321-9712

CENTRAL & SOUTH AMERICA

Miami, FL USA
Phone +1 (954) 655-5727

RUSSIA

Moscow, Russia
Phone +7 903 7932331

ALTO-SHAAM®