

# ICE STORAGE AND TRANSPORT SYSTEMS

## Upright bins with SmartGATE® ice shield (for all ice types)

Features industry exclusive SmartGATE ice shield, non-corroding poly ice access door with "stay-open" PowerHinge™ door hinge. Full stainless exterior with poly bin liner and stainless bottom on all models. Poly top standard on single door uprights and stainless top standard on double door uprights.



SG1010S-48



SG2250-72

Model number	Max. bin capacity lb (kg)	Width in (cm)	Depth <sup>1</sup> in (cm)	Height in (cm)
SG500S-30	460 (209)	30.00 (76.2)	31.00 (78.7)	44.50 (113.0)
SG700S-30	680 (309)	30.00 (76.2)	31.00 (78.7)	60.00 (152.4)
SG1000S-36 <sup>2</sup>	990 (450)	36.00 (91.4)	31.00 (78.7)	69.50 (176.5)
SG860S-48	860 (391)	48.00 (121.9)	31.00 (78.7)	46.50 (118.1)
SG1010S-48	1000 (454)	48.00 (121.9)	31.00 (78.7)	56.00 (142.2)
SG1175S-48	1185 (538)	48.00 (121.9)	31.00 (78.7)	62.00 (157.5)
SG1300S-48	1320 (599)	48.00 (121.9)	31.00 (78.7)	65.00 (165.1)
SG1160S-56	1170 (531)	56.00 (142.2)	31.00 (78.7)	56.00 (142.2)
SG1350S-56	1360 (617)	56.00 (142.2)	31.00 (78.7)	62.00 (157.5)
SG1080S-60	1080 (490)	60.00 (152.4)	31.00 (78.7)	46.50 (118.1)
SG1325S-60	1325 (602)	60.00 (152.4)	31.00 (78.7)	56.00 (142.2)
SG1475S-60	1490 (676)	60.00 (152.4)	31.00 (78.7)	62.00 (157.5)
SG1650S-60	1660 (754)	60.00 (152.4)	31.00 (78.7)	65.00 (165.1)
SG2000S-60 <sup>3</sup>	2000 (908)	60.00 (152.4)	31.00 (78.7)	80.00 (203.2)
SG1850-96	1870 (849)	96.00 (243.8)	31.00 (78.7)	51.00 (129.5)
SG2100-72	2110 (958)	72.00 (182.9)	40.00 (101.6)	57.00 (144.8)
SG2250-72	2250 (1022)	72.00 (182.9)	48.00 (121.9)	50.50 (128.3)
SG2650-72	2650 (1203)	72.00 (182.9)	40.00 (101.6)	66.50 (168.9)
SG3200-72	3240 (1471)	72.00 (182.9)	48.00 (121.9)	69.50 (176.5)
SG3900-72	3940 (1789)	72.00 (182.9)	48.00 (121.9)	81.50 (207.0)
SG4600-72	4640 (2107)	72.00 (182.9)	48.00 (121.9)	93.00 (236.2)

<sup>1</sup> Add 8.00" (20.32 cm) to depth for door assembly, easily removed for installation access.

<sup>2</sup> Stainless steel top only. Correctional package not available.

<sup>3</sup> 18.00" (45.7 cm) sleeve with window on an SG1475-60 bin.

## Single door Ice•Device™ ice storage and dispensing systems (for cube ice and Chewblet® ice only)

Labor-saving elevated bins use gravity to dispense ice through a chute into one of three carts or a bagger attachment. Low-profile (LP) models dispense into a single Totes™ ice carrier. Full stainless exterior, poly bin liner and poly top on all models. Add designator -75, -125, -ICS125L, -LP, or -BG to select configuration.



DEV1010SG-48-75  
(includes SC75 cart with 3 Totes)



DEV1010SG-48-125  
(includes SC125 cart)



DEV1010SG-48-ICS125L  
(includes ICS125L cart)



Low-profile DEV1010SG-48-LP  
(no cart, one Totes ice carrier)



DEV1010SG-48-BG  
(includes bagger kit)

Model number	with SC75 cart	with SC125 cart	with Cambro cart	with Tote	with bagger kit	Max. bin capacity lb (kg)	Width in (cm)	Depth <sup>1</sup> in (cm)	Height <sup>2</sup> in (cm)
DEV500SG-30	-75	-125	-ICS125L	-LP	-BG	460 (209)	30.00 (76.2)	31.00 (78.7)	63.00 (160.0)
DEV700SG-30	-75	-125	-ICS125L	-LP	-BG	680 (309)	30.00 (76.2)	31.00 (78.7)	78.50 (199.4)
DEV860SG-48	-75	-125	-ICS125L	-LP	-BG	860 (391)	48.00 (121.9)	32.00 (81.3)	65.50 (166.4)
DEV1010SG-48	-75	-125	-ICS125L	-LP	-BG	1000 (454)	48.00 (121.9)	32.00 (81.3)	74.50 (189.2)
DEV1175SG-48	-75	-125	-ICS125L	-LP	-BG	1185 (538)	48.00 (121.9)	32.00 (81.3)	80.50 (204.5)
DEV1300SG-48	-75	-125	-ICS125L	-LP	-BG	1320 (599)	48.00 (121.9)	32.00 (81.3)	84.00 (213.4)
DEV1160SG-56	-75	-125	-ICS125L	-LP	-BG	1170 (531)	56.00 (142.2)	32.00 (81.3)	74.50 (189.2)
DEV1350SG-56	-75	-125	-ICS125L	-LP	-BG	1360 (617)	56.00 (142.2)	32.00 (81.3)	80.50 (204.5)
DEV1080SG-60	-75	-125	-ICS125L	-LP	-BG	1080 (490)	60.00 (152.4)	32.00 (81.3)	65.50 (166.4)
DEV1325SG-60	-75	-125	-ICS125L	-LP	-BG	1325 (602)	60.00 (152.4)	32.00 (81.3)	74.50 (189.2)
DEV1475SG-60	-75	-125	-ICS125L	-LP	-BG	1490 (676)	60.00 (152.4)	32.00 (81.3)	80.50 (204.5)
DEV1650SG-60	-75	-125	-ICS125L	-LP	-BG	1660 (754)	60.00 (152.4)	32.00 (81.3)	84.00 (213.4)

<sup>1</sup> Add 8.00" (20.32 cm) to depth for door assembly, easily removed for installation access.

<sup>2</sup> Deduct 14.75" (37.46 cm) from height for "LP" model configurations.

## Double door Ice•Devlce ice storage and dispensing systems (for cube ice and Chewblet ice only)

Labor-saving elevated bins use gravity to dispense ice through a chute. Includes two each Ice•Devlce door assemblies, chutes and SmartCART™ 75 ice carts. Contact factory for non-standard configurations. Full stainless exterior, poly bin liner and stainless top on all models.



DEV2250SG-72-75

Model number	Max. bin capacity lb (kg)	Width in (cm)	Depth <sup>1</sup> in (cm)	Height in (cm)
DEV2100SG-72-75	2110 (958)	72.00 (182.9)	40.00 (101.6)	75.50 (191.8)
DEV2250SG-72-75	2250 (1022)	72.00 (182.9)	48.00 (121.9)	69.50 (176.5)
DEV2650SG-72-75	2650 (1203)	72.00 (182.9)	40.00 (101.6)	85.50 (217.2)
DEV3200SG-72-75	3240 (1471)	72.00 (182.9)	48.00 (121.9)	88.50 (224.8)
DEV3900SG-72-75	3940 (1789)	72.00 (182.9)	48.00 (121.9)	100.50 (255.3)
DEV4600SG-72-75	4640 (2107)	72.00 (182.9)	48.00 (121.9)	112.00 (284.5)

<sup>1</sup> Add 8.00" (20.32 cm) to depth for door assembly, easily removed for installation access.

## Ice transport systems (ITS) (for all ice types)

Elevated bin and cart systems use gravity-assist ice removal and castered carts to deliver outstanding labor and safety benefits. Full stainless exterior, poly bin liner and stainless top on all models, and one-piece insulated polyethylene ice transport carts<sup>1</sup>.



ITS1350SG-60

(Totes ice carriers are available as an accessory for ITS carts)

Model number	No. of carts	Max. bin capacity lb (kg)	Capacity with carts lb (kg)	Width in (cm)	Depth <sup>2</sup> in (cm)	Height in (cm)
ITS500NS-31 <sup>3</sup>	1	382 (174)	622 (283)	31.00 (78.7)	40.00 (101.6)	60.00 (152.4)
ITS700SG-31	1	652 (296)	892 (405)	31.00 (78.7)	40.00 (101.6)	75.00 (190.5)
ITS1350SG-60	2	1327 (602)	1807 (830)	60.00 (152.4)	40.00 (101.6)	75.00 (190.5)
ITS2250SG-60	2	2133 (968)	2613 (821)	60.00 (152.4)	40.00 (101.6)	97.00 (246.4)
ITS1700SG-90	3	1716 (779)	2436 (1106)	90.00 (228.6)	40.00 (101.6)	70.00 (177.8)
ITS3250SG-90	3	3255 (1477)	3975 (1805)	90.00 (228.6)	40.00 (101.6)	97.00 (246.4)

<sup>1</sup> Totes ice carrier accessory available for SmartCART 240 ice cart.

<sup>2</sup> Add 8.00" (20.32 cm) to depth for door assembly, easily removed for installation access.

<sup>3</sup> ITS500NS-31 has sliding windows only, no SmartGATE ice shield or poly door.

## Ice Pro™ automatic ice bagging and dispensing systems (for cube and Chewblet ice only)

Ice storage bins with automatic agitation to store and dispense cube ice and Chewblet ice into bags, carts, pails or Totes ice carriers. Equipped with user-friendly control panel, foot pedal actuation, lockable clear window and adjustable bag stand.



DB1000SA

Model number	Max. bin capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)
DB650SA <sup>1</sup>	650 (295)	33.75 (85.7)	48.25 (122.6)	65.00 (165.1)
DB1000 <sup>2</sup>	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)
DB1000SA <sup>1</sup>	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)

<sup>1</sup> SA includes blower and timed dispense mode for automatic filling of bags.

<sup>2</sup> Not for use in bagging applications. Does not include bagging components - timed dispense, automatic bag opener, and bag holding pins.

## Slope front bins (for all ice types)

Small to medium capacity ice storage bins. Bin exterior for all models includes stainless front, sides and top. Bin interior includes poly-lined walls and stainless bottom.








650-44

Model Number	Max Bin Capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)
300-22 <sup>1</sup>	300 (136)	22.00 (55.9)	29.50 (74.9)	40.00 (101.6)
425-30	430 (195)	30.00 (76.2)	29.50 (74.9)	40.00 (101.6)
650-44	660 (299)	44.00 (111.8)	29.50 (74.9)	40.00 (101.6)
950-48	950 (431)	48.00 (121.9)	28.25 (71.8)	50.00 (127.0)
1025-52	1030 (467)	52.00 (132.1)	28.25 (71.8)	50.00 (127.0)





<sup>1</sup> Model 300-22 only for use with Follett® Maestro Plus™ 425 and Horizon Elite™ 710 series ice machines.

## Ice carts and Totes

	SmartCART 75 Item# 00112771	SmartCART 125 Item# LSC125	SmartCART 240 Item# ROTOCART	Cambro® Cart ICS125L Item# ICS125L	Totes Item# ABICETOTP (six) Item #502263 (single)
					
	Perfect for moving small quantities of ice to manually fill storage receptacles. 75 lb (34.0 kg) capacity. Includes 3 Totes ice carriers. 21.50"W x 34.00"D x 39.00"H (54.6 x 86.4 x 99.1 cm) Ship wt – 53 lb (24.1 kg)	Fully insulated poly with 125 lb (56.8 kg) capacity and flip-up lid makes an excellent working cart for portable bars. 22.50"W x 28.30"D x 33.50"H (57.2 x 71.8 x 85.1 cm) Ship wt – 60 lb (27.2 kg)	Fully insulated poly with removable lid. 240 lb (109.0 kg) capacity for transporting large quantities of ice. 24.25"W x 41.50"D x 35.75"H (61.6 x 105.4 x 90.8 cm) Ship wt – 75 lb (34.1 kg)	Fully insulated poly with slide back lid with 125 lb (56.8 kg) capacity. Perfect for sliding under bars. 23.00"W x 31.30"D x 29.25"H (58.4 x 79.5 x 74.3 cm) Ship wt – 70 lb (31.8 kg)	Comfortable handle, easy distribution of ice from longer side. Limits lifted load to 25 lb (11.4 kg). Set of 6. 7.12"W x 15.62"D x 15.00"H (18.08 x 39.7 x 38.1 cm) Set of 6 Totes Ship wt – 34 lb (15.4 kg) Single Tote Ship wt – 6 lb (3kg)
<b>Compatible with bin model</b>	✓ = may be ordered separately			n/r = not recommended for use with model	
Slope Front	✓	✓	✓	✓	✓
Single Door Upright	✓	✓	✓	✓	✓
Double Door Upright	✓	✓	✓	✓	✓
Single Door Ice•Device	✓	✓†	n/r	✓†	✓
Double Door Ice•Device	✓	✓†	n/r	✓†	✓
ITS - Ice Transport System	n/r	n/r	✓	n/r	✓






† Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).

## Ice bagging accessories





	Bagger kit Item# ABBAGGERKT	8 lb (3.6 kg) ice bag Item# 00116434	20 lb (9.1 kg) ice bag Item# 00138370	C-ring pliers - Item# 00137711 C-ring - Item# 00137729
				
	Bagger kit includes bagger assembly, tape dispenser with tape and 250 plastic bags of 10 lb (4.5 kg) capacity. 11.00"W x 13.63"D x 29.00"H (27.9 x 34.6 x 73.7 cm) Ship wt – 20 lb (9.1 kg)	125 bags per wicket – 4 wickets per case. 1.25 mil poly bag. 10.50"W x 4.00"D x 19.00"H (26.7 x 10.16 x 48.3 cm) Ship wt – 16 lb (7.3 kg)	125 bags per wicket – 4 wickets per case. 2.25 mil poly bag. 14.00"W x 4.50"D x 27.00"H (35.6 x 11.43 x 68.6 cm) Ship wt – 25 lb (11.4 kg)	Bostitch® P-7 C-ring pliers for bag closure. Automatic C-ring feed. Ship wt – 1 lb (0.45 kg) Aluminum blunt-end C-rings for use with Bostitch P-7 C-ring pliers. 2500 per box. Ship wt – 2 lb (0.91 kg)
<b>Compatible with bin model</b>	✓ = may be ordered separately		n/r = not recommended for use with model	
Slope Front	✓	n/r	n/r	n/r
Single Door Ice•Device†	✓	n/r	n/r	n/r
Double Door Ice•Device†	✓	n/r	n/r	n/r
Ice Pro	n/r	✓	✓	✓

† Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).

## Shovel, scoop and paddle accessories

	Paddle Item# ABICEPADDL46 46.50" (118.1 cm) or Item# ABICEPADDL 58.50" (147.3 cm)		Rake Item# AB36RAKE 38.00" (96.5 cm) or Item# ABICERAKE 50.00" (127.0 cm)		Shovel Item# ABICSHOVEL 37.00" (94.0 cm)	Scoop Item# 00146365 64 oz (1.9 L)	Scoop Item# ABICESCOOP 82 oz (2.4 L)
							
	High density poly paddle breaks ice bridges with ease. Ship wt – 6 lb (2.72 kg)		Draws ice to front of bin for easier access. Vinyl handle, aluminum shaft, stainless steel rake head. Ship wt – 3 lb (1.36 kg)		Heavy duty poly construction. Efficient removal of ice from bin. Ship wt – 9 lb (4.09 kg)	San Jamar® Saf-T-Ice® Guardian system®. Minimizes contact with ice, includes storage rack for scoop. Ship wt – 6 lb (2.72 kg)	Large poly scoop for manual removal of ice from bins. Ship wt – 3 lb (1.36 kg)
Compatible with bin model							
	✓ = may be ordered separately				n/r = not recommended for use with model		
	46.50" (118.1 cm)	58.50" (148.6 cm)	38.00" (96.5 cm)	50.00" (127.0 cm)			
Slope Front	✓	n/r	n/r	n/r	n/r	✓	✓
Single Door Upright	✓	n/r	✓	n/r	✓	✓	✓
Double Door Upright	n/r	✓	n/r	✓	✓	✓	✓
Single Door Ice•Device	✓	n/r	✓	n/r	n/r	✓	✓
Double Door Ice•Device	n/r	✓	n/r	✓	n/r	✓	✓
ITS - Ice Transport System	n/r	✓	n/r	✓	✓	✓	✓
Ice Pro	n/r	n/r	n/r	n/r	n/r	n/r	n/r

## Leg accessories

	6.00" (15.24 cm) with flanged feet, set of (4) Item# ABSPECLEG3	8.00" (20.32 cm) bullet leg with stabilizer, set of (4) Item# AB8INLEG55	10.00" (25.4 cm) with flanged feet, set of (4) Item# 00151647	12.00" (30.5 cm) bullet leg, set of (4) Item# ABSPECLEG1
				
	Ship wt – 6 lb (2.72 kg)	Ship wt – 10 lb (4.6 kg)	Ship wt – 15 lb (6.8 kg)	Ship wt – 13 lb (5.9 kg)
Compatible with bin model				
	✓ = may be ordered separately		n/r = not recommended for use with model	
Slope Front	✓	✓	✓	✓
Single Door Upright	✓	✓	n/r	n/r
Double Door Upright	✓	✓	n/r	n/r
Single Door Ice•Device	n/r	n/r	n/r	n/r
Double Door Ice•Device	n/r	n/r	n/r	n/r
ITS - Ice Transport System	n/r	n/r	n/r	n/r

Cambro is a registered trademark of Cambro Manufacturing Company in the US.

Bostitch is a registered trademark of Stanley Black and Decker.

Saf-T-Ice is a registered trademark of San Jamar, a division of the Coleman Group, Inc. in the US.

HORIZON ELITE, ICE•DEVICE, ICE PRO, MAESTRO PLUS, POWER HINGE, SMARTCART and TOTES are trademarks of Follett LLC.

CHEWBLET, FOLLETT and SMARTGATE are a registered trademarks of Follett LLC, registered in the US.

Follett reserves the right to change specifications at any time without obligation. Certifications may vary depending on country of origin.