

Explore a Broader Range of Possibilities



Configuration Charts

"GF" (Flame Safety)		-			
FEATURE / OPTION	600 mm(24") 900 mm(36")		1200 mm(48")	1500 mm(60")	1500 mm(60")
Griddle (T stat only)	300mm 600mm	300mm, 600mm, 900mm	300mm, 600mm, 900mm	300mm, 600mm 900mm	600mm (raised)
Hot Tops - Can replace any 300mm open burner section	√	\checkmark	\checkmark	\checkmark	\checkmark
Casters (adjustable)	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Low profile back guard	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Storage base					\checkmark
2 direction sheet pan (standard oven only)		\checkmark		\checkmark	\checkmark
Convection Oven					
Standard Oven		\checkmark		✓ Left or Right	✓ Left or Right
Space saver Oven	√		\checkmark		
Modular top	\checkmark	\checkmark			
Modular top stand	\checkmark	\checkmark			

the second se

"GFE" (Flame Safety with electronic start)

FEATURE / OPTION	600 mm(24″)	900 mm(36″)	1200 mm(48")	1500 mm(60")	1500 mm(60")
Griddle (T stat only)	300mm 600mm	300mm, 600mm, 900mm	300mm, 600mm, 900mm	300mm, 600mm 900mm	600mm (raised)
Hot Tops - Can replace any 300mm open burner section	\checkmark	\checkmark	√	\checkmark	\checkmark
Casters (adjustable)	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Low profile back guard	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Storage base					\checkmark
2 direction sheet pan (standard oven only)		\checkmark		\checkmark	\checkmark
Convection Oven		\checkmark		\checkmark	√
Standard Oven		\checkmark		√ Left or Right	✓ Left or Right
Space saver Oven	\checkmark		\checkmark		
Modular top					



The Restaura

The Garland Restaurant Range was inspire For more than a centur



Expanded Cook Top: Improved Productivity

At 27" deep, the new Garland Restaurant Range has the largest usable cooking surface in the industry. The new grate design allows pots to slide easily across the surface from burner to burner. Fits six 12" pots easily.

Industry leading depth holds six 12" pots easily



26K BTU Starfire Pro Burner delivers concentrated heat

Balanced Power Burners: Precision and Efficiency

Garland's exclusive two piece 26,000 BTU Starfire Pro Burner combines concentrated power with precise even heat for improved efficiency and heat control.



Larger Chef's Oven holds sheet pans in both directions



Oven design features and power deliver a better bake

High-Performance Chef Oven: Flexibility and Performance

Garland's Chef Oven is so large it holds standard full size sheet pans in either direction. Best-In-Class for temperature consistency and recovery time making ea work of all your baking, roasting or finishing. Even our range accepts a full size sheet pan.

An Even Better Bake

The fully porcelain interior, ribbed door and hearth an a 38,000 BTU cast iron "H" Burner combine to general and distribute heat faster and more evenly. Best-in-cla results and industry leading recovery are achieved by unmatched temperature consistency and simply the heat management system in the industry.

nt Range that cooks without boun

ed by chefs and engineered by experts to empower your unlimited culinary creativity through unmatched perfor ry, we've listened to the needs of chefs and created a range so intuitive and adaptive, it helps you take food furth





Pilot Lights are protected outside of the spill zone



asy 24"

best



Fully sealed split crumb trays easier and safer to handle

Easier to Maintain

Split Grates:

Engineered by experts, designed by Chefs, the Garland range is built with split, ergonomic grates which are easier to handle, remove and clean.

Two-Piece Burners:

The two-piece Starfire Pro Burner splits apart so cleaning the burner inside and out for maximum performance and burner efficiency is simple.

Protected Pilot Lights:

Pilot Lights are tucked outside of the spill zone so that you stay productive even when spills do happen.

Split Crumb Trays:

12" fully sealed crumb trays are easier to remove, handle and clean.

Porcelain Oven:

The all porcelain oven with removable racks and guide makes oven clean-up a breeze.



Split ergonomic grates are easier to handle and clean



2-piece burners for easy cleaning inside and out

For added convenience ar with dual controls, two burners and fully adj mounts on the back guar creat Available i

> A 5/8" thick griddle p or super accurate the section). High splash g grease control.

> > **R** Combines a griddle Available in 24'

> > > Chees guard (or on fle Available This prod

Excellent for ever surfaces for simmering, iron burner and

> Low profile bac (with o

daries.



mance and durability. ner.

Configure Your Range

Salamander Broiler

d flexibility, salamanders come o 14,000 BTU (4.10kW) infrared ustable grates. The salamander d, maximizing the work area by ing a combination work center. n range-mount or wall-mount.



Griddle

plate available with hi-low valve rmostatic controls (one per 12" guards and a wide trough aid in Grooved griddles also available.

aised Griddle Broiler (shown)

and a salamander in one unit. ' sections for added flexibility in your kitchen.



emelter can mount on the back a wall) adding convenience and xibility while maximizing space. n range-mount or wall-mount. duct is not CE or AGA approved.

Hot Top

distribution of heat across pot Powered by a 18,000 BTU cast available in 12" width sections.







Other Options include:

k guards, casters (adjustable or non-adjustable), oven racks, storage base or without doors), flanged deck mount legs and Celsius temperature dials.

Expand Your Range

Range Match Gas Under Fired Ceramic **Briquette Char-Broilers**

Garland Char Broilers help expand your range and your menu with perfectly grilled, charbroiled foods. Featuring a burner and control valve for every 6" of broiler width, allowing adjustment for capacity or different types of food. Cast iron broiler plate is two-sided to suit "branding" preference (diamond or broad brand). Comes with ceramic briquettes.



Range-Match Gas Fryer

Garland's 35 lb Open Vat Gas Fryers come standard with 2 baskets or a larger single basket depending on preference. Extremely accurate centre line thermostat and an open vat design which provides a deep cold zone to keep contaminants outside of the cooking zone, delivers perfect results. Powerful, the multiple pot burners total 110,000 BTU (32.2 kW)



Range Match Product Holding Fryer Station

The perfect companion to the Garland Open Vat fryer is the Product Holding Station. Station comes pre-wired for warming lamps. Large storage cabinet underneath. Stainless front, sides, low profile back guard and plate rail.





Range Design Specifications:

Range Models: Available in 24" (600mm), 36" (900mm), 48" (1200mm) and 60" (1500mm) widths

- All stainless steel construction (front, sides, back guard and shelf)
- 24" (600mm) and 36" (900mm) equipped with 3/4" (19mm) manifold and 3/4" (19mm) regulator. 48" (1200mm) and 60" (1500mm) equipped with 1" (25mm) manifold and 1" (25mm) regulator. Suggested step down to 3/4" service using 1" regulator.
- Large, heavy duty knobs made of heat resistant phenolic affixed with set screws and complete with on/off indicator.
- 6" (152mm) stainless steel legs
- 12" (305mm) sectioned stamped drip trays with dimpled bottom

Certifications: American Gas Association, Canadian Gas Association, Underwriters Lab, NSF, CE, AGA

Oven Specification:

Construction: One piece fully porcelainized oven interior (top, sides, back, hearth and door). Hearth and door ribbed for added strength and flexibility.

Oven Size: XL capacity chef oven — 26 1/4" (667mm) W x 26" (660mm) D x 13" (330mm) H. Holds standard sheet pans either direction. Space saver oven [24" (600mm) and select 48" (1200mm) models] — 20" (508mm) W x 26" (660mm) D x 13" (330mm) H. Holds standard sheet pans one direction.

Oven Controls: Snap action, modulating thermostat. Low to 500°F (260°C) with 38,000 BTU (40,065,300 J) cast iron "H" burner.

Space Saver: 32,000 BTU

Oven Racks: One nickel plated, heavy duty oven rack with removable three-position rack guide. Additional oven racks available as an option.

Convection Oven: 1/3 HP, 120V, 60 Hz single phase fan motor with 3.4 amps motor. Three nickel plated, heavy duty oven racks with removable rack guide. Size 26 1/4" (667mm) W x 22" (560mm) D x 13" (330mm) H. Also available in 240 V, 50/60 Hz single phase.

Range Top Specification:

Cooking Surface: Large capacity 27 1/4" (692mm) deep cooking surface with 5" (127mm) stainless steel plate rail.

Griddles: 5/8" (15mm) griddle plate with 18,000 BTU (18.99 MJ/H) 5.28 kW for every 12" (305mm) section, high splash guard and 4 1/4" (108mm) wide grease trough. Hi-low valve control or snap action thermostatic control upgrade available.

Raised Griddle Broiler: 24" (610mm) section with three 11,000 BTU (11.61 MJ/H) 3.22 kW cast iron burners. One manual hi-low valve per burner. 5/8" (15mm) griddle plate.

Open Burners: 26,000 BTU (27.43 MJ/H) 7.62 kW, two piece Starfire Pro Burner heads. Fully protected individual pilot lights.

Top Grates: Individual 12" (305mm) x 13 3/5" (345mm) heavy duty cast iron. Fully interchangeable back to front, side to side.

Hot Tops: Heavy duty surface with 18,000 BTU (18.99 MJ/H) 5.28 kW every 12" (305mm) section. Manual controls.



Welbilt offers fully-integrated kitchen systems and our products are backed by KitchenCare[®] aftermarket parts and service. Welbilt's portfolio of award-winning brands includes Cleveland[™], Convotherm[®], Delfield[®], fitkitchenSM, Frymaster[®], Garland[®], Kolpak[®], Lincoln[™], Manitowoc[®], Merco[®], Merrychef[®] and Multiplex[®].

Bringing innovation to the table • welbilt.com