



FURNISHING EDUCATIONAL SPACES SINCE 1981



CAFETERIA



SCIENCE LAB



MUSIC ROOM



AUDITORIUM





**Industrial
Grade Product
Solutions**



**Built with
Engineering
Excellence**



**Signature
Service**

NPS outfits industries across the country with no-fail equipment they use every single day.

In 1981 Oklahoma Sound opened its doors, recognizing an unmet need in the furniture industry. Podiums that worked well and lasted for years. We sought to build cabinetry that would perform through decades of wear and tear, pieces designed with schools, worship centers, and organizations in mind. And so, with a few helping hands, we got to work manufacturing every element of the furniture in house. That's right, not just the cabinetry, but the speakers and amplifiers were built from scratch. It seemed the best way to take real ownership of the end product.

The results were powerful and organizations came back asking for more. Chairs, this time. The team obliged, and in 1997 National Public Seating was born. Now, NPS outfits industries across the country with no-fail equipment they use every single day. From ultra-breathable flex chairs to easy-expand tables on wheels, our products are innovative, solution-focused, and both durable and comfortable to the nth degree. We ship them out quickly because we know time is of the essence, and we do everything possible to give you, our customers, a smooth experience from first purchase to years down the line.



A PASSION FOR EDUCATION

Furnishing schools is our passion. Of course, we love providing every industry with the tools it needs to succeed, but sustaining the learning and development of America's future leaders is where we shine brightest. Students sit most of the day. If they aren't comfortable they'll fidget and won't be happy to learn. It's that basic. That's why making strong, feel-good furniture for schools is our focal point. We proudly equip art rooms, music rooms, science labs, auditoriums, and cafeterias with sturdy tables, supportive chairs, and hardwood lecterns designed to truly last.



INDUSTRIAL GRADE

All our products are industrial grade, and that means they're crafted for heavy-duty usage day in, day out. We don't cut corners and we don't mess around. Our team of engineers and designers develop the furniture in our New Jersey plant, supported by 90+ factory employees. The furniture is then put through rigorous quality control testing to ensure it meets and surpasses every industry standard. We are there at every step in the manufacturing process.




SIGNATURE SERVICE


Our sales team doesn't rest on its laurels. It is constantly finding new ways to better streamline the supply process. The shipping team gets orders on the road in hours, and with warehouses in California, Tennessee and New Jersey, shipments often arrive the next day. Believe it or not, our customer service representatives look forward to solving any issue that should crop up. Because that's what they're there for. That's not all, though. Thanks to our custom design services, reliable web support, no-questions-asked returns and repairs, and ten year warranty, our dealers have come to know and deeply trust our service for 40 years. Here's to many more!



Hand Sketch Concept



NPS 2D Drawing



ITEM	DESCRIPTION	QTY
TGTH048	30" x 48" TUGO BOOTH	10
MFS12	12" RECT. TABLE W/ BENCH SEATING	8
MFB12	12" BENCH TABLE	4
MFC060	60" RECTANGULAR TABLE W/ STOOL SEATING	4
MFC060	60" RECTANGULAR TABLE W/ BENCH SEATING	4
CTK3030	30" ROUND CAFE TABLE	6
8008	CAFE HEIGHT STOOL	12






NPS DESIGN SERVICES You think it. We create it.

Our products are
featured on
leading design
software

2020 Design

The **KITS** collaborator™



ProjectMatrix

www.nationalpublicseating.com | National Public Seating®



TABLE OF CONTENTS

8 FOLDING CHAIRS



18 STACK CHAIRS



30 STOOLS



52 WOOD FOLDING TABLES



58 STEEL TABLES



66 SCIENCE TABLES



84 MOBILE TABLES




111 CAFÉ



120 MUSIC



132 STAGES & RISERS



141 DOLLIES



150 LECTERNS



167 CHARGING CARTS



169 PA SYSTEMS



172 BASICS BY NPS

BASICS
by NPS

42 PLASTIC FOLDING TABLES



78 WORKSTATIONS



128 ROOM DIVIDERS



163 PRESENTATION CARTS



175 DESIGN OPTIONS



Quickship available For Most Products



Online Dealer Support

- Price Lists
- Freight Quotes
- Order Tracking
- Assembly Instructions
- Service Portal



Online Image Library



Expansive Online Product Videos



State and Regional Government Contracts



GSA Catalog

Offering TAA Compliant Products



Parts under \$25

Ship to End Users with No Charge



Now offering full design services!



Our entire product line is MAS Certified Green®. For more information, visit www.mascertifiedgreen.com



FOLDING CHAIRS



Steel Chairs

50, 200, 300,
5200



Upholstered Chairs

1200, 1300, 2200,
2300, 3200



Plastic Chairs

600, 800,
1100, 1400



All-Steel

Standard | Double Brace | Single Hinge | 19-Gauge Frame
50 Series


Premium | Double Brace | Double Hinge | 18-Gauge Frame
200 Series




Colors




Beige
51



Grey
52




Black
510




Colors



Beige
201




Grey
202



Brown
203




Char-Blue
204



Black
210



Red
240



Shared Features

Available Accessories



PGC1
Ganging Device for Models
50 · 200 · 300 · 800 · 1100
· 1200 · 1300 · 2200 · 2300
· 3200 · 5200



MGC
Ganging Device for Models
50 · 200 · 300 · 800 · 1100
· 1200 · 1300 · 2200 · 2300
· 3200



GL
Glides for Models
50 · 200 · 300 · 800 · 1100 ·
1200 · 1300 · 2200 · 2300 ·
3200 · 5200




VT
V-Tips for Models
50 · 200 · 300 · 800 · 1100 ·
1200 · 1300 · 2200 · 2300 ·
3200 · 5200

THE
Body
Builder
LINE


Premium | Triple-Brace | Double Hinge | 18-Gauge Frame
300 Series




Premium All-Steel with Tablet Arm | Double Hinge
5200 Series




Colors



Beige
301




Grey
302




Brown
303



Char-Blue
304



Black
310



Colors



Grey Tablet Arm
Black Frame
5210R (right handed)
5210L (left handed)

Features



Extended Tablet
Provides Extra
Writing Space



Ultra-Strong Triangular
Gorilla Bracket Adds
Superior Durability

*5200 Cannot Be Transported on Dollies

Shared Features

All Steel Features



Non-Marring
Replaceable Glides That
Match Frame Color



Back Leg
Stability
Plugs



Double
Riveted U
Brace



2 1/4" Frame
Strengthener

See Page 143 For Dolly Specs
Compatible with dolly
84, DY-35, DY-50



products meet
or exceed applicable
ANSI/BIFMA standards



Vinyl Upholstered


Double Brace | Double Hinge
1200 Series




Triple U Brace | Double Hinge
1300 Series



Colors



French Beige Vinyl
Beige Frame
1201 / 1301




Warm Grey Vinyl
Grey Frame
1202 / 1302



Dark Midnight Blue Vinyl
Char-Blue Frame
1204 / 1304



Caviar Black Vinyl
Black Frame
1210 / 1310



Honey Brown Vinyl
Beige Frame
1203

Shared Features

Vinyl and Fabric Features



Non-Marring
Replaceable Glides That
Match Frame Color



Back Leg
Stability
Plugs



Double
Riveted U
Brace




2 1/4" Frame
Strengthener



Upholstered
Seat and Back



Double Hinge



FOLDING CHAIRS | 2200/2300 SERIES
Fabric Upholstered


Double Brace | Double Hinge
 2200 Series



Triple U Brace | Double Hinge
 2300 Series



Colors



Cafe Beige Fabric
 Beige Frame
 2201 / 2301



Greystone Fabric
 Grey Frame
 2202 / 2302



Russet Walnut Fabric
 Brown Frame
 2207



Imperial Blue Fabric
 Char-Blue Frame
 2204 / 2304



Midnight Black Fabric
 Black Frame
 2210 / 2310



Majestic Cabernet Fabric
 Grey Frame
 2208 / 2308



Imperial Blue Fabric
 Grey Frame
 2205

Shared Features

**THE
 Body
 Builder
 LINE**

See available
 accessories
 on **PAGE 8**

See Page 143 For Dolly Specs

Compatible with dolly
 84, DY-35, DY-50



Folding Chairs

2" Upholstered Fabric/Vinyl Seat
3200 Series




Blow Molding
600 Series




Fabric Colors




Charcoal Grey Fabric
Black Frame
3212



New Burgundy Fabric
Grey Frame
3218




Regal Blue Fabric
Grey Frame
3215




Antique Gold Fabric
Brown Frame
3219

Vinyl Colors




Beige Vinyl
Beige Frame
3201



Black Vinyl
Black Frame
3210


Colors




Speckled Grey Plastic
Grey Hammer Tone Frame
602



Blue Plastic
Black Frame
604



Black Plastic
Black Frame
610



Charcoal Slate Plastic
Silvertone Frame
620



Red Plastic
Black Frame
640


Features




2" Ultra Comfort
Box Seat



High Backrest



See Page 143 For Dolly Specs
Compatible with dolly
84/EXT-8, DY-35,
DY-50



See Page 143 For Dolly Specs
Compatible with dolly
84/EXT-8, DY-35,
DY-50

Features



19-Gauge
Steel Frame



Fully Welded
U Brace

THE Body Builder LINE

FOLDING CHAIRS | 800/1100 SERIES Folding Chairs

Premium Plastic Lightweight
800 Series




**SUPER
STACKER**




Polyfold Fan Back Triple-Brace
1100 Series



**SUPER
STACKER**




See Page 143 For Dolly Specs
Compatible with dolly
84, DY700/800,
DY-35, DY-50



See Page 143 For Dolly Specs
Compatible with dolly
84/EXT-8, DY-35,
DY-50, DY1100

Colors




Grey Plastic
Grey Frame
802



Blue Plastic
Grey Frame
805




Black Plastic
Black Frame
810



Burgundy Plastic
Black Frame
818



Charcoal Slate Plastic
Black Frame
820



White Plastic
White Frame
821




Colors



Blue Plastic
Grey Frame
1105



Black Plastic
Black Frame
1110



Dark Blue Plastic
Grey Frame
1115

Features



18-Gauge
Steel Frame



Double Riveted
U Brace



7/8" Round
Tubular Frame



Non-Marring
Polypropylene Glides



Double Hinge

See available
accessories
on PAGE 8



AirFlex®



COMFORT

Distinct AirFlex® Design
Contours to Each Individual
Making for the Perfect Balance
of Comfort and Strength.




DESIGN

Modern Design
Enhances Any Event.



DURABILITY

Strong 18-Gauge Steel Frame
and Seat Supports Make for
Long Lasting Durability.



See Page 143 For Dolly Specs

 Compatible with
 dolly 84/EXT-8,
 DY1400

Features



Durable Industrial
 Grade 3.8MM
 Polypropylene



Seat Strengthened
 With Two 11-Gauge
 Steel Side Supports



Sweat-Free
 Ventilation



18-Gauge Steel
 Frame



7/8" Square Leg Tubing
 for Added Strength




Oversized
 18" D Seat



Backrest Secured
 With Rivets


Colors



Black
 1410



White
 1421



AirFlex® Dimensions
 Overall: 31" H x 19.75" W x 20.25" D
 Folded: 40.25" H x 19.50" W x 2" D
 Seat: 17.25" H x 17" W x 18" D
 Back: 7.5" H x 19.5" W
 Weight: 9.6 lbs.



products meet
 or exceed applicable
 ANSI/BIFMA standards





STACK CHAIRS

Stack Chairs
8100, 8500, 8600, 8700,
8800 , LuvraFlex




Polyshell Stacker
8100 Series


Signature Stacker
8600 Series



Stack Up To **10** Chairs
See Page 145 For Dolly Specs
Compatible with dolly DY81



Stack Up To **20** Chairs
See Page 146 for Dolly Specs
Compatible with dolly DY86



Features



High-Density Injection Molding Poly One-Piece Shell



Frame Shields Protect Against Snags and Pinching



Strong 17-Gauge 7/8" Square Tubing

Features



Strong 16-Gauge 1/2" Round Tubing




Contoured Seat and Back for Enhanced Comfort



Non-Marring Floor Glides

Colors



Black 8110



Blue 8125



Colors



Ebony Black 8660



Classic Grey 8652

Accessories



MGC86 Ganging Device



products meet or exceed applicable ANSI/BIFMA standards



Black Frame / Black Fabric Also Available as Custom Order for 8600

Hi Tech Ultra Compact Stacker
8500 Series



Features



Molded Seat and Back Provide Comfort and Allow for Easy Interstacking



Protective Rounded Polycarbonate Floor Glides With Custom Clamping Device



Reinforced Underseat Ribbing for Added Strength



Chrome-Plated 11mm Steel Rod Frame

Colors



Wine
8508




Black
8510



Gunmetal Grey
8502



Navy Blue
8505



Available Accessories



TAB5L*
Black Left
Tablet Arm



TAB5R*
Black Right
Tablet Arm



BR85
Book Basket



PGC85
Ganging Device

*Chairs can't be stacked with tablet arms attached



See Page 145 for Dolly Specs
Stack Up To **40** Chairs
Compatible with dolly DY85



products meet or exceed applicable ANSI/BIFMA standards

STACK CHAIRS | 8700 SERIES
Padded Cafetorium Chair






NEW
 AVAILABLE
 SUMMER '22




See page 23 for custom color options

Standard Colors

-  8704-10-04
Blue Poly and Blue Vinyl
Black Frame
-  8710-11-10
Black Poly and Black Vinyl
Chrome Frame
-  8742-12-02
Grey Poly and Blue Vinyl
Silver Frame

See page 23 for custom color options


Standard Colors

-  8710C-11-10
Black Poly and Black Vinyl
Chrome Frame

24"
SEAT
HEIGHT

See page 23 for custom color options

Standard Colors

-  8710B-11-10
Black Poly and Black Vinyl
Chrome Frame

30"
SEAT
HEIGHT


Chair Features 8700/8800



"Rod In Tube"
 Design



Glides Function as
 Built-in Gangers for
 Multi Chair Setup



Polypropylene Plastic
 Back Design Provides
 Ergonomic Support





Lightweight
 10lb



Glides Are Made
 of TPU For
 Sensitive Floors

See Page 146 For Dolly Specs
 Compatible with
 dolly DY87
 Stack Up To
35
 Chairs








STACK CHAIRS | 8800 SERIES Poly Cafetorium Chair

NEW
AVAILABLE
SUMMER '22




See page 23 for custom color options

Standard Colors

-  8804-11-04
Blue Poly Chrome Frame
-  8810-11-10
Black Poly Chrome Frame
-  8820-11-20
Charcoal Poly Chrome Frame


See page 23 for custom color options

Standard Colors

-  8810C-11-10
Black Poly Chrome Frame

See page 23 for custom color options

Standard Colors

-  8810B-11-10
Black Poly Chrome Frame

24" SEAT HEIGHT

30" SEAT HEIGHT

Bar Stool Features 8700/8800



Plastic Stacking Bumpers



Welded Footrest



7/8" Leg Tubing




Glides

See Page 146 For Dolly Specs

Compatible with dolly DY87B

Stack Up To 24 Chairs



CAL-117 RATED



products meet or exceed applicable ANSI/BIFMA standards



Features



Solid Rod Frame Design



Transparent Glides Feature a Felt Base for Floor Protection



Flex Back Tested by SGS Labs to Resist 425 Lbs of Force



Unique Design for Ultimate Seating Comfort









Glides Function as Built-in Gangers for Multi Chair Setup



Lightweight Construction

See facing page for custom color options



Standard Poly Colors

-  LVC04-10 Blue Poly
-  Black Frame
-  LVC10-11 Black Poly
-  Chrome Frame
-  LVC20-11 Charcoal Poly
-  Chrome Frame

See facing page for custom color options

Standard Vinyl Colors

add vinyl code to the end of poly chair model number

-  04 Blue
-  10 Black

Model Number Configuration

Poly Chair Model Number Vinyl Seat Color
↓ (if applicable)
LVC04-10-10



Custom Color Options

300 Chair MOQ and Extended Lead Times Apply

Frame Colors




Available for 8700/8800 and LuvraFlex

Poly



Available for 8700 and LuvraFlex

Vinyl



Available for 8700 and LuvraFlex

Fabric



8700/8800 Custom Configuration



Model Number Frame Color
87* PXX-XX-PXX
Seat Color Back Color

*Add B for Bar Height or C for Counter Height

LuvraFlex Custom Configuration



Model Number Frame Color
LVC PXX-XX-PXX
Poly Color Vinyl/Fabric Seat Color (if applicable)

BANQUET CHAIRS



BANQUET CHAIRS | 9200/9300 SERIES
Banquet Chairs

Dome Back
 9200 Series



Silhouette Back
 9300 Series



See Page 145 for Dolly Specs
 Stack Up To **10** Chairs
 Compatible with dolly DY81, DY-9000

24 HOUR QUICK SHIP

See page 178 for custom color options

Standard Colors





-  9254-SV
Midnight Blue Fabric Silvervein Frame
-  9254-BT
Midnight Blue Fabric Black Santex Frame
-  9260-SV
Ebony Black Fabric Silvervein Frame
-  9260-BT
Ebony Black Fabric Black Santex Frame

-  9201-M
French Beige Vinyl Mocha Frame
-  9204-SV
Midnight Blue Vinyl Silvervein Frame
-  9204-BT
Midnight Blue Vinyl Black Santex Frame
-  9210-SV
Panther Black Vinyl Silvervein Frame
-  9210-BT
Panther Black Vinyl Black Santex Frame





See page 178 for custom color options

Standard Colors


-  9304-SV
Midnight Blue Vinyl Silvervein Frame
-  9310-BT
Panther Black Vinyl Black Santex Frame
-  9354-SV
Midnight Blue Fabric Silvervein Frame
-  9360-BT
Ebony Black Fabric Black Santex Frame
-  9361-BT
Natural Chocolatier Fabric Black Santex Frame

-  9362-BT
Natural Greystone Fabric Black Santex Frame
-  9364-SV
Diamond Navy Fabric Silvervein Frame
-  9374-BT
Natural Blue Fabric Black Santex Frame
-  9378-BT
Natural Taupe Fabric Black Santex Frame

Features

-  2" 1.8lb. High-Density Grade A Foam Waterfall Seat
-  MDF Core Seat and Back
-  Stacking Bars And 12 Plastic Stack Bumpers Ensure Stacking Securely
-  7/8" Square 18 Guage Tubing With Non-Marring Glides 5/8" Underseat H Braces

9200



Back Rests On 4 Tabs For Extra Durability

9300



Premium Double Back Conceals 4 Steel Backrest Tabs

24 HOUR LOAD TEST 500 LBS BUREAU VERITAS

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

CAL-117 RATED

10 Year Warranty

CERTIFIED GREEN

MOBILE CHAIRS



CoGo Mobile Tablet Chair

Modern chair for today's collaborative learning!



DESIGN

Ergonomically Designed For All-Day Seating Support; Contemporary Design Enhances the Modern Classroom.



MOBILITY

Allows Students to Move to Different Learning Areas With Ease.



DURABILITY

16 Gauge Steel and Twin 2 Inch Casters for Long-Lasting Classroom Use.



Features



Strong Twin Wheeled 2" Casters



Fiberglass-Reinforced Polypropylene



Tablet Can Be Installed on the Right or Left Side

Seat Colors



Black
COGO-10



Blue
COGO-04




Red
COGO-40

Available Accessory



GLCOGO
Set of Four Glides





STOOLS



Stools

6200, 6300,
6400, 6500



Designer Stools

6600, 6800,
Titan



Task Chairs and Stools

6700, CTC



Heavy-Duty Masonite Seat Stools

Features



8 Rivets on Seat To Ensure Longevity



Heavy-Duty 18-Gauge 7/8" Steel Tubing



Industrial Grade Glides



Four Weld Points at Each Leg for Extreme Durability



Add-on Backrest Adjusts 2" Up/Down and 2" Forward/Back



Add-on Chromed Adjustable Height Inserts Adjust to Nine Heights



STANDARD



BACKREST



ADJUSTABLE HEIGHT




ADJUSTABLE HEIGHT & BACKREST




Model #	Seat Height
6218	18"
6224	24"
6230	30"
6218H	19-27"
6224H	25-33"
6230H	32-39"

Model Number Configuration



Frame Colors




Seat Color



Add-on Codes

Backrest	B
Adjustable Height	H
Adjustable Height and Backrest	HB



STOOLS | 6300 SERIES
Heavy-Duty Masonite Seat Stools

Features



16 Rivets on Seat To Ensure Longevity



Four Weld Points at Each Leg for Extreme Durability



Industrial Grade Glides



Heavy-Duty 18-Gauge 7/8" Steel Tubing



Add-on Backrest Adjusts 2" Up/Down and 2" Forward/Back



Add-on Chromed Adjustable Height Inserts Adjust to Nine Heights



STANDARD



BACKREST



ADJUSTABLE HEIGHT



ADJUSTABLE HEIGHT & BACKREST



Model #	Seat Height
6318	18"
6324	24"
6330	30"
6318H	19-27"
6324H	25-33"
6330H	32-39"

Model Number Configuration

Model Number Add-on Code (if applicable)
6318H

Frame Color




Grey

Seat Color



Masonite

Add-on Codes	
Backrest	B
Adjustable Height	H
Adjustable Height and Backrest	HB



Heavy-Duty Padded Stools

Features



Padded Vinyl Seat



Heavy-Duty 18-Gauge 7/8" Steel Tubing



Industrial Grade Glides



Four Weld Points at Each Leg for Extreme Durability



Add-on Backrest Adjusts 2" Up/Down and 2" Forward/Back



Add-on Chromed Adjustable Height Inserts Adjust to 9 Heights



STANDARD



BACKREST



ADJUSTABLE HEIGHT



ADJUSTABLE HEIGHT & BACKREST



Model #	Seat Height
6418	18"
6424	24"
6430	30"
6418H	19-27"
6424H	25-33"
6430H	32-39"

Model Number Configuration



Frame Colors



Grey (no code)



Black (code 10)

Add-on Codes	
Backrest	B
Adjustable Height	H
Adjustable Height and Backrest	HB



Features



Height Adjustable from 24"-30"



1/2" Vinyl Padded Riveted Thru the Steel Seat Pan



7/8" O.D. 16-Gauge Steel Tubing



Foot Rings, 5/8" O.D. Welded to Each Leg




Add-on Backrest Adjusts 2" Up/Down and 2" Forward/Back


ADJUSTABLE HEIGHT



ADJUSTABLE HEIGHT & BACKREST





Stool Color



Grey


Model #	Height	Description
6524HB	24-30"	Stool with Backrest
6524H	24-30"	Stool without Backrest



products meet or exceed applicable ANSI/BIFMA standards



Model Number Configuration



Model #	Seat Height
6618	18"
6622	22"
6624	24"



Features



Additional Weld on Bottom for Added Strength



Riveted Glides For Added Stability



Conveniently Stackable



Optional Fan-Back For Extra Comfort



14 Gauge Eye-Tubular Steel Frame



Nests On Tabletops For Easy Cleanup and Storage!



Ergonomic Blow Molded Seat Provides Maximum Comfort



Embedded Thermoplastic Polyurethane TPU Glides Provide Quiet and Smooth Gliding On All Floor Types



Oversized Contact Area For Extreme Stability



Rear Brace For Added Strength



Welded Footrest

6622/6624

TITAN STOOL



NEW
AVAILABLE
SUMMER '22



Steel Seat



Black Poly Center
Soft Grey Steel
S10




Wood Seat




New Zealand Pine
1.2" Thick
BB



Laminate Seat



MDF with Protect Edge HPL Surface | 1.2" Thick
MDPExx*



Particleboard with T mold HPL Surface | 1.2" Thick
PBTMxx*

*Specify Laminate Code in place of xx

STANDARD



BACKREST



ADJUSTABLE HEIGHT



ADJUSTABLE HEIGHT & BACKREST



Features



Curved Footring for
Extra Leg Support



14-Gauge
Steel Tubing



Industrial Grade
Dome Glides



Full Welds at Each
Leg for Extreme
Durability



Heavy-Duty Steel
Backrest With
Double Locking
Mechanism



Add-on Adjustable
Height Inserts Adjust
to Nine Heights



Model #	Seat Height	Add-on Codes
TTSG18	18"	Backrest B
TTSG24	24"	
TTSG30	30"	Adjustable Height H
TTSG18H	18-26"	
TTSG24H	24-32"	Adjustable Height and Backrest HB
TTSG30H	30-38"	

Model Number Configuration



Frame Color



Soft Grey



products meet or exceed applicable ANSI/BIFMA standards

Comfort Task Chair and Stool



Comfort Task Stool

Comfort Task Chair



Features



Plush Padded Seat And Back



Includes Five 2" Industrial Grade Casters and Mushroom Glides



Plastic Reinforced Backrest and Seat

Add-On



Optional Adjustable Height Armrest

Model #	Description
CTC	18"-22" (Glides) 19"-23" (Casters) Comfort Task Chair
CTC-A	18"-22" (Glides) 19"-23" (Casters) Comfort Task Chair with Adjustable Height Armrests
CTS	24.5"-34.5" (Glides) 25.5"-35.5" (Casters) Comfort Task Stool
CTS-A	24.5"-34.5" (Glides) 25.5"-35.5" (Casters) Comfort Task Stool With Adjustable Height Armrests



Polyurethane Task Chair



Polyurethane Task Stool



Features



Convenient Backrest Handhold for Maneuverability



Includes Five 2" Industrial Grade Casters and Mushroom Glides



Backrest Tilt

Add-On



Optional Adjustable Height Armrest

Model #	Description
6716HB	16"-21" Polyurethane Chair (desk height)
6722HB	22"-32" Polyurethane Stool
6716HB-A	16"-21" Polyurethane Chair (desk height) with Adjustable Height Armrests
6722HB-A	22"-32" Polyurethane Stool with Adjustable Height Armrests







PLASTIC FOLDING TABLES

**Plastic
Folding Tables**
1800, 2400, 3000, 3600,
BTA, BTR, BMFIH, BPFT



Seminar Tables



The perfect solution for your banquet & cafeteria use – indoor, outdoor, or any other application that calls for affordable, lightweight, weather resistant and highly durable folding tables.




see page 141 for dolly specs
Compatible with Dolly TAD, DYMU

THREE SIZES AVAILABLE

MODEL #	SIZE
BT1860	18"x60"
BT1872	18"x72"
BT1896	18"x96"

Colors



Speckled Grey Plastic
Grey Hammer Tone
Frame

Features



Unique Spring-Loaded Lock For Complete Stability



2" Thick UV Protected Tabletop




Textured Tabletop Surface Smooth Enough For Writing



Industrial Grade Framing System



16-Gauge Cantilever Comfort Legs



WEIGHT CAPACITY
700 LBS
evenly distributed


ten year warranty
10



can withstand heat up to **212°**

PLASTIC FOLDING TABLES | B2400/BT3600 SERIES
Blow Molding Folding Tables

see page 141 for dolly specs
 Compatible with
 Dolly TAD, DYMU



Features



17-Gauge Framing System



Built In Handle For Easy Lifting



Extra Stable Gravity Lock


Colors



Speckled Grey Plastic
 Grey Hammer Tone Frame

Model Number
BT2448

can withstand heat up to
212°



WEIGHT CAPACITY
400 LBS
 evenly distributed

ten year warranty
10



Features



19-Gauge Framing System




Attractive Arched Tube Leg Connectors For Added Strength


can withstand heat up to
212°

Model Number
BT3636

Colors



Speckled Grey Plastic
 Grey Hammer Tone Frame



WEIGHT CAPACITY
500 LBS
 evenly distributed

ten year warranty
10



PLASTIC FOLDING TABLES | BT3000 SERIES
Blow Molding Folding Tables



see page 141 for dolly specs

 Compatible with
 dolly TAD, DYMU,
 DY3072/DY3096



BT3072-20



Features



18-Gauge
Legs



17-Gauge
Framing
System



Heavy Duty
Wishbone Leg
Structure



Extra Stable
Gravity Lock

Colors



BT3000 series
 Speckled Grey Plastic
 Grey Hammer Tone
 Frame



BT3072-20 series
 Charcoal Slate Plastic
 Silverstone Frame
 (30"x72" only)

MODEL # SIZE

BT3060 30"x60"

BT3072* 30"x72"

BT3096 30"x96"

*add -20 for Charcoal Slate

THREE SIZES AVAILABLE

can withstand
 heat up to
212°



BT3060/BT3072

WEIGHT CAPACITY
1000 LBS
 evenly distributed

BT3096

WEIGHT CAPACITY
800 LBS
 evenly distributed



products meet
 or exceed applicable
 ANSI/BIFMA standards

PLASTIC FOLDING TABLES | BTA SERIES
Adjustable Folding Tables

Brighten up your room to create a complete portable Furniture Suite, with these attractive, affordable, Quick Ship Tables!



Features



Lightweight 37lbs For Easy Setup and Transport




Adjustable Height From 22-28.5"

Colors





BTA-3072-40
Red Plastic
Black Frame



BTA-3072-04
Blue Plastic
Black Frame

see page 141 for dolly specs
Compatible with dolly TAD, DYMU, DY3072/DY3096



PLASTIC FOLDING TABLES | BTR SERIES
Round Folding Tables



The perfect solution for your banquet & cafeteria use – indoor, outdoor, or any other application that calls for affordable, lightweight, weather resistant and highly durable folding tables.



see page 142 for dolly specs
 Compatible with dolly DY-60R, DY-71R, DYMU



can withstand heat up to **212°**

Features

All Round Tables		BT48R/BT71R		BT60R	
	Gravity Lock		2" Thick UV Protected Tabletop		19-Gauge Framing System
	700 LBS Weight Capacity evenly distributed		17-Gauge Framing System		1000 LBS Weight Capacity evenly distributed


Colors



Speckled Grey Plastic
 Grey Hammer Tone Frame

MODEL #	DESCRIPTION
BT48R	48"
BT60R	60"
BT71R	71"

THREE SIZES AVAILABLE



products meet or exceed applicable ANSI/BIFMA standards

PLASTIC FOLDING TABLES | BMFIH SERIES
Fold in Half Tables



Features



Automatic Locking Device for Safe Setup



1.5" High-Density Polyethylene (HDPE) Top



Gravity Lock



First of Its Kind! Rounded Ends and Oblique Edges.



No Cross Bar Allows For Additional Seating At The End Of The Table



Powder-Coated 19-Gauge Steel Frame




Convenient Carrying Handle for Easy Transport



Lightweight 37lbs for Easy Setup and Transport

Colors



Speckled Grey Plastic
 Grey Hammer Tone Frame

Model Number
BMFIH3072

can withstand heat up to
212°



Open dimensions:
 71.8"L x 30"W x 29.5"H
 Folded dimension:s
 36"L x 30"W x 3.75"D

WEIGHT CAPACITY
700 LBS
 evenly distributed

ten year warranty
10



products meet or exceed applicable ANSIBIFMA standards

PLASTIC FOLDING TABLES | BPFT SERIES
Flip-N-Store



Model Number Configuration

Model Number Color (if applicable)
 BPFT-24 60-20
 Length


TWO SIZES AVAILABLE

24" Standard Width


Lengths

60" 72"

Colors



Charcoal Slate Top
 Silvertone Frame
 (code: 20)



Speckled Grey Top
 Grey Frame
 (no code)





Roll In




Flip



Store



Features



Frame and Legs Are Made With Industrial Grade Powdercoated Steel



Perforated Steel Modesty Panel With a Built-in Cable Channel To Conceal Wires



Four 2" Casters (Two Locking) Enable Tables to Roll With Ease



Lightweight 37lbs for Easy Setup and Transport



Two Grommet Holes for Wire Management



Tables Nest for Easy Storage



Use Lever to Collapse Tables for Easy Storage



17-Gauge Steel Frame







MAX Seating™
MSFT



Flip-Top
TGT



WOOD FOLDING TABLES

WOODEN FOLDING TABLES | MSFT SERIES
MAX Seating Tables™



NEW



PATENT PENDING
 Innovative Engineering and Design

Features



16-Gauge C-Channel Frame



2-Point Welded Leg Brace




14-Gauge 1.25" Square Leg Tubing Legs



Proprietary Leg Clips Secure Legs When Folded



Auto-Engage Locking Mechanism



High-Impact, Non-Marring Spring Steel Flower Glides




Folding/Locking Mechanisms Exceeded 7,000 Cycle Tests



Legs at Table Corners for Max Seating™



Nylon Corners With Standoff for Scratch-Free Stackability



14-Gauge Stability Boost Leg Brackets

WOODEN FOLDING TABLES | MSFT SERIES
MAX Seating Tables™




MAX SEATING™ LEGS



EASY FOLD



COMPACT STORAGE



**NO WISHBONE LEGS
 FOR ZERO OBSTRUCTION
 MAX SEATING™ SPACE**



Leg Design Options *Use leg code MSFE for 30" high elevated legs




29"H | Standard*
(MSFT)




29"H | Cantilever
(MSFTC)

Tabletops Custom tabletop core and surfaces available



MDF with Protect Edge
 .75" Core | HPL Surface
 Protect Edge
 (MD PE)



Plywood with 3mm PVC Edge
 .75" Core | HPL Surface
 3mm Hot-Melt PVC Edge
 (PW EB)



Plywood with T-Molding
 .75" Core | HPL Surface
 T-molding
 (PW TM)



Particleboard with T-Molding
 .75" Core | HPL Surface
 T-molding
 (PB TM)

Size (width/Length in inches)				
1848*	1860	1872	1884	1896
2448*	2460	2472	2484	2496
3048*	3060	3072	3084	3096
3648*	3660	3672	3684	3696
48RD	60RD	72RD	RD = Round	

Available in Cantilever Leg
 *48" Long Rectangle Tables Do Not Fold Flat


Model Number Configuration

Leg Design Code Core Edge
MSFT 2448 PW PE GY
 Width/Length Laminate Color

2 Week Quickship Models: MSFT1872PWEBPT (Portico Teak) and MSFT1896PWEBPT (Portico Teak)



WOODEN FOLDING TABLES | TGT SERIES Flip Top Table



Features



Heavy Duty 3" Locking Casters



14-Gauge Steel Frame




Auto Lock System




Tables Flip and Nest for Simple Storage

Table Core/Edge Options



1" MDF Core
HPL Surface
Protect Edge (MDPE)




1" *Particleboard Core
HPL Surface
T-Mold (PBTM)

Model Number Configuration

Model Number Core Edge
TGT 2448 MD PE GY
Width/Length Laminate Color


Model	Seats	Table WxL	Table-Seat Height (Standard)
TGT2448	2-3	24"x48"	29"
TGT2460	3-4	24"x60"	29"
TGT3048	2-3	30"x48"	29"
TGT3060	3-4	30"x60"	29"



5/8/15
Prov Tech work for you on
"shut"
personal space
* Tables in the "shut"
- Introduction of your day
- Date - Efficiency - Design
- Blended learning - Global Learning
- Technology - Acceleration



5/8/15
Prov Tech work for you on
"shut"





STEEL TABLES

Titan
TT



Heavy Duty
HDT



Titan Table



NEW
AVAILABLE
SUMMER '22



Features



14-Gauge Legs Are Set at a 94 Degree Angle



Tamper-Free Hardware



Super-Duty Sheet-Metal Apron Design



Undertable Hat Structure for Ultimate Durability



All Tables Include 4" Total Lock Casters



Legs Are Fastened With a Double Bolt and Four Screw Connection



6 Millimeter Thick Foot Plate for Extreme Strength



Tables Ship With Frame Pre-Installed



Apron Is Constructed from 14-Gauge Steel



Casters Are Constructed With Polyamide Plus TPU Tread

THREE HEIGHTS AVAILABLE

Frame Color



Soft Grey

STEEL TABLES | HDT SERIES
Heavy Duty Tables





MORE THAN
2,000
DESIGN
VARIATIONS

STEEL TABLES | HDT SERIES


Heavy Duty Table Specs

Tabletops



Standard High Pressure Laminate

.75" particleboard core
HPL Surface | T-molding
(H)



Supreme High Pressure Laminate

1.2" MDF core
HPL Surface | Protect Edge
(S)



Whiteboard

1.2" Particleboard Core
Markerboard HPL Surface
| PVC Edge Banding
(W)



Chem-Res

1" Particleboard Core
Chemical Resistant Top
Edge Banding
(C)

NEW



Phenolic

.75" Solid Phenolic
Designer Beveled Edges
(P)



Trespa

.75" Cellulose Core
Designer Beveled Edges
(T)



Epoxy

1" Solid Epoxy
Designer Beveled Edges
(E)



Butcherblock

1.75" Solid Maple Wood
Proprietary UV Finish
(B)


The NPS Heavy Duty Table is ideal for any makerspace environment. The 16-Gauge apron and 14-Gauge legs make this table virtually indestructible. Available with either fixed or adjustable height legs. Adjustable legs can be raised in 1" increments and are locked firmly in place with 2 K-9 external tooth lock washers and heavy duty tamper-free hex screws. All legs come standard with simple-adjust glides and have a caster option for easy mobility.

Play. Work. Study.


Table Sizes

Width Options

Personal sizes
patent pending
18"x24", 18"x30",
24"x24", 24"x30",
30"x30"



Length Options



Leg Construction

Fixed Height Legs:



Adjustable Height Legs:




Standard Features



Corner Brackets
Bolted Onto Frame



Dual-Side Leg
Connection




Welded 12-Gauge
Leg Top Plate



Adjustable Legs
Adjust in 1"
Increments



11-Gauge Welded
Support Brackets



16-Gauge
Channel
Frame



Leveling Glides
Can Add up to 3/4"
Height to Table



Exceeds 500lbs.
Static Weight
Capacity

Optional Accessories

Casters

3" Heavy-Duty Casters



- 4 Heavy Duty Swivel Locking Casters
- Increases the Table Height by 3¼"
- A Set of Gussets Is Included With Casters

Corner Gussets



- 13-Gauge Steel
- Tamper-Free Hardware
- Included With All Tables 36" & Wider, or 84" & Longer
- Recommended When Using Tables Above 30" High




Peg Boards

Available for 24" and 30" Tables




- Two 16-Gauge Industrial Grade Peg Boards Included in Each Set
- Variety Set of 50 7-Gauge Chromed Pegs Included With Each Peg Board Set
- Holes Spaced 1" Apart
- Assembled With Tamper-Free Self-Tapping Screws

Model Number Configuration



Accessories Model Number Configuration



Model #	Description
CAST-	4 heavy duty casters and gusset
PEG24-	2 Peg boards with 50 Pegs for 24"W Tables
PEG30-	2 Peg boards with 50 Pegs for 30"W Tables

All tables wider than 30", longer than 72", or with Epoxy/Trespa tabletops will include a set of gussets


Frame #	Description
HDT3	Heavy Duty Table, Height Adjustable, Textured Black
HDT7	Heavy Duty Table, Fixed Height Legs, Textured Black
HDT8	Heavy Duty Table, Height Adjustable, Soft Grey
HDT9	Heavy Duty Table, Fixed Height Legs, Soft Grey

Size (width/Length in inches)									
1824	1830	1836	1842	1848	1854	1860	1872	1884	1896
2424	2430	2436	2442	2448	2454	2460	2472	2484	2496
3030	3036	3042	3048	3054	3060	3072	3084	3096	
3636	3642	3648	3654	3660	3672	3684	3096		
4242	4248	4254	4260	4272	4284	4296			
4848	4854	4860	4872	4884	4896				

Top	Description/edge
B	1.75" Solid Maple Butcherblock/UV Finish
W	1.25" Whiteboard/PVC Edge Banding
H	.75" Standard High Pressure Laminate/T-Mold
S	1.25" Supreme High Pressure Laminate/Protect Edge
C	1" Chem-Res/3mm Edge Banding
P	.75" Solid Phenolic/Beveled Edge
T	.75" Solid Trespa/Beveled Edge
E*	1" Solid Epoxy/Beveled Edge

*not compatible with casters

Frame Options



Textured Black



Soft Grey

Quick ship tables available, choose from tops B, W, C, P, and H with grey nebula laminate

Quick ship tables available, choose from tops P and C

Quick ship tables available with top C only

Standard lead time is 4-6 weeks. Quick ship lead time is 2 days.





SCIENCE



Science Tables
SLT1, SLT2, SLT3,
SLT7, SLT8, SLT9



**Signature
Tables**
SLT4, SLT5



**Designer
Table**
SLT6



**Science
Cart**
MSC



Solid Wood Tables

Top Options

SEE PAGE 174 FOR TABLETOPS GUIDE



HPL



CHEM-RES

NEW



See page 179 for custom color options

PHENOLIC



WHITE BOARD



EPOXY*



TRESPA



PATENT PENDING
PERSONAL LAB TABLE

Features



Rubber Boots
Protect Against Spills



Legs Attach W/ Metal
on Metal Double Bolt
Assembly on 13-Gauge
Steel Corner Braces



Solid Ash Frame
And Legs



Adjustable Glides
for Accurate Floor
Leveling



Available
With Book
Compartments



Optional Heavy Duty
3" Locking Casters and
Stretchers and Braces

Model Number Configuration



Size (width/Length in inches)				
2430	2448	2454	2460	2472
3030	3060	3072	4260	4272

Standard lead time is 4-6 weeks.
Quick ship lead time is 2 days.

Quick ship tables available, choose from tops H, C, and P

Quick ship tables available, choose from tops H, C, P, and W

Quick ship tables available with top C only

Model #	Description
SLT1	30" High*, Science Lab Table, Wood Frame
SLT2	36" High*, Science Lab Table, Wood Frame

*Additional 3.5" Height when ordered with Casters

All tables wider than 30", longer than 72", or with Epoxy/Trespa tabletops will include stretchers and braces

Top	Description
B	Butcher Block
W	Whiteboard
H	High-Pressure Laminate
C	Chem-Res
P	Phenolic
E*	Epoxy
T	Trespa

Add-On	Description
B	Add Book Boxes
C	Add Casters* & Stretchers




*not compatible with casters



Top Options


SEE PAGE 174 FOR TABLETOPS GUIDE



Features



Corner Brackets Bolted Onto Frame



Welded 12-Gauge Leg Top Plate



11-Gauge Welded Support Brackets




Leveling Glides Can Add up to 3/4" Height to Table



Dual-Side Leg Connection



Adjustable Legs Adjust in 1" Increments




16-Gauge Channel Frame



Optional Heavy-Duty 3" Casters and Gussets Available



Color Options



Model Number Configuration



Size (width/Length in inches)				
2430	2448	2454	2460	2472
3030	3060	3072	4260	4272

Standard lead time is 4-6 weeks.
Quick ship lead time is 2 days.

- Quick ship tables available, choose from tops H, C, and P
- Quick ship tables available with top C only

Top	Description
H	High-Pressure Laminate
C	Chem-Res
P	Phenolic
E*	Epoxy
T	Trespa

Model #	Description
SLT3	Height adjustable steel table, black
SLT7	Fixed height steel table, black
SLT8	Height adjustable steel table, soft grey
SLT9	Fixed height steel table, soft grey

*not compatible with casters

Caster/Gusset Model #



All tables wider than 30", longer than 72", or with Epoxy/Trespa tabletops will include a set of gussets

Signature Tables

Top Options

SEE PAGE 174 FOR TABLETOPS GUIDE



HPL



CHEM-RES

NEW



PHENOLIC

See page 179 for custom color options



Features



Available With Book Compartments



Aprons Made of Solid Ash



Aprons Reinforced With 13" Gauge Steel Corner Brackets



Legs Adjust in 3/4" Increments from 27"-42"H With Included Spacer



11-Gauge Leg-Bases Fastened to Tabletop With 6 Heavy-Duty Screws



Legs Come Standard With Simple-Adjust Glides for Accurate Floor Leveling



Optional Casters Available for Lightweight Use

Model Number Configuration

Model Number Size Top Material Add-Ons
SLT4 - 2448 H BC

MODEL #	Description
SLT4	Black Legs, Signature table w/ black legs
SLT5	Oak Legs, Signature table w/ oak legs

Size (width/Length in inches)				
2430	2448	2454	2460	2472
3030	3060			

Quick ship tables available, choose from tops H, C, and P. Standard lead time is 4-6 weeks. Quick ship lead time is 2 days.

Leg Options



Black

Oak

Top	Description	Add-on	Description
H	High-Pressure Laminate	B	Add Book Boxes
C	Chem-Res	C	Add Casters
P	Phenolic		



products meet or exceed applicable ANSI/SFPA standards



Top Options

SEE PAGE 174 FOR TABLETOPS GUIDE



HPL



CHEM-RES



PHENOLIC



BUTCHERBLOCK



WHITEBOARD



Features



1.2" Thick Reinforcement Board Under Tabletops for Added Strength



Legs Adjust in 3/4" Increments from 27"-42"H With Included Spacer



11-Gauge Leg-Bases Fastened to Tabletop With 6 Heavy-Duty Screws



Legs Come Standard With Simple-Adjust Glides for Accurate Floor Leveling



Optional Casters Available for Lightweight Use

Model Number Configuration

Model Number Size Top Material Add-Ons
SLT6 - 2448 H C

Size (width/Length in inches)				
2430	2448	2454	2460	2472
3030	3060			

Quick ship tables available, choose from tops H, C, and P

Standard lead time is 4-6 weeks.
 Quick ship lead time is 2 days.

Top	Description	Add-on	Description
W	Whiteboard	C	Add Casters
B	Butcherblock		
H	High-Pressure Laminate		
C	Chem-Res		
P	Phenolic		



MOBILE SCIENCE CARTS

BUILT-IN MAGNETIC GANGING



SINK OPTION FOR MOST MODELS




BUILT-IN POWERSTRIP ON MOST MODELS



HEAVY DUTY CONSTRUCTION





WHITEBOARD/MIRROR
OPTION FOR MOST MODELS

INTRODUCING

A FULL LINE OF FULLY ASSEMBLED*

mobile science carts.



CUSTOM TOPS
AVAILABLE

*Caster Assembly Required

Mobile Science Cart

with Shelving



Model Numbers
 Standard
MSC01
 Whiteboard/Mirror
MSC01W
 Sink & Whiteboard/Mirror
MSC01S

28"W X 48"L X 36.25"H

Features



2 Doors With 270°
Wrap-Around Hinges



Plywood Core Cabinet
And Shelves



Two Adjustable
Height Shelves




Door Lock

Tabletop



Chem Res
1" Thick

Color



Oak Veneer

Storage Cart

Ships Unassembled

Model Number
MSC 2436

24"W X 36"L X 36"H

Features



One Adjustable
Height Shelf



1¼" Thick High Pressure
Laminated Surface,
Compliant With NEMA
Standard Testing



Mobile Science Cart

with Inner Drawers and Shelf



STANDARD



WHITEBOARD/MIRROR



SINK & WHITEBOARD/MIRROR



Model Numbers

Standard
MSC02

Whiteboard/Mirror
MSC02W


Sink & Whiteboard/Mirror
MSC02S

28" W X 48" L X 36.25" H

Features



Two Doors With 270° Wrap-Around Hinges



Plywood Core Cabinet And Shelf



Adjustable Height Shelf



Four Concealed Drawers

Tabletop



Chem Res
1" Thick

Color



Oak Veneer

Mobile Science Cart

with External Drawers and Pegboard



STANDARD



WHITEBOARD/MIRROR



SINK & WHITEBOARD/MIRROR



Model Numbers

Standard
MSC03

Whiteboard/Mirror
MSC03W


Sink & Whiteboard/Mirror
MSC03S

28" W X 48" L X 36.25" H


Features



Two Doors With 270°
Wrap-Around Hinges



Plywood Core
Cabinet and Shelf



Pullout Pegboard
With 50
Assorted Pegs



Three External
Drawers and a Pullout
Shelf on Sliders

Tabletop



Chem Res
1" Thick

Color



Oak Veneer

Mobile Science Cart with Tote Trays




Ships with
24
 Tote Trays



Features




Two Doors With 270°
 Wrap-Around Hinges



Plywood
 Core Cabinet



Removable
 Storage Trays



Storage Trays Nest
 When Not in Use

28"W X 48"L X 36.25"H

Model Number
 L **MSC04**

Tabletop



Chem Res
 1"Thick

Color



Oak Veneer

Mobile Science Cart with Microscope Dividers




Holds up to
24
 Microscopes




Features



Four Doors With 270°
 Wrap-Around Hinges



Plywood Core
 Cabinet and Shelf



Adjustable
 Height Shelf



Removable
 Microscope Dividers

28"W X 48"L X 41.5"H

Model Number
 L **MSC05**

Tabletop



Chem Res
 1"Thick

Color



Oak Veneer





WORKSTATIONS

**Sit Stand
Desks**
EDTC, SSD



Workstations
Teacher's EduPod
Teacher's WorkPod



WORKSTATIONS | EDTC SERIES

Sit Stand Students Desk



Features



Strong Powder-Coated Steel Frame



2 1/2" Two-Tone Double-Wheel Hooded Casters




Pneumatic Adjusting System

Model Number
EDTC

Colors

Speckled Grey Surface
Black Steel Frame



Description	Dimensions
Top Shelf Dimensions	26"L x 20.75"D
Height Adjustable	27.75" - 44.5"
Leg Dimensions	21.75"L x 19.5"D
Unit Weight	35 lbs.



NEW
 AVAILABLE
 SUMMER '22



Features



Strong Powder-Coated Steel Frame



2½" Two-Tone Double-Wheel Hooded Casters



One Button Click Pneumatic Adjusting System



Book-Bag Holder



Plastic Surface With Embedded Tablet Groove



Built-in Modesty Panel

Colors



Charcoal Grey Surface
 Soft Grey Frame

Model Number
SSDG-20

Description	Dimensions
Surface Dimensions	23.5"W x 19.5"D
Height Adjustable	28.5" - 41.75"
Distance Between Legs	21.5"



WORKSTATIONS | EDPD SERIES
Edupod Teacher's Desk & Lectern



Features



Beautiful Blow-Molded Table Top



3 Shelves, 2 Adjustable for Customizability



Built-in Perforated Modesty Panel



Locking Storage Cabinet for Security




Wire Management Grommet for Technology Equipment




6 Hooded Twin-Wheel, Two-Inch Casters, 3 Lock for Stability

Colors



Grey Hammer Tone Cabinet and Table Frame

Model Number
EDPD



Dimensions	Description
68"L x 24"W	Overall Dimensions
48"L x 24"W	Desk Dimensions
2-inch	Desk Thickness
24"L x 20"W x 35"H	Cabinet Dimensions (including casters)
24"L x 20"W	Lectern Desk
¾-inch	Lectern Thickness
19"L x 22"W	Cabinet Shelves Dimensions
115 lbs.	Unit Weight
85 lbs.	Lectern Portion Weight






Features



Double Frame for Added Support



Desk Can Be Hooked on to Either Side of the Lectern



Unhook the Desk from the Lectern to Use Separately



Built-in Attractive Mesh Front Provides Venting to Prevent Overheating



Contemporary Frame and Legs




Metal Bookstop

Colors



Charcoal Slate and Black

Model #	Description
TWPD	Teacher's WorkPod Desk
TWPL	Teacher's WorkPod Lectern
TWP	Teacher's WorkPod Desk & Lectern Kit



Dimensions	Description
68"L x 24"W	Overall Dimensions
48"L x 24"W	Desk Dimensions
2-inch	Desk Thickness
24"L x 20"W x 35"H	Cabinet Dimensions (including casters)
24"L x 20"W	Lectern Desk
¾-inch	Lectern Thickness
19"L x 22"W	Cabinet Shelves Dimensions
115 lbs.	Unit Weight
85 lbs.	Lectern Portion Weight





MOBILE TABLES



Mobile Table
MT, MTFB,
MTS, MTSB



Easy Fold
MTSSF



**Convertible
Bench**
CBG



**Booth
Seating**
TG, CSB



Our tables come in

Rectangle



Square



Hexagon



Octagon



all shapes and sizes

Round



Oval



Elliptical





Designer Shapes


Swerve Table



Bedrock Table



ErgoMax Stool



NEW

*An Ergonomically
Designed Mobile
Table Stool for
Maximum Comfort.*

14" Wide




Table & Bench Core Options



3/4" MDF (MD)



3/4" Particleboard (PB)



3/4" Plywood (PW)

Frame Color Options



Chrome (CR)



Black Powder Coating (PC)

Table/Seat Heights*

25"/13"
code: 25

27"/15"
code: 27

29"/17"
standard ‡

32"/20"
code: 32

*For non-standard heights add code to end of model number
‡Standard MTS1216 is 27"/15"



Mobile Table Features Stool, Bench, Shape, and Combo Units



Casters Lift off Floor to Prevent Table from Moving When Opened



Tamper-Free, Non-Marring, Nylon Steel-Insert Glides and Tube Closures



Protect Edge Option Prevents Food from Being Trapped Between the Laminate and Edge.



Self-Leveling Automatic Down Lock Ensures Engagement Every Time Table Is Fully Opened



Locks Table Partially Open for Easy Floor Cleaning



No Need to Reach in! Storage Latch Release Handles on Both Sides of Table to Unlock. Locks Automatically When Folded



4" Double Ball Bearing Non-Marring Heavy-Duty Casters With 275 Lb. Weight Capacity Ea



"EasyLift" Torsion Bar System. One Person Can Easily Lift and Fold Table for Convenient Storage



14-Gauge Steel Framing

Bench Features



Prevent Tripping During Entry With Our Exclusive Curved Frame Design



3/4" Thick Benches Reinforced With 16-Gauge Aprons

Stool Features



High Impact Stools Reinforced With Embedded Steel Washers



Hex-Head Serrated Flange Bolts & Serrated Flange Nylon Insert Nuts Provides Stronger and Simpler Assembly

Easy Fold Features



One-Piece Top Eliminates the Gap in the Middle of Surface.



4" Double Ball Bearing Non-Marring Heavy-Duty Casters With 275 Lb. Weight Capacity Ea



Casters Lift off Floor to Prevent Table from Moving When Opened



Gas Spring Rated to 100,000 Cycles Balances Open-Fold Operation – Simple for One Person Operation.



Automatically Locks Open With Two Points of Manual Release to Fold



Convertible Bench Features



Create One Large Table By Combining Single Bench Units, Using the Built-in Ganging Devices.



Non-Marring Reinforced Nylon Glides With Steel Inserts Installed Over Leg Uprights.



"Pinch-Proof" Feature: Bench Does Not Touch the Top When Folding



Under Table Hat Supports 1000 Lbs. Weight Capacity (CBG96 Only)



Easy Lock 3" Double Ball-Bearing Heavy-Duty Casters





Shape Tables

*Mobile tables that
shape up to your unique
seating needs.*






PAGE
88
Product
Features



Shapes



MT12-MDPEPCGY
MT60R-MDPEPCGY

Model Number Configuration


Model Number Core Edge Frame Laminate Color Top

MTE10-PW PE CR CH

Add custom height to the end of model number

Model	Shape	Table WxL	Folded Dimensions	Table Height (Standard)	Table Height (Custom)
MT8	Rectangular	30"x97"	30"x30"x60"	29"	
MT10	Rectangular	30"x121"	31"x30"x68"	29"	
MT12	Rectangular	30"x145"	32"x30"x81½"	29"	
MST8	Swerve	30"x97"	30"x30"x60"	29"	
MST10	Swerve	30"x121"	31"x30"x68"	29"	
MST12	Swerve	30"x145"	32"x30"x81½"	29"	
MBT8	Bedrock	30"x97"	30"x30"x60"	29"	
MBT10	Bedrock	30"x121"	31"x30"x68"	29"	
MBT12	Bedrock	30"x145"	32"x30"x81½"	29"	
MTE10	Elliptical	121½"x44½"	31½"x 44½"x 67¾"	29"	
MT72V	Oval	60"x72"	19"x60"x45½"	29"	25"
MT48Q	Square	48"x48"	19"x48"x39¾"	29"	27"
MT60Q	Square	60"x60"	19"x60"x42¾"	29"	32"
MT48H	Hexagon	48"x48"	19"x48"x39¾"	29"	42"
MT48R	Round	48"x48"	19"x48"x39¾"	29"	
MT60R	Round	60"x60"	19"x60"x42¾"	29"	
MT72R	Round	72"x72"	19"x72"x45½"	29"	
MT60O	Octagon	60"x60"	19"x62½"x42¾"	29"	

ADA Configurations



conditional based on wheelchair width



PAGE
175
Laminate and
Edge
Options

Bench Tables

Better together! Bench tables make group seating simple.





PAGE
88
Product
Features



Shapes



Model	Shape	Seats	Table WxL	Folded Dimensions	Table-Seat Height (Standard)	Table-Seat Height (Custom)
MTFB8	Rectangle	8-12	30"x97"	56"x34½"x59¾"	29"-17"	
MTFB10	Rectangle	10-14	30"x121"	56"x35"x68½"	29"-17"	
MTFB12	Rectangle	12-16	30"x145"	56"x35½"x81"	29"-17"	
MSTB8	Swerve	8-12	30"x97"	56"x34½"x59¾"	29"-17"	
MSTB10	Swerve	10-14	30"x121"	56"x35"x68½"	29"-17"	
MSTB12	Swerve	12-16	30"x145"	56"x35½"x81"	29"-17"	
MBTB8	Bedrock	8-10	30"x97"	56"x34½"x59¾"	29"-17"	
MBTB10	Bedrock	10-12	30"x121"	56"x35"x68½"	29"-17"	
MBTB12	Bedrock	12-16	30"x145"	56"x35½"x81"	29"-17"	
MTEB	Elliptical	10-12	45"x121"	72"x35½"x73½"	29"-17"	
MTR60B	Round	8	60"x60"	34"x86"x54½"	29"-17"	
MTO60B	Octagon	8	60"x60"	34"x86"x54½"	29"-17"	

25"-13"
27"-15"
32"-20"



MTFB12-MDPEPCGYGY (Grey Nebula Top & Bench)
MTR60B-MDPEPCGYGY (Grey Nebula Top & Bench)


Model Number Configuration

Model Number Core Edge Frame Tabletop Laminate
MTFB12-PW PE CR CH GY


Add custom height and/or ADA code to the end of model number

Bench Laminate

ADA Configurations



conditional based on wheelchair width





Stool Tables

*Roll in, roll out, flip,
and store. Pairs well
with any seating!*





PAGE
88
Product
Features



Shapes





QUICK SHIP MTS12-MDPEPCGYxx (Grey Nebula Top)
MTR60S-MDPEPCGYxx (Grey Nebula Top)

Model Number Configuration

Model Number Core Edge Frame Laminate ErgoMax Stool
MTS12-PW PE CR CH 04 E
 Add custom height and/or ADA code to the end of model number Stool Color

Model	Shapes	Seats	Table WxL	Folded Dimensions	Table-Seat Height (Standard)	Table-Seat Height (Custom)
MTS8	Rectangle	8	30"x97"	32"x 59"x57"	29"-17"	25"-13"
MTS10	Rectangle	12	30"x121"	59"x36"x73½"	29"-17"	27"-15"
MTS12	Rectangle	12	30"x145"	59"x39"x79¾"	29"-17"	32"-20"
MTS1216	Rectangle	16	30"x145"	59"x35"x81½"	27"-15"	25"-13"
MSTS8	Swerve	8	30"x97"	56"x34½"x59¾"	29"-17"	25"-13"
MSTS10	Swerve	10	30"x121"	56"x35"x68½"	29"-17"	27"-15"
MSTS12	Swerve	12	30"x145"	56"x35½"x81"	29"-17"	32"-20"
MSTS1216	Swerve	16	30"x145"	59"x35"x81½"	27"-15"	25"-13"
MBTS8	Bedrock	8	30"x97"	32"x59"x57"	29"-17"	25"-13"
MBTS10	Bedrock	12	30"x121"	59"x36"x73½"	29"-17"	27"-15"
MBTS12	Bedrock	12	30"x145"	59"x39"x79¾"	29"-17"	32"-20"
MBTS1216	Bedrock	16	30"x145"	59"x35"x81½"	27"-15"	25"-13"
MTEs	Elliptical	12	45"x121"	59"x35"x81½"	29"-17"	25"-13"
MTR60S	Round	8	60"x60"	38"x81"x54½"	29"-17"	27"-15"
MTO60S	Octagon	8	60"x60"	38"x81"x54½"	29"-17"	32"-20"

ADA Configurations



NEW

Combo Tables

The best of both worlds - bench or stool, sit together how you'd like!






PAGE
88
Product
Features



Shapes



Model	Shape	Seats	Table WxL	Folded Dimensions	Table-Seat Height (Standard)	Table-Seat Height (Custom)
MTESB	Elliptical	12	45"x121"	59"x35"x81½"	29"-17"	25"-13"
MTR60SB	Round	8	60"x60"	38"x81"x54½"	29"-17"	27"-15"
MTO60SB	Octagon	8	60"x60"	38"x81"x54½"	29"-17"	32"-20"

Model Number Configuration


Model Number Core Edge Bench Laminate Stool Color

MTR60SB-PW PE CR XX XX XX E

Frame Tabletop Laminate ErgoMax Stool

Add custom height and/or ADA code to the end of model number

ADA Configurations



Easyfold Units

*Roll in, roll out, flip,
and store. Pairs well
with any seating!*





PAGE
88
Product
Features



Shapes



Oval
(V)



Square
(Q)




Round
(R)



Octagon
(O)



Hexagon
(H)



Model	Shape	Table WxL	Folded Dimensions	Table Height (Standard)	Table Height (Custom)
MTSSF-60V	Oval	60"x72"	72"x20"x72"	29"	
MTSSF-48Q	Square	48"x48"	48"x20"x62"	29"	
MTSSF-60Q	Square	60"x60"	60"x20"x72"	29"	
MTSSF-48R	Round	48"x48"	48"x20"x62"	29"	25"
MTSSF-60R	Round	60"x60"	60"x20"x72"	29"	27"
MTSSF-60O	Octagon	60"x60"	60"x20"x72"	29"	32"
MTSSF-48H	Hexagon	48"x48"	48"x20"x65"	29"	42"
MTSSF-60H	Hexagon	60"x60"	60"x20"x72"	29"	



MTSSF-60R-MDPEPCGY (Grey Nebula Top)

Model Number Configuration

Model Number Core Edge Frame Laminate Color Top
MTSSF-48Q-PW PE CR CH
 Add custom height to the end of model number

Convertible Bench Units

Adaptable for your cafeteria, auditorium and testing center!





PAGE
88
Product
Features

Open



Flip



Gang



PAGE
175
Laminate and
Edge Options




CBG96-MDPEPCGYG (Grey Nebula Back and Bench)

Model	Seats	Table WxL	Folded Dimensions	Table-Seat Height (Standard)	Table-Seat Height (Custom)
CBG72	3-4	29"x72"	72"x12"x34"	29"-17"	25"-13" 27"-15" 32"-20"
CBG84	4-5	29"x84"	84"x12"x34"	29"-17"	25"-13" 27"-15" 32"-20"
CBG96	4-6	29"x96"	96"x12"x34"	29"-17"	25"-13" 27"-15" 32"-20"

Model Number Configuration

Model Number Core Edge Frame Back Laminate
CBG96-PW PE PC CH GY
 Bench Laminate



Booth Seating





*Transforming cafeterias into cafes.
Roll and swivel into booth seating.*

ToGo Specs



BOOTH SEATING

The ToGo Benches Feature Fixed High Backs With a Slight 12-Degree Pitch Providing the Perfect Contour for Comfortable Seating.



MOBILE

Built With 14-Gauge Steel, 2" Tube Legs, and Double Ball-Bearing Non-Marring 3" Casters, the ToGo Provides the Ultimate in Strength and Mobility.



COLLABORATIVE

Today's Cafeterias Have Become Multi-Purpose Spaces Which Require Furniture That Is Mobile and Multi-Functional. NPS's ToGo Booth System Is Ideal for Such An Environment.



SIMPLE STORAGE

The ToGo Bench and Table Flip up and Nest for Optimal Storage. Both Are Offered in 48" or 60" Widths and 24" or 30" Depths Providing Comfortable Seating for All Sizes.



LATCH



HEAVY-DUTY 3" CASTERS



GRIP-RITE GLIDE

EASE OF USE

It's Simple to Reconfigure for Multi-Purpose Use. With Its Heavy-Duty 3" Casters the ToGo Booth Is Easy to Move. Rubber Grip-Tight Glides Automatically Engage With the Floor When Opened Along With Locking Casters to Keep Your Seating Arrangement Nicely in Place. Tables Open and Lock Automatically and Are Easily Released With the Pull of a Handle.

19" High Back 15" Wide Seat

compared to standard 15"x12" convertible bench



ToGo Table



Table Core/Edge Options




1" MDF core
HPL Surface | Protect Edge (MDPE)



1" particleboard core
HPL Surface | T-molding (PBTM)

Model	Seats	Open Footprint	Folded Footprint	Weight
TGT2448	2-3	24"W x 48"L x 29"H	21.25"W x 48"L x 39.50"H	58 lbs.
TGT2460	3-4	24"W x 60"L x 29"H	21.25"W x 60"L x 39.50"H	64 lbs.
TGT3048	2-3	30"W x 48"L x 29"H	21.25"W x 48"L x 39.50"H	68 lbs.
TGT3060	3-4	30"W x 60"L x 29"H	21.25"W x 60"L x 39.50"H	76 lbs.



Model Number Configuration

Model Number Core Edge Laminate
TGT2448-MDPE PE RE



10 DAY QUICKSHIP OPTION

TGT2460MDPEGY
 (24"x60", MDF Core, Black Protect Edge, Grey Nebula)

Cluster Swivel Booth



Features



Flex Back Tested by SGS Labs to Resist 425 Lbs of Force



Unique Design for Ultimate Seating Comfort



13-Gauge Heavy-Duty Steel Frame



18-1/2" Space from Tabletop to Seat Back



Seats Are Mounted on An Industrial Grade Swivel Base



T-Shaped Legs for Extreme Stability




Undertable 11-Gauge Framing System



Tamper Free Hardware

Colors




Model Number Configuration

Prefix
CSBG2448 PBTM XX 10
 Laminate (HPL tops)
 Tabletop Seat Color

NEW



Featuring
Lūvra
 FLEX




Tabletops

Tabletop Dimensions are 24" x 48"



1.2" particleboard core
 HPL Surface
 T-molding
 (PBTM)




1.2" MDF core
 HPL Surface
 Protect Edge
 (MDPE)



1.2" Particleboard Core
 Whiteboard HPL Surface
 PVC Edge Banding
 (WB)




1.75" Solid Maple Wood
 Butcherblock
 Proprietary UV Finish
 (BB)



Sophistication made Simple with Safety in mind.

NPS Mobile Tables are sophisticated in design yet simple to operate. Offering enhanced safety features giving you complete peace of mind.



Frame Design

- Intelligent steel understructure design supports table tops and seating providing ease of operation and maintenance.

Table Top Apron Support

- Each top is supported by 2" deep, 14-gauge steel aprons capped at the ends with riveted plastic protectors.
- Aprons and brackets are fastened to wood with custom designed tamper-resistant screws with superior holding power while still easily serviceable if the need arises.
- Tops are supported between the leg top tubes and wood with spacers.

Leg Assembly



- Structural leg components are comprised of 1 1/4" diameter, 14-gauge steel tubing.
- Legs and stool columns are constructed of 1 1/4" diameter, 14-gauge steel tubing and braced horizontally to the stool support column on the opposite side of the table to resist bending.

Lock Rod




- Heavy duty 7/8" diameter lock rod is chrome plated to resist wear.
- Tamper resistant lock nuts on all down lock assemblies with a self-adjusting hinge lock ensure that the down lock engages every time.

Storage Lock

- Heavy duty storage lock is comprised of a 1 1/4" square tube with heavy-duty catch. Locks automatically in storage position and easily release from either side of the table when opening.

Table Top & Seats

Core



- Available in MDF, Particleboard, or Plywood.
- Tops and benches are surfaced with high pressure laminate bonded to a 3/4" thick AC grade core, sealed underneath with a poly backer for T-molded tabletops and a phenolic backer sheet for tabletops with Protect Edge. This is especially helpful when cleaning the underside of the table.

Edge (for table tops and benches)




- Available with Protect Edge or Vinyl T-Molding.
- Protect Edge is sealed with a polyurethane epoxy resin, chemically bound to the edge of the laminate, core and phenolic backing sheet.



- Vinyl T-molding is secured by staples to the top's underside approximately every 10".

Seat

Stools



- Stools are injection molded with a minimum of 25 oz. of rubber-modified, high impact polystyrene materials measuring 13" in diameter.
- Ribs, which extend from the outer perimeter of the stool to the mounting hub in the center, are reinforced to resist failure with 12 integrally molded, tapered ribs.



- **Wobble-free** stools are mounted quickly without "wobble" with our custom designed serrated head nut and bolt. Nut also has nylon locking inserts to ensure stools stay tight.
- Power tools are recommended for safe and secure assembly.

Hardware

Table Top Screws



- Serrated head and thick threading provides superior holding power to frame with the ability to be serviced easily in the field.
- Tamper resistant

Flower Glides and Tube Closures

- Made from glass-infused nylon and spring steel, will not break or fall out.

Casters



- 4" heavy-duty, double ball-bearing casters
- Weight capacity of 275 lbs. per caster
- Hard rubber, non-marring wheels

Operation

Entrances (for bench units)

- Each bench is designed for easy entry on both ends.

Locking - Opening



- A gravity lock automatically locks the table in the open position. The lock is disengaged manually, capable of being operated from both sides of the table.

Locking - Folding



- The storage lock latch automatically locks the table in the folded storage position. The lock is disengaged manually, capable of being operated from both sides of the table and within easy reach.

Custom Torsion Bar System



- Easy opening and closing via a perfectly balanced torsion bar system.
- Each unit includes 1 to 5 torsion bars determined by table size and core material.
- Each torsion bar is at a specific angle based on weight distribution.

Safety

Lift-Off Casters



- Mobile tables incorporate the beneficial caster lift-off design in which casters lift off the floor in the open position.
- Lift-off casters do not protrude past the seats so they are not a tripping hazard.

Midway Position Lock



- Secures the unit in a partially folded position for ease of movement during floor cleaning and to prevent finger or hand pinching.

Storage Lock Latch



- Vertical adjustment ensures that the table always locks safely into the folded position.

UL Certified

- Tested for 7,000 open/close cycles exceeding the UL testing standard of 6,000 cycles.

Safety Position

- Folds in teepee position to prevent tipping.



CAFÉ



Café Chair



see page 145 for dolly specs
Compatible with dolly DY81, DY-9000

Café Barstool



see page 145 for dolly specs
Compatible with dolly DY81

24 HOUR
QUICK SHIP

Model Number Configuration



Model	Width	Depth	Back Height	Seat Height	Footring Height
Chair	21 ½"	22 ¼"	33 ¾"	18"	N/A
Bar Stool	21 ½"	22 ¼"	46 ½"	30"	13 ½"

WEIGHT CAPACITY
500 LBS

10 YEAR WARRANTY & COMMITMENT TO EXCELLENCE

BIFMA INTERNATIONAL
ANSI
products meet or exceed applicable ANSI/BIFMA standards

Features



Heavy-Duty Bumpers for Safe and Secure Stackability



Modern Handle for Easy Movement and Storage



4 Fully Welded 12-Gauge Under-Seat Support Brackets



½" Thick 8-Layer Bent Plywood Seat With HPL Finish



Legs Designed For Easy Stackability



7/8" 16-Gauge Chromed Steel Tubing



Designer Contoured Waterfall Edge



Durable Non-Marring Polypropylene Glides

Colors



Espresso (21)



Natural (22)

Barstool



Heavy-Duty Welded Footring for Added Comfort and Stability

CAFE | CT SERIES
Fixed Height Tables



NEW



Features



Industrial Grade
8-Gauge Steel
Bases



Pole Connects to Base
With Heavy-Duty Bolt
and Thread Locker



Poles Have a 3"
Diameter and a Fully
Welded Base Plate



Leveling Glides
Pre-Installed to
Bases



Poles Feature a Fully
Welded Tabletop
Support Plate





Tabletops



1.2" particleboard core
HPL Surface
T-molding
(PBTM)




1.2" MDF core
HPL Surface
Protect Edge
(MDPE)



1.2" Particleboard Core
Whiteboard Surface
PVC Edge Banding
(WB)

Frame Colors



Black
(no Code)



Soft Grey
(G)

Base Style



T Base
(T)



X Base
(X)



Round Base
(R)

Model Number Configuration

Prefix Shape Size Height Tabletop
CTG 2 3042 T D PBTM xx
 Color (if Grey) Base Style Laminate (HPL Tops)

Shapes



Round
(1)



Rectangle
(2)



Square
(3)



Racetrack
(4)



Curve
(5)

Rectangle & Racetrack Sizes (Width/Length In Inches)

2430	2436	2442	2448	2454	2460	2472	2484	2496
3036	3042	3048	3054	3060	3072	3084	3096	

Round & Square Sizes (width/Length in inches)

2424	3030	3636	4242	4848
------	------	------	------	------

Curved Sizes (width/Length in inches)

60": 2491*	108": 2492*
------------	-------------

Quick ship tables available in 36" round and square, choose from Grey Nebula (GY) or Figured Mahogany (MY) laminates with Black T-mold (TM)
*Recommended with T Base




CAFE | PCT SERIES
Premium Plus Cafe Table



Features



Four Locking Heavy Duty Non-Marring Swivel Casters



Heavy-Duty 13-Gauge Steel Column



1/2" Thick Solid Steel Base



Easy Pneumatic Height Adjustment



Easy To Use Non-Pinching Handle




PAGE 175
Laminate and Edge Options



Tabletop Options



1.2" particleboard core
 HPL Surface
 T-molding
 (PBTM)



1.2" MDF core
 HPL Surface
 Protect Edge
 (MDPE)



1.2" Particleboard Core
 Whiteboard Surface
 PVC Edge Banding
 (WB)



1 1/2" Blow
 Molded Top
 (BM)


Shapes



Round
 (1)



Square
 (3)




Model Number Configuration



Size (square/round in inches)		
24	30	36*

Quick ship tables available in this size, choose from tops BM and PB with Grey Nebula (GY) or Figured Mahogany (MY) laminates with Black T-mold (TM)

Standard lead time is 4-6 weeks. Quick ship lead time is 2 days.
 *Blowmold top only available in 36" square.





Roll In



Flip



Store



Color



Charcoal Slate
Silver Tone Frame

Table Features



Concealed Pneumatic
Lever Makes for Effortless
Raising and Lowering



Casters and
Glides Included



Tabletop Sets Into
Vertical Position For
Compact Storage

Chair Features



Rubber Glides To
Protect Floors



Stacks For
Easy Storage



Scratch Resistant,
Attractive Chair Seats
& Backs

Model #	Description
CTT3042	Café Time Adjustable-Height Table
CTS30	Café Time Stool





MUSIC



Melody Chair®
8210



Music Stand
82MS



Conductor
CSS, CP2, CS, CTS




Melody Chair®



See Page 145 For Dolly Specs


Stack Up To
18
Chairs

Compatible
with dolly
DY82



Melody Chair® Jr.

(16" SEAT HEIGHT VS. 17.5" ON THE 8210)



Model Number
8210-16

TWO HEIGHTS AVAILABLE

Model Number
8210

Melody Chair® Features



Optional Tablet Arm
With Plywood Core



Durable Polypropylene
Contoured Seat For
Extra Comfort



Curved, Tight Plugs



Music Band-Pitch
Style With a Seat
Back Angle Of 97°


Tablet Arms



TA82L
Left Tablet
Arm



TA82R
Right Tablet
Arm



WIGHT CAPACITY
300
LBS

BIFMA
CERTIFIED

ANSI
CERTIFIED

10
YEARS
CERTIFIED
GREEN

products meet
or exceed applicable
industry standards.



Music Stand Features



Tension Tilt Surface For Smooth Adjustment




Neck Assembly Provides A Tighter Fit On Pole



Rubber Tips Included To Prevent Noise And Floor Scratching

Model Number
82MS



See Page 147 For Dolly Specs

Compatible with dolly
DYMS10, DYMS20




CONDUCTOR'S FURNITURE





Roll With Ease Using Built in Casters



Color



Grey Carpet
 Black Side Panels
 Plywood Core

Model Number
CP2

CP Conductor Podium


Overall	12"H X 39.5"W X 44.25"D
Step	5.75"H X 39.5"W X 10.5"D



Features



Industrial Grade
 14-Gauge Frame



Carpeted Surface and
 Textured Sides for
 Modern Aesthetics



Removable Guardrail
 Also Functions as a
 Handle for Transport



Transport Vertically
 With Four Built-in
 Casters

MUSIC | CS SERIES
Conductor's Stand

NEW
 AVAILABLE
 22' SUMMER

PATENT PENDING
 Innovative Engineering and Design



Features



Adjustable Height
 Telescopic Pole



Heavy-Duty Knob
 Locking Mechanism



Adjustable Height
 Accessory Tray



8-Gauge Steel
 Designer Base

Color



Black

Model Number
CS



CS Conductor Stand

Reading Surface	26.75" X 19.75"
Adjustable Height	33.75" - 52.75"

NEW
AVAILABLE
22' SUMMER



All Conductor Furniture Available as a Kit



Model Number
L **CCS**

Features



Plush Padded
Seat and Back



Adjustable Height
Footrest With
Locking Knob



Height Adjustable
from 24.5" to 34.5"
With Pneumatic Lift



Plastic Reinforced
Backrest and Seat


Model Number
L **CTS**



products meet
or exceed applicable
ANSI/BIFMA standards

ROOM DIVIDERS

ALUMINUM FRAMING
ENCASING EACH PANEL



BUILT-IN MAGNETIC
GANGING



SOUND DAMPENING PET
NOISE REDUCTION COEFFICIENT OF .55
SOUND ABSORPTION AVERAGE OF .54



ROBUST



EASY



PORTABLE



FULL LENGTH HANDLE
FOR EASY MANUEVERABILITY



3/16" ACRYLIC
FROSTED AND
CLEAR OPTIONS



FOOT PEDAL
LOCK RELEASE


DIVIDERS

Robo Dividers



NEW





Features



Panel Position Regulators



Full Length Handle



Built-in Magnetic Ganging Mechanism on Top and Bottom



Foot-Pedal Activated Lock-Release Enables Effortless Folding



Auto-Click Panel-Locking Mechanism Keeps Panels Secure When Folded



Self-Leveling Spring Mechanism on All Casters



Each Panel Is Encased in Aluminum Framing



Tech-Lock Brake on 3" End-Panel Casters



PET Panels Are Tackable



PET Panels Are B1-Grade Flame Retardant



PET Panels Have a Noise Reduction Coefficient of 0.55 & Sound Absorption Average of 0.54



PET Panels Are Made of Environmentally Friendly Recycled Materials

Divider Lengths

6' Standard height

3 Panels

72"

5 Panels

118"

7 Panels

164"

9 Panels

210"

11 Panels

256"



Panel Type

SOUND ABSORBING PET



Grey (PT02)



Blue (PT04)



Black (PT10)

OPTIX® ACRYLIC



Clear (CA)



Frosted (FA)



Whiteboard (WB)

Frame Color



Black (B)



Grey (G)

Model Number Configuration

Model Number

Panels

RDB 6 3 PT04

Frame Color

Panel Type

Base Model #

Description

RDB6


Black Frame, 6ft High

RDG6

Grey Frame, 6ft High







STAGES AND RISERS

Stages
S, SP, SST, TFXS, SG



Risers
RT, RS, TP,
SBRC, SCRC





Configure Your Stage

WIDTH, HEIGHT AND SURFACE TYPE



Stage Packages



Page 137

See Accessories



Page 139



Sizes

WIDTH

36" 48"

HEIGHT

8" 16" 24" 32"

Surface Options

Carpet



Black
(C-10)

Blue
(C-04)

Grey
(C-02)

Red
(C-40)

Hardboard
(HB)

Model Number Configuration

Model Number | Height
S488C-10
 Width | Surface

Features



14-Gauge Tubular Steel Legs



16-Gauge Steel Frame



0.75" Thick Plywood Core



Ganging To Easily Connect Multiple Stages



96" Standard Length



**200
LBS/FT²**

Tested by SGS Labs to Exceed 200 lb/Sq Ft Weight Capacity



Create Curved Configurations

Using Stage Pies



Sizes

WIDTH

36" 48"

HEIGHT

8" 16" 24" 32"

Model Number Configuration

Model Number | Height

SP48 8 C-10

Width/Depth | Surface

Surface Options

Carpet



Create Seated Risers

Single-level stages combine with gangers to create multi-level surfaces. Use below configuration codes for multi-level sets.

Straight sets



Pie sets



Level Code

- 2L 2 levels; 8" and 16" Heights
- 3L 3 levels; 8", 16", and 24" Heights
- 4L 4 levels; 8", 16", 24" and 32" Heights

Model Number Configuration

Model Number | Width | Level Code

SPST 48 2L C-10


Add "P" for pie set | Surface





Choral Risers

Combine Tapered And Straight Edge Risers For Curved Configurations

Straight Edge



Tapered Edge



Sizes

EDGE CODE		WIDTH
STRAIGHT	TAPERED	18"
RS	RT	
HEIGHT		
8"	16"	24"
32"		

Surface Options



Model Number Configuration



Single-level risers combine with gangers to create multi-level surfaces. Use below configuration codes for multi-level sets.




Edge Code



Level Code

2L	2 levels; 8" and 16" Heights
3L	3 levels; 8", 16", and 24" Heights
4L	4 levels; 8", 16", 24" and 32" Heights

Model Number Configuration




TransPort Riser

Available with straight or tapered edges and a fourth-level add-on



ROLL IN



FLIP




CONFIGURE



See Accessories



Page 139



Model Numbers

TP72	Straight Riser
TPR72	Tapered Riser
TPA	4th Level Straight Add-on
TPRA	4th Level Tapered Add-on

Transfix Stages

Adjustable Height Stages for Built-in Multi-Level Capabilities



ROLL IN



FLIP



CONFIGURE



Sizes

WIDTH/LENGTH

48"/48" 48"/96"

ADJUSTABLE HEIGHTS

16"/24" 24"/32"

Model Number Configuration

Prefix Width/Length
TFXS 4896 1624 C-10
 Height Surface

Surface Options

Carpet



Features

**200
LBS/FT²**

Tested by SGS Labs to Exceed 200 lb/Sq Ft Weight Capacity



2 Heavy Duty Casters Lift Off When Set Up



14-Gauge Legs Adjustable to Two Heights



Built in Gangers for Multi Stage Configurations


See Accessories

 Page 139

ten year warranty
10



Stage Packages



CREATE YOUR OWN PACKAGE

1. Choose Stage Height
2. Choose Quantity of Stages
3. Choose Surface Type and Color
4. Choose Skirting Type and Color

WE WILL CONFIGURE THE REST.
Each package includes guard rails on 3 sides, skirting on all sides, and 2 sets of steps.

Surface Options

Carpet

- Black (C-10)
- Blue (C-04)
- Grey (C-02)
- Red (C-40)
- Hardboard (HB)

Skirting Options

Type

Box pleat skirting (SB)

Shirred pleat skirting (SS)

Color

Black (10)

Navy (04)

Burgundy (08)

Green (06)

Model Number Configuration

Prefix QTY of Stages Skirting Color

SG48 24 04 C-10 -SB 08

Height Surface Skirting Type


Sample Configurations

Add surface and skirting codes to the end of Model #

Model #	Description
SG482404	16' X 8' X 24'
SG481610	20' X 16' X 16'
SG482410	20' X 16' X 24'
SG483210	20' X 16' X 32'
SG482412	24' X 16' X 24'
SG362404	12' X 8' X 24'



Riser Packages



Surface Options

Carpet



Use progressive heights for Seated Bands or Choral Riser Configurations

Package Options

Model #	Includes
SBRC48	3 sets of SST48 (48" x 96" straight stages) and 4 sets of compatible SPST48 (pie stages) and guard rails
SCRC36	3 sets of SST36 (36" x 96" straight stages) and 4 sets of compatible SPST36 (pie stages) and guard rails

Model Number Configuration

Base Model

SBRC48 C-10

Surface Option





A



B



D



E



C

A. Back Guard Rail For use with choral risers

Model #	Description
GRR24S	Back Guard Rails for 3 Level Straight Standing Choral Risers
GRR32S	Back Guard Rails for 4 Level Straight Standing Choral Risers
GRR24T	Back Guard Rails for 3 Level Tapered Standing Choral Risers
GRR32T	Back Guard Rails for 4 Level Tapered Standing Choral Risers
GRTPR3	Back Guard Rails for 3 Level TransPort Riser
GRTPR4	Back Guard Rails for 4 Level TransPort Riser

B. Side Guard Rail For use w/ standing risers in 3 heights

Model #	Description
SGRTP3	Side Guard Rails for 3 Level TransPort Riser
SGRTP4	Side Guard Rails for 4 Level TransPort Riser
SGR2L	Side Guard Rails for Standing Choral Risers
SGR3L	Side Guard Rails for Standing Choral Risers
SGR4L	Side Guard Rails for Standing Choral Risers

Chair Guard

Model #	Description
CG28	Chair Guard for SP368 Stage Pie
CG32	Chair Guard for Sides of 3' x 8' Stages
CG37	Chair Guard for SP488 Stage Pie
CG44	Chair Guard for Sides of 4' x 8' Stages
CG54	Chair Guard for SP3616 & SP4824 Stage Pie (2 EA. Needed for SP4824)
CG72	Chair Guard for SP4816 Stage Pie
CG81	Chair Guard for SP3624 Stage Pie
CG96	Chair Guard for Back of Stages (3' x 8' & 4' x 8')

C. Dolly For use with stages & seated risers (Minimum 36" widths)

Model #	Description
SDL	Stage Dolly for Use with 36" W or 48" W Stages

D. Steps

For stages in 3 heights

Model #	Description
STP16	Steps for 16"H Stages
STP24	Steps for 24"H Stages
STP32	Steps for 32"H Stages


E. Stage Guard Rail

For use with stages


Model #	Description
GRS30	30"W Guard Rail for Stages
GRS36	36"W Guard Rail for Stages
GRS48	48"W Guard Rail for Stages

Skirting Options

Model Number Configuration



Skirting Type



Sizes



Skirting Color



DOLLIES





Transport Options

For use with 4', 5', 6' or 8' rectangular tables



TAD National Public Seating
TABLE ASSIST DOLLY

SETTING UP YOUR TABLE IS AS EASY AS 1-2-3

SAFETY INSTRUCTIONS

www.nationalpublicseating.com | 800-261-4112

Features



Plastic Coated Table Support Frames



4 Swivel/ 2 Locking Casters



7/8" O.D. Steel Handle (18-Gauge)



5 X 1.25" Hard Rubber Casters



1" Square 14-Gauge Tubular Frame



Textured Black Powder-Coated Steel


Compatible Table Series

BT1800 BT2400 BT3000 **MSFT***

*Rectangle tables only

Quantity of Tables

10 5



Storage and Transport Dollies

DYMU

Equipped with a Center Bar To Support Small Table Sizes



Compatible Table Series

BT2400 BT3000 BT48R BT60R

Quantity of Tables

8-10



DY-71R

Equipped with an Extra Bar For Additional Support



Compatible Table Series

BT48R BT60R BT71R

Quantity of Tables

8-10



DY-60R

Equipped with a Tubular Handle For Stability & Easy Handling



Compatible Table Series

BT48R BT60R

Quantity of Tables

8-10



DY-3072

Tables up to 72" long

DY-3096

Tables up to 96" long



Compatible Table Series

All Rectangular

Quantity of Tables


12



products meet or exceed applicable ANSI/BIFMA standards

DOLLIES | 84/42-8/EXT-8/C-60 SERIES
Storage and Transport Dollies

Model 84




Compatible Chair Series

50 200 300 800 1200 1300 2200 2300

Quantity of Chairs **84**

Model 42-8



Compatible Chair Series

50 200 300 800 1200 1300 2200 2300

Quantity of Chairs **42**


Compatible Table Models

BT3072 BT3096

Quantity of Tables **8-10**



Model 84/EXT-8



Compatible Chair Series

600 1100 1400 3200

Also any chairs compatible with 84

Quantity of Chairs **72 60 96**

Model 84-60 | 84/EXT-8-60 | 42-8-60

Convert the top level of your dolly into a coat rack by adding -60 to the end of the model number



Available Accessories



EXT-8
Available for model 84



MODEL C-60
Available for Model 84/42



Storage and Transport Dollies

DY-35




USCDK

Use this handle kit DY35 and DY50 for understage storage



DY-50




Compatible Chair Series

50	200	300	600	800	1100	1200	1300	2200	2300	3200
----	-----	-----	-----	-----	------	------	------	------	------	------

Quantity of Chairs

24	28	35	30
----	----	----	----



Compatible Chair Series

50	200	300	600	800	1100	1200	1300	2200	2300	3200
----	-----	-----	-----	-----	------	------	------	------	------	------

Quantity of Chairs


35	40	42	50
----	----	----	----



DY1100



DY1400




Compatible Chair Series

1100

Quantity of Chairs

26



Compatible Chair Series

1400

Quantity of Chairs


50



products meet or exceed applicable ANSI/BIFMA standards

DOLLIES | DY700/800/ DY81 /DY82/DY85 SERIES
Storage and Transport Dollies

DY700/800



Compatible Chair Series

800

Quantity of Chairs

36

DY81



Compatible Chair Series

8100 BCC

Quantity of Chairs

10

4-6



DY82



Compatible Chair Series

8210 8210-16

Quantity of Chairs

18

DY85



Compatible Chair Series

8500

Quantity of Chairs

40



products meet or exceed applicable ANSI/BIFMA standards

Storage and Transport Dollies

DY87



DY87B



Compatible Chair Series

8700 8800

Quantity of Chairs 35

Compatible Chair Series

8700B 8700C 8800B 8800C

Quantity of Chairs 24



DY-9000



DY86



Compatible Chair Series

9100 9200 9300 **BCC**

Quantity of Chairs 8-10 4-6

Compatible Chair Series

8600

Quantity of Chairs 20



products meet or exceed applicable ANSI/BIFMA standards

DOLLIES | DYCL-85/ SDL /DYMS10/DYMS20 SERIES
Storage and Transport Dollies

DY-CL85



SDL



Compatible Chair Series

850-CL

Quantity of Chairs

30

Compatible Stages

36"W 48"W

Quantity of Stages

6



DYMS10



Compatible Music Stands

82MS

Quantity of Stands

10

DYMS20



Compatible Music Stands

82MS

Quantity of Stands

20



products meet or exceed applicable ANSI/BIFMA standards



LECTERNS



Lecterns


GSL, 22, 112, 222, 70,
600, 401S, 611, 612



Sound Lecterns

ZED, GSL-S, 111PLS,
800x, 6010, 950/901

Greystone Lectern



ELEGANT

Designer curved grey plywood for a more sophisticated look.



VERSATILE

Steel cabinet and hooded twin wheel matching casters allow for added storage and mobility.



MULTI-MEDIA

Large reading surface and pull-out shelves for a complete multi-media presentation experience.



Features




Sleek Grey Plywood Provides A Smooth Writing Surface



Quality Lock For Secure Storage



3" Twin Wheel TPR Two-Tone Casters



Two Shelves and Drawer for Convenient Storage

GSL SERIES GREYSTONE LECTERN

Reading Surface: 22.75"W x 18.25"D
Side pull out trays (R & L): 14.25"W x 12"D
Front pull out tray: 17.5"W x 9.25"D
Top two cabinet shelves: 21"W x 14.75"D x 7"H
Bottom cabinet shelf: 21"W x 14.75"D x 12"H
Drawer: 6.25"W x 15"D x 13.25"H
Product Weight: 89 lbs.

Full Floor Lectern
222 SERIES



TableTop Lectern
22 SERIES



Lectern Base
112 SERIES



222 SERIES


Colors



Medium Oak
222-MO



Mahogany
222-MY



DIMENSIONS: 46.5" H
X 23" W X 16" D
WEIGHT: 56 LBS.

22 SERIES

Colors




Medium Oak
22-MO



Mahogany
22-MY




Black
22-BK



DIMENSIONS: 13.75" H X 23.75" W X 19.875" D
WEIGHT: 31 LBS.

Features



Built in Paper/
Bookstop



Convenient
Shelf for Storage

Accessories




2CS
Caster Kit
Optional for 222
included with 112

112 SERIES

Color



Black
112-BK



DIMENSIONS: 33.75" H
X 21.125" W X 17.5" D
WEIGHT: 50 LBS.



Portable Presentation Lectern
70 SERIES



Aristocrat Floor Lectern
600 SERIES




Features



Adjustable Height
From 30" - 44" and
Adjustable Glides



Features a
Generous 20"Wx16"L
Reading Surface




Features



4 Easy-Roll
Casters, 2
Locking



Side Mounted Slide
Out 15"Wx16"L Shelf
For A/V Presentation
Equipment




Colors



Medium Oak
70-MO



Mahogany
70-MY



Wild Cherry
70-CH



Colors



Medium Oak
600-MO



Mahogany
600-MY



Wild Cherry
600-CH



Clear Acrylic Podium
401S SERIES



Model Number
401S

Features




Features a
Convenient Shelf



Broad 23.5"X24"
Reading Surface



Built-in Acrylic
Book Stop



Vision Lecterns

Vision Lectern
611 SERIES

Vision Lectern with Screen
612 SERIES



611 SERIES

Color



Ribbonwood
611-RW

Features



Four Concealed
Casters, Two Locking

Dimensions: 46"Hx24"Wx21"D / Interior shelf: 14.5"Dx23"W



612 SERIES

Color



Ribbonwood
612-RW

Features



Screen Display Is
Compatible With All Popular
SD Memory Cards. No
Computer Necessary



3/4-Inch Stain and
Scratch Resistant
Thermofused Melamine
Laminate on MDF



Easy to Use
Remote Control
Operation With
On Screen Menus




Sleek Black Casing
Around LCD Display



SOUND LECTERNS

ZED Lectern



Features



Equipped With Condenser and Dynamic Microphone Inputs



Includes One Gooseneck Mic and One Tie-Clip/Lavaliere Mic



Amplifier Supports Bluetooth/USB Inputs



Built-in Tone Control Capabilities



Output Lines for Auxiliary Speakers



Featuring 4 Concealed Casters



Equipped With a Halogen Lamp



Four 4" 40W Speakers




Durable Scratch Resistant Surface



High-Pressure Thermal-Fused Laminate on an MDF Core

See Accessories

 Page 161



PRODUCT FEATURE	ZED
Overall	19.5"W x 19.5"D x 46.5"H
Reading Surface	19.5"W x 20.5"D
Product Weight	47.6 lbs.
Mics	21" Gooseneck
AMP	40W



LECTERNS | GSL-S SERIES
Greystone Lectern with Sound



Features



Includes a Handheld Mic With 9' Cable and a Tie-Clip/Lapel Mic With 10' Cable




Equipped With Condenser and Dynamic Microphone Inputs



Amplifier Supports Bluetooth/USB Inputs and Output Lines for Auxiliary Speakers



Sleek Grey Plywood Provides A Smooth Writing Surface




Two Shelves and Drawer for Convenient Storage



3" Twin Wheel TPR Two-Tone Casters

See Accessories

 Page 161





PRODUCT FEATURE	GSL-S
Overall	23.5"W x 19.25"D x 45.5"H
Reading Surface	22.75"W x 18.25"D
Side Pull Out Trays (R & L)	14.25"W x 12"D
Front Pull Out Tray	17.5"W x 9.25"D
Top Two Cabinet Shelves	21"W x 14.75"D x 7"H
Bottom Cabinet Shelf	21"W x 14.75"D x 12"H
Drawer	N/A
Product Weight	95 lbs.
Mics	Handheld and Tie-clip
AMP	30W
Optional Suffix	Description
/LWM-5	Add Wireless Handheld Mic
/LWM-6	Add Wireless Tieclip Mic
/LWM-7	Add Wireless Headset Mic
Optional Prefix	Description
M	Add Rechargeable Battery

Power Plus Lectern
111PLS SERIES



Color



Mahogany
111PLS-MY


Ribbonwood
111PLS-RW

The Orator
800X SERIES




Color


Mahogany
800X-MY


Ribbonwood
800X-RW


Upgraded Amplifier with Bluetooth/USB Inputs

Base Model	Description
111PLS-MY	Power Plus Lectern - Mahogany
111PLS-RW	Power Plus Lectern - Ribbonwood
Optional Suffix	Description
/LWM-5	Add Wireless Handheld Mic
/LWM-6	Add Wireless Tieclip Mic
/LWM-7	Add Wireless Headset Mic
Optional Prefix	Description
M	Add Rechargeable Battery



Upgraded Amplifier with Goosneck Microphone and Four Concealed Casters

Base Model	Description
800X-MY	Orator Lectern - Mahogany
800X-RW	Orator Lectern - Ribbonwood
Optional Suffix	Description
/LWM-5	Add Wireless Handheld Mic
/LWM-6	Add Wireless Tieclip Mic
/LWM-7	Add Wireless Headset Mic
Optional Prefix	Description
M	Add Rechargeable Battery



LECTERNS | 6010 SERIES
Aristocrat Floor Lectern




See Accessories


 Page 161

Base Model	Description
6010-MY	Aristocrat Floor Lectern - Mahogany
Optional Suffix	Description
/LWM-5	Add Wireless Handheld Mic
/LWM-6	Add Wireless Tieclip Mic
/LWM-7	Add Wireless Headset Mic
Optional Prefix	Description
M	Add Rechargeable Battery

Color



Mahogany on Walnut
 950/901-MY/WT



Veneer Lecterns

Combo Veneer Sound Lectern
950/901 SERIES




Upgraded Amplifier with Bluetooth/ USB Inputs Goosneck Microphone and Four Concealed Casters

Base Model	Description
950/901-MY/WT	Combo Floor Sound Lectern - Mahogany on Walnut
Optional Suffix	Description
/LWM-5	Add Wireless Handheld Mic
/LWM-6	Add Wireless Tieclip Mic
/LWM-7	Add Wireless Headset Mic
Optional Prefix	Description
M	Add Rechargeable Battery

Color




Mahogany on Walnut
950/901-MY/WT



See Accessories

 Page 161





	111PLS	6010	800X	950 / 901	GSL-S	Zed
Dimensions	46"H X 22"W X 17"D	46"H X 25"W X 20"D	46"H X 22"W X 17"D	48"H X 24"W X 20"D	45 1/2" X H23 1/2"W X 19 1/4"D	19.5"W X 19.5"D X 46.5"H
Weight	50 Lbs.	89 Lbs.	63 Lbs.	175 Lbs.	95 Lbs.	47.6 Lbs
Inside Shelf	20.5"W X 6"D	(2) 23.5"W X 18"D	12"W X 4"D	11"H X 16"D X 22"W	21"W X 14.75"D X 7"H	–
Microphones	2 Condenser Type: Handheld W/ 9' Cable; Tie-Clip Lavalier With 10' Cable	2 Condenser Type: Handheld W/ 9' Cable; Tie-Clip Lavalier With 10' Cable	1 Gooseneck Mic; One Tie-Clip/Lavalier Mic	1 Gooseneck Mic; One Tie-Clip/Lavalier Mic	2 Condenser Type: Handheld W/ 9' Cable; Tie-Clip Lavalier With 10' Cable	1 Gooseneck Mic; One Tie-Clip/Lavalier Mic
Speakers	Four 8" Full Range	Two 8" High Efficiency	Four 6" Full Range	Four 4" High Efficiency	Two 8" High Efficiency	Four 4" High Efficiency
Inputs	Two Mics, One Aux	Two Mics, One Aux	Two Mics, One Aux	Two Mics, One Aux	Two Mics, One Aux	Media Players, Extension Speakers, Usb, Bluetooth, Recording & Mp3
Wireless	Switchable; Two Frequency	Switchable; Two Frequency	Switchable; Two Frequency	Switchable; Two Frequency	Bluetooth Enabled	Bluetooth Enabled
Outputs	Line Out 1 – Extension Speaker Line Out 2 – Media Recorder	Line Out 1 – Extension Speaker Line Out 2 – Media Recorder	Line Out 1 – Extension Speaker Line Out 2 – Media Recorder	Line Out 1 – Extension Speaker Line Out 2 – Media Recorder	Line Out 1 – Extension Speaker Line Out 2 – Media Recorder	Line Out 1 – Extension Speaker Line Out 2 – Media Recorder
Controls	Four Volume, Bass/ Treble, On/Off	Four Volume, Bass/Treble, On/Off	Four Volume, Bass/Treble, On/Off	Four Volume, Bass/Treble, On/Off Bluetooth/Usb	Four Volume, Bass/Treble, On/Off Bluetooth/Usb	Four Volume, Bass/Treble, On/Off Bluetooth/Usb
Fuse	Internally Mounted, 2a	Internally Mounted, 2a	Internally Mounted, 2a	Internally Mounted, 2a	Internally Mounted, 2a	Internally Mounted, 2a
Power Supply	117 Volt Ac; 12 V Dc W/Optional Battery	117 Volt Ac; 12 V Dc W/Optional Battery	117 Volt Ac; 12 V Dc W/Optional Battery	117 Volt Ac; 12 V Dc W/Optional Battery	117 Volt Ac; 12 V Dc W/Optional Battery	117 Volt Ac; 12 V Dc W/Optional Battery
Recharger	Internally Mounted; W/Led Indicator	Internally Mounted; W/Led Indicator	Internally Mounted; W/Led Indicator	Internally Mounted; W/ Led Indicator	Internally Mounted; W/Led Indicator	Internally Mounted; W/Led Indicator
Screen	–	–	–	–	–	–
Supported Formats	–	–	–	–	–	–

Available Accessories for Sound Lecterns



LWM-5
Wireless
Handheld Mic



LWM-6
Wireless
Tie-Clip/
Lavalier Mic



LWM-7
Wireless
Headset
Mic



PS12V
12V 5 Amp
Rechargeable
Battery

Model Number Configuration

Lectern Model Number Accessory Code

800XRW LWM-5

add "M" prefix to model number for rechargeable battery

PRESENTATION CARTS



The Wizard Lectern
WZD SERIES



Features



Surfaces Simultaneously Support: Doc Camera, LCD Projector, and Laptop



Attractive Cherry Wood Top & Base With Steel Cabinet




Sliding/ Locking LCD Projector Shelf



Storage Cabinet With Built in Power Strip

Overall Dimensions	38"H x 25"W x 19"D
Boxed Dimensions	37"H x 25"W x 8"D
Surface Dimensions	25"W x 19"D
Laptop Shelf	16"W x 13"D
Side Shelves	16"W x 16"D
Drawer	15"W x 15"D x 2.5H
Cabinet	23"H x 18"W x 16.5"D
Cabinet Shelf	18"W x 16.5"D
Weight	Unit 88 lbs / Boxed 99 lbs

Color



Wild Cherry on Black



Multi Media Cart
MMC SERIES



Features




Dual Flip up Shelves on Both Sides for Use of a Document Camera, Laptop and Projector Simultaneously



High Pressure Thermofused Scratch Resistance Laminate on Particle Board Core




Locking Door and Drawer for Secure Storage



Front Slide-Out Laptop Shelf

Top Surface	18" L x 21" W
Inside Dimensions	16" L x 14.5" W x 20"H
Projector Slide Out Shelf	16" L x 14" W
Built-In Drawer	10" L x 14" x W x 5" H
Height	40" H
Side Pop-Up Shelf	14" L x 14" W

Color



Wild Cherry on Black



Premium Presentation Cart

Premium Presentation Cart
PRC200 SERIES



Premium Plus Presentation Cart
PRC250 SERIES



Features



Wire Management Grommets




6 Outlet Power Strip With 25' Cord With Winder




3" Casters (2 Locking)



Large Projector Shelf



Inner Shelf for Added Storage



Adjustable Height Laptop Shelf For Sitting Or Standing Position


Color




Ivory Woodgrain

Dimensions	40.5"H x 18"W x 30"D
Top Shelf	18"W x 16.75"L
Laptop Shelf	18"W x 14"D
Middle Projector Shelf	16"W x 12"D
Bottom Shelf	18"W x 18"D
Weight	40 lbs
Carton size	37"L x 18"W x 5"H
Class	85
Color	Frame: Black; Shelves: Ivory wood grain
Steel	18 gauge
Paint	3 mil powder coating
Tops	Laminated on 3/4" MDF

PRC200



PRC250



Premium Plus



Lockable Cabinet With 3 Adjustable / Removable Shelves



PRESENTATION CARTS | PRC400/PRC450 SERIES
Jumbo Presentation Cart


Jumbo Presentation Cart
 PRC400 SERIES



Jumbo Plus Presentation Cart
 PRC450 SERIES



Features



Spacious Lockable Cabinet With Adjustable Shelf



Adjustable Height Laptop Shelf for Sitting or Standing Position

Jumbo Plus



CPU Holder



6 Outlet Power Strip With 20-Foot Cord



Adjustable Height Side Shelf for Document Camera or Projector


Color



Ivory Woodgrain


PRC400

Dimensions	40"H x 33"D x 21"W
Surface Dimensions	27"D x 21"D
Middle Projector Shelf	30.5"D x 17.5"W
Laptop Adjustable Shelf	21"W x 18"D
Locking Cabinet	25"D x 19"W x 24.75"H
Cabinet Adjustable Shelf	20"D x 19"D
Weight	100.5 lbs



PRC450

Dimensions	40"H x 33"D x 21"W
Surface Dimensions	27"D x 21"D
Middle Projector Shelf	30.5"D x 17.5"W
Laptop Adjustable Shelf	21"W x 18"D
Side Adjustable Shelf	24.5"W x 18"D
Locking Cabinet	25"D x 19"W x 24.75"H
Cabinet Adjustable Shelf	20"D x 19"D
Weight	117.5 lbs



24 HOUR QUICK SHIP

10 ten year warranty

CHARGING CARTS

DUET CHARGING CART
DCC SERIES



Model Number
DCC

Overall Dimensions: 28 1/8"W x 22"D x 38 3/4"H
Surface Dimensions: 22 3/4"W x 21 1/8"D
Shelf Dimensions: 22 1/4"W x 15 1/2"D



Features



18-Gauge Heavy-Duty Steel Parts



4 Heavy-Duty 4" Casters, 2 Locking



Fits 32 Laptops and Tablets With Screens up to 15.6" (up to 1" Thickness)



Adjustable Height Shelves Can Be Adjusted in 2" Increments



32 UL Approved Outlets on Built-in Power Strips



12ft Power Cord to Plug Into Wall



Maintenance Area With 4 Storage Shelves for Device Adapters




Dividers Can Be Positioned at Any Width in 1" Increments



Built in Wire Channels on Each Divider



2 Point Locking System on Front and Back Doors



Hook to Wrap the Power Cord on the Side of Cart



Grip-Rite surface on top of cart



PA SYSTEM

Features



Sleek, Modern Design With Rounded Body



Transport Easily With Built-in Handle



USB Port for Mp3



Auxiliary Inputs for iPods and Other Media Players

Built-in underside receptacle for optional PRA-TRD Tripod set up

Microphone Options



PRA8-5
Wireless Mic Handheld



PRA8-6
Wireless Handheld Mic & Wireless Tie-Clip /Lavalier



PRA8-7
Wireless Handheld Mic & Wireless Mic Headset

Model Number

Prefix

PRA8000/PRA8-5

Microphone Option ¹





BASICS

by NPS



Banquet Chairs
9100



Stack Chairs
850-CL



Folding Chairs
900



Personal Table
PT3000

Banquet Chairs



Vinyl Colors



9104-B
Midnight Blue



9108-B
Pleasant Burgundy



9110-B
Panther Black

Frame Color



Black



Features




1.5" High Density
Grade-A Foam Seat




3/4" 19 Gauge
Square Tubing



Eight Plastic Stack
Bumpers for Secure
Stackability



Plywood Core Seat
and Back



CAL-117
RATED





Colors


-  850-CL Black
-  855-CL Navy blue

Features

-  Black Powdercoated Frame
-  18-Gauge, 1/2" Steel Tubing
-  Built-in Ganging Glides Link Multiple Chairs Together Easily
-  Polypropylene Seat & Back



Stack Up To 30 Chairs
See Page 146 For Dolly Specs
Compatible with dolly DY-CL85



WEIGHT CAPACITY
300 LBS

24 HOUR
QUICK SHIP

one year warranty
1

Folding Chairs

All-Steel 900 Series



Colors

- 901 Beige
- 902 Grey
- 910 Black

Vinyl Upholstered 950 Series



Colors

- 950 Black Vinyl Black Frame
- 951 Beige Vinyl Beige Frame
- 952 Grey Vinyl Grey Frame

Fabric Upholstered 970 Series



Colors

- 970 Star Trail Black Fabric Black Frame
- 973 Star Trail Brown Fabric Beige Frame
- 974 Star Trail Blue Navy Blue Frame

Features



Non-Marring Glides



19-Gauge Steel Frame




Single Hinge



Two Tack Welded Leg Braces

See Page 146 For Dolly Specs
Compatible with dolly DY-35, DY-50



WEIGHT CAPACITY
250 LBS

24 HOUR
QUICK SHIP


one year warranty
1



Features



1.67" Thick Tabletop



Speckled Grey Tabletop



20x30" Tabletop



Powder Coated Textured Grey Frames and Legs



Plastic Clip to Hold Legs in Place



Glides Are Strong and Not Easily Removable




Adjustable Height Mechanism



Fully Welded Cross Brace

ADJUSTABLE TO SIX HEIGHTS



DESIGN OPTIONS Tabletop Guide



High Pressure Laminate

CORE MATERIAL	Industrial Grade Particleboard, MDF, or Plywood
FINISH	Matte Finish, Color Options Vary Per Product
EDGE	Vinyl T-Mold or Protect Edge
THICKNESS	Mobile Tables: 3/4" • Cafe Tables: 1-1/4" • Heavy-Duty Standard: 3/4" • Heavy-Duty Supreme: 1-1/4" • Science HPL: 1-1/8" • Togo: 1"



Chem-Res

CORE MATERIAL	Industrial Grade Particleboard with Chemical Resistant High Pressure Laminate (HPL) on Top Side, Resin Backer Sheet on Bottom Side
FINISH	Black, Matte Finish
EDGE	3mm Edgebanding bonded with heated adhesive
THICKNESS	1"



Phenolic

CORE MATERIAL	Solid Phenolic Resin
FINISH	Black, Matte Finish
EDGE	1/8" Bevel Edge
THICKNESS	3/4"



Epoxy SEFA

CORE MATERIAL	Solid Epoxy Resin
FINISH	Black, Matte Finish
EDGE	1/8" Bevel Edge
THICKNESS	1"



Trespa SEFA

CORE MATERIAL	Cellulose
FINISH	Black, Matte Finish
EDGE	1/8" Bevel Edge
THICKNESS	3/4"



Whiteboard

CORE MATERIAL	Industrial Grade Particleboard with High-Pressure Laminate (HPL) Top
FINISH	Whiteboard Surface
EDGE	3mm Edgebanding
THICKNESS	1.25"



Butcherblock

CORE MATERIAL	Solid Hard Maple Edge Grain Top
FINISH	Proprietary Urethane-Based Satin Finish
EDGE	Long Edge Beveled • Square Ends
THICKNESS	1.75"

MAINTENANCE INSTRUCTIONS: Clean butcher block surfaces with soapy water or common kitchen counter top cleaners. Do not use abrasives or powder cleansers. Do not allow moisture to stand on the surface for prolonged periods of time.

Standard Edges *No minimum required*



Vinyl T-Molding | Black (TM)



Protect Edge | Black (PE)



3MM PVC Edge Banding | Black (EB)

Premium Edges *May be subject to minimum quantity and upcharge*

VINYL T-MOLD				
3MM PVC EDGE BANDING				

Stool Top Color Options

Custom Logo Options

Upcharge and extended lead times apply



High Pressure Laminates

Standard Laminates

No minimum required



Robin
RN



Port
PO



Regimental Red
RR



Hollyberry
RE



Candy Apple
CD



Orange Grove
OG



Maroochy Brush
MB



Morrocan
MA



Ocean
OC



Persian Blue
BL



Lapis Blue
LB



Catalina
CI



Indigo
IN



Atlantis
AT



Black
BK



Graphite Nebula
GN



Asian Night
AN



Rustic Slate
RS



Forged Steel
FS



Figured Mahogany
MY



Coffee Bean
CB



Windsor Mahogany
WM



Lowell Ash
LA



Burnished Chestnut
CT



Buka Bark
KB



River Cherry
RC



Nepal Teak
NT



Wild Cherry
CH



Monticello Maple
MP



Bannister Oak
OK



Castle Oak
CO



Limber Maple
LM



Kensington Maple
KS



Fusion Maple
FM



Manitoba Maple
MT



Natural Tigris
NG



Natural Nebula
NN



Steel Mesh
SL



Slate Grey
SG



Mystic Night
MN



Pewter Brush
PB



Windswept Pewter
WP



Dove Grey
DG



Sheer Mesh
SM




Crisp Linen
CL



High Rise
HR



Frosty White
FW



White Sand
WS



Titanium EV



Cloud Nebula
CN



Evening Tigris
ET



Bronze Legacy
BZ



Nickel
NE



Pearl Soapstone
PS



Grey Glace
GG



Grey Nebula
GY



Platinum
PL



Fashion Grey
GF




White Nebula
WN




White Tigris
TW



Grey
RG



Grey Pampas
PP



Designer White
DW

Premium Laminates

May be subject to minimum quantity and upcharge



IF YOU DON'T SEE A
LAMINATE, JUST ASK!

Choose any laminates from:

May be subject to minimum quantity and upcharge



DESIGN OPTIONS

Custom Banquet Chairs

MOQ, upcharge and extended lead time apply

Fabrics



Auburn
HTS-2201



Burgundy
HTS-26



Charcoal
HTS-04



Cobalt
HTS-2204



Coffee
HTS-0317



Fossil
HTS-944



Golden Burgundy
HTS-7035



Grape
HTS-03



Hazel
HTS-2114



Hunter Green
HTS-24



Indigo
HTS-14



Medium Blue
HTS-06



Mixed Tan
HTS-101



Pink Grape
HTS-30



Purple
HTS-23



Red Rose
HTS-11



Walnut
HTS-2211



Midnight Blue
54



Rich Maroon
58



Ebony Black
60



Natural Chocolatier
61



Natural Greystone
62



Diamond Navy
64



Diamond Burgundy
68



Natural Blue
74



Natural Taupe
78

Vinyls



French Beige
01



Midnight Blue
04



Pleasant Burgundy
08



Panther Black
10



Coffee Brown
287



Coyote Brown
334



Dark Blue
162



Dark Brown
203



Glossy Black
202



Prussian Blue
770



Rich Burgundy
154



Simple Black
108

Frames



Black Santex
BT



Silvervein
SV



Mocha
M

Model Number Configuration



Model	Description
93	9300 Series Silhouette Stack Chair
92	9200 Series Dome Stack Chair

Black Core Phenolic




PFG705



PFS729



PBW954



PMO829



PAL029



PFO9435




PLG0428




PGS3978




PSR938



PNB6697




PSO5328



PEA2435



PPU858




PMJ1578



PNB969


Color Thru Phenolic




PB909CT



PNB969CT



PMO829CT






PMJ1578C

NPS Product Specifications

FOLDING CHAIRS







50 SERIES / STEEL FOLDING CHAIR

DIMENSIONS: OVERALL: 29 3/8"H X 18 1/2"W X 20"D
FOLDED: 38"H X 18 3/4"W X 2"D
SEAT: 16 3/4"H X 15 3/4"W X 16"D / BACK: 8 3/4"H X 18 3/4"W

- Electromagnetically welded seat back
- Features 19-gauge 7/8" round tubular frame with 2 1/2" frame strengthener
- Powder-coated frame
- Two 19-gauge 5/8" U-shaped double riveted cross braces
- Single hinge on each side for added stability and durability
- Color coordinated V-tip plugs for added stability
- Color coordinated polypropylene glides
- Seat with a waterfall front for added comfort
- 500 lbs. static load weight capacity
- Available Colors:  Beige  Grey  Black






200 SERIES / STEEL PREMIUM FOLDING CHAIR

DIMENSIONS: OVERALL: 29 5/8"H X 18 3/8"W X 19 1/2"D
FOLDED: 38"H X 18 1/4"W X 2"D
SEAT: 17 1/4"H X 16"W X 16"D / BACK: 8 1/4"H X 18 1/4"W

- Electromagnetically welded seat back
- Two U-shaped double riveted cross braces
- Features 18-gauge 7/8" round tubular frame
- Powder-coated frame
- Double hinges on each side for added stability and durability
- Color coordinated V-tip plugs for added stability
- Color coordinated polypropylene glides
- Features our unique full size double contoured square back and waterfall seat
- 500 lbs. static load weight capacity
- Available Colors:  Beige  Grey  Brown  Char-Blue  Black  Red





300 SERIES / STEEL TRIPLE BRACE FOLDING CHAIR

DIMENSIONS: OVERALL: 29 1/2"H X 18 7/8"W X 20"D
FOLDED: 38"H X 18 1/4"W X 2"D
SEAT: 17 1/4"H X 16"W X 16"D / BACK: 8 1/4"H X 18 1/4"W

- Features 18-gauge 7/8" round tubular frame
- Three U-shaped double riveted cross braces
- Powder-coated frame
- Electromagnetically welded seat back
- Features our unique full size double contoured square back and waterfall seat
- Double hinges on each side for added stability and durability
- Color coordinated V-tip plugs for added stability
- Color coordinated polypropylene glides
- 500 lbs. static load weight capacity
- Available Colors:  Beige  Grey  Brown  Char-Blue  Black






600 SERIES / BLOW MOLDED RESIN PLASTIC FOLDING CHAIR

DIMENSIONS: OVERALL: 32"H X 18 3/4"W X 21 1/2"D
FOLDED: 42 1/2"H X 18 3/4"W X 3"D
SEAT: 18"H X 15 3/4"W X 16 5/8"D / BACK: 9 1/4"H X 18 3/4"W

- Features 19-gauge 1" O.D. steel frame with metal underbracing on seat for added durability
- Two cross braces for strength
- Powder-coated frame
- Single hinges on each side for added stability and durability
- Lightweight indoor/outdoor use
- Contoured seat and back for comfort
- 500 lbs. static load weight capacity
- Available Colors:  Light Grey seat/back and textured powder coated Grey frame
 Red or Blue seat/back and powder coated Black frame
 Charcoal Slate Plastic/Silvertone Frame
 Black Plastic/Black Frame




800 SERIES / PREMIUM LIGHTWEIGHT FOLDING CHAIRS

DIMENSIONS: OVERALL: 29 3/4"H X 18 3/4"W X 20 3/4"D
FOLDED: 38"H X 18 3/4"W X 2 1/2"D
SEAT: 18"H X 15 3/4"W X 16 1/4"D / BACK: 7 1/2"H X 18 1/2"W

- Features 18-gauge 7/8" round tubular frame
- Two U-shaped double riveted cross braces
- Powder-coated frame
- Double hinges on each side for added stability and durability
- Color coordinated V-tip plugs for added stability
- Color coordinated polypropylene glides
- Features a color-impregnated plastic seat and back
- Stacks up to 80" high (36 chairs) with specially designed stacking tabs
- Weight only 8.5lbs.
- 500 lbs. static load weight capacity
- Available Colors:  Grey/Grey  Blue/Grey  Burgundy/Black
 Black/Black  Bright White/White






1100 SERIES / POLYFOLD FAN-BACK FOLDING CHAIR

DIMENSIONS: OVERALL: 34 1/2"H X 18 1/2"W X 20 3/4"D
FOLDED: 44"H X 18 1/2"W X 20 3/4"D
SEAT: 17 3/4"H X 15 3/4"W X 16"D / BACK: 13 1/2"H X 18 3/4"W X 4"D

- Features 18-gauge 7/8" round tubular frame
- Three U-shaped double riveted cross braces
- Powder-coated frame
- Double hinges for added stability and durability
- Color coordinated V-tip plugs for added stability
- Color coordinated polypropylene glides
- Features our unique full size double contoured high back and waterfall seat
- Stacks up to 26 High
- 500 lbs. static load weight capacity
- Available Colors:  Blue Plastic/Grey Frame  Dark Blue Plastic/Grey Frame
 Black Plastic/Black Frame






1200 SERIES / PREMIUM STEEL VINYL FOLDING CHAIR

DIMENSIONS: OVERALL: 29 1/2"H X 18 3/4"W X 20 1/4"D
FOLDED: 38"H X 18 1/4"W X 2 1/2"D
SEAT: 17 3/4"H X 16"W X 16"D / BACK: 8 3/4"H X 18 3/4"W

- Features 18-gauge 7/8" round tubular frame
- Two U-shaped double riveted cross braces
- Powder-coated frame
- Double hinges for added stability and durability
- Color coordinated V-tip plugs for added stability
- Color coordinated polypropylene glides
- Features our unique full size double contoured back and waterfall seat
- Vinyl and Foam are Cal 117 rated
- .80MM Vinyl over 1 1/4", 0.9lb. density foam seat and 1.2lb. density back
- Fully upholstered seat and back attached with 6 rivets
- 500 lbs. static load weight capacity
- Available Colors:  French Beige/Beige  Warm Grey/Grey  Honey Brown/Beige
 Dark Midnight Blue/Blue  Caviar Black/Black

1300 SERIES / PREMIUM STEEL VINYL FOLDING CHAIR

DIMENSIONS: OVERALL: 29 1/2"H X 18 3/4"W X 20 3/4"D
FOLDED: 38"H X 18 1/4"W X 2 1/2"D
SEAT: 17 3/4"H X 16"W X 16"D / BACK: 8 3/4"H X 18 3/4"W

- Features 18-gauge 7/8" round tubular frame
- Three U-shaped double riveted cross braces
- Powder-coated frame
- Double hinges for added stability and durability
- Color coordinated V-tip plugs for added stability
- Color coordinated polypropylene glides
- Features our unique full size double contoured back and waterfall seat
- Vinyl and Foam are Cal 117 rated
- .80MM Vinyl over 1 1/4", 0.9lb. density foam seat and 1.2lb. density back
- Fully upholstered seat and back attached with 6 rivets
- 500 lbs. static load weight capacity
- Available Colors:  French Beige/Beige  Warm Grey/Grey  Dark Midnight Blue/Char-Blue  Caviar Black/Black  Honey Brown/Beige

NPS Product Specifications

1400 SERIES / AIRFLEX® FOLDING CHAIR

DIMENSIONS: OVERALL: 32" H X 21.5" W X 20.75" D
FOLDED: 40.25" H X 19.50" W X 2" D
SEAT: 8" H X 17" W X 18" / BACK: 7.5" H X 19.5" W / WEIGHT: 9.6 LBS.

- Features 18-gauge steel frame for lasting durability
- 7/8" square leg tubing for added strength
- Seat strengthened with 2 side 11 gauge steel supports
- Durable Industrial Grade 3.8MM Polypropylene
- Backrest secured with rivets
- Nesting/Stacking assist glide
- Designed for easy stacking
- Oversized 18" seat
- 1000 Lb. weight capacity
- Sweat-free ventilation
- 1000 lbs. weight capacity
- Available colors: ■ Black ■ White

2200 SERIES / PREMIUM STEEL FABRIC FOLDING CHAIR

DIMENSIONS: OVERALL: 29 1/2" H X 18 3/4" W X 20 1/4" D
FOLDED: 38" H X 18 1/4" W X 2 1/2" D
SEAT: 17 3/4" H X 16" W X 16" D / BACK: 8 3/4" H X 18 3/4" D

- Features 18-gauge 7/8" round tubular frame
- Two U-shaped double riveted cross braces
- Powder-coated frame
- Double hinges on each side for added stability and durability
- Color coordinated V-tip plugs for added stability
- Color coordinated polypropylene glides
- Features our unique full size double contoured back and waterfall seat
- Scotchguarded fabric is rated to 30,000 double rubs
- Fabric and Foam are Cal 117 rated
- Institutional grade fabric over 1 1/4", 0.9lb. density foam seat and 1.2lb. density back
- 500 lbs. static load weight capacity
- Available Colors: ■ Café Beige/Beige ■ Greystone/Grey ■ Imperial Blue/Blue ■ Imperial Blue/Grey ■ Russet Walnut/Brown ■ Majestic Cabernet/Grey ■ Midnight Black/Black

2300 SERIES / PREMIUM STEEL FABRIC FOLDING CHAIR

DIMENSIONS: OVERALL: 29 1/2" H X 18 3/4" W X 20 3/4" D
FOLDED: 38" H X 18 1/4" W X 2 1/2" D
SEAT: 17 3/4" H X 16" W X 16" D / BACK: 8 3/4" H X 18 3/4" W

- Features 18-gauge 7/8" round tubular frame
- Three U-shaped double riveted cross braces
- Powder-coated frame
- Double hinges on each side for added stability and durability
- Color coordinated V-tip plugs for added stability
- Color coordinated polypropylene glides
- Features our unique full size double contoured back and waterfall seat
- Fabric and Foam are Cal 117 rated
- Scotchguarded fabric is rated to 30,000 double rubs
- Institutional grade fabric over 1 1/4", 0.9lb. density foam seat and 1.2lb. density back
- 500 lbs. static load weight capacity
- Available Colors: ■ Café Beige/Beige ■ Greystone/Grey ■ Imperial Blue/Blue ■ Majestic Cabernet/Grey ■ Midnight Black/Black

3200 SERIES / PREMIUM STEEL FABRIC OR VINYL FOLDING CHAIR

DIMENSIONS: OVERALL: 32" H X 18 3/4" W X 20 3/4" D
FOLDED: 39 3/4" H X 18 3/4" W X 3 3/4" D
SEAT: 18 1/2" H X 15 3/4" W X 15 1/2" D / BACK: 8 3/4" H X 18 3/4" D

- 2" Upholstered box seat on a masonite board with 8 rivets
- Features 18-gauge 7/8" round tubular frame
- Two U-shaped double riveted cross braces
- Powder-coated frame
- Double hinges on each side for added stability and durability
- Color coordinated V-tip plugs for added stability
- Color coordinated polypropylene glides
- Fabric and Foam are Cal 117 rated

- Scotchguarded fabric is rated to 30,000 double rubs
- Institutional grade fabric over 1 1/4", 0.9lb. density foam seat and 1.2lb. density back
- Padded backs are fully covered in fabric or vinyl on both sides
- 300 lbs. weight capacity
- Available Colors: ■ Charcoal Grey Fabric/Black Frame ■ Regal Blue Fabric/Grey Frame ■ New Burgundy Fabric/Grey Frame ■ Antique Gold Fabric/Brown Frame ■ Black Vinyl/Black Frame ■ Beige Vinyl/Beige Frame

5200 SERIES / PREMIUM STEEL FOLDING CHAIR WITH TABLET ARM (LEFT OR RIGHT)

DIMENSIONS: OVERALL: 29 1/2" H X 20 1/2" W X 28 3/4" D; TABLET ARM 5/8" H X 22" X 11" W
FOLDED: 38" H X 18 1/4" W X 4" D
SEAT: 17 1/4" H X 16" W X 16" D / BACK: 8 1/4" H X 18 1/4" W

- Features 18-gauge 7/8" round tubular frame
- Two U-shaped double riveted cross braces
- Powder-coated frame
- Double hinges on each side for added stability and durability
- Color coordinated V-tip plugs for added stability
- Color coordinated polypropylene glides
- Features our unique full size double contoured square back and waterfall seat
- 500 lbs. static load weight capacity
- Available Colors: ■ Grey Tablet Arm/Black Frame

STACK CHAIRS

8100 SERIES / POLY SHELL CHAIR

DIMENSIONS: OVERALL: 31" H X 19 1/4" W X 19 1/4" D
SEAT: 18" H X 17" W X 16 3/4" D
OPTIONAL TABLET ARM: 5/8" H X 11" W X 23 1/2" D · WRITING SPACE: 12 1/2" L X 11" W

- Features a chrome plated frame with 17-gauge 7/8" square tubing
- 3 underseat cross braces for added stability and durability
- Features a one piece, injection molded, color-impregnated, high-density polypropylene seat/back
- Shell and frame shields to protect against snags and pinching
- Anti-static shell
- Can be stacked 12 high with 6 stack bumpers on each chair to protect finish
- 300 lbs. weight capacity
- Available Colors: ■ Black ■ Blue

8500 SERIES / HI-TECH ULTRA COMPACT STACKER

DIMENSIONS: OVERALL: 31" H X 17 1/2" W X 22 1/2" D
SEAT: 17" H X 17 1/2" W X 17 1/4" D

- Optional removable bookrack & tablet arm; Tablet arm measures 11 1/2" x 20" laminated in Black, Writing space 11" L x 11 1/2" W
- Features an 11 mm solid steel rod with chrome plated frame
- Injection molded textured polypropylene plastic seat and back
- Specialized polyethylene glide with enhanced notching system for secure fit
- Reinforced underseat ribbing and EZ-Grip handle for added durability when lifting and stacking
- Optional ganging clamps available
- Can stack up to 40 high on DY85 dolly
- 300 lbs. weight capacity
- Available Colors: ■ Gunmetal ■ Navy ■ Wine ■ Black

8600 SERIES / SIGNATURE LIGHTWEIGHT FABRIC PADDED STACK CHAIR

DIMENSIONS: OVERALL: 33" H X 19" W X 21" D
SEAT: 19" H X 16" W X 16" D

- Features a 5/8" 17-gauge tubular frame with 5/8" frame strengthener
- Contoured Seat and Back for Enhanced Comfort
- Fabric and Foam are Cal-117 Rated
- Scotchguarded fabric is rated to 150,000 double rubs
- Non-Marring floor glides
- Can stack up to 20 high with our DY-86 Dolly (19" W x 36" D x 57" H)
- 300 lbs. weight capacity
- Available Colors: ■ Black ■ Classic Grey

NPS Product Specifications

8700 SERIES / THE CAFETORIUM VINYL PADDED STACK CHAIR

- 16 gauge 1/2" round tubing fitted with 2" long & 3/4" thick Nylon Ganger/ glides
- TPU floor protector bottoms
- Back made of .21" (5.5mm) thick polypropylene
- Back assembled to frame with two tamper-free screws
- Seat upholstered with ISO-9002 certified 0.8m thick vinyl
- 5/8" foam thickness; 1.3 foam density
- Upholstered seat on multi-ribbed plastic seat base
- 12-gauge steel cross braces
- Can stack up to 35 high with our DY-87 Dolly (20 1/4"H x 35"D x 75"H)
- Cal 117 rated
- 300 lbs. weight capacity
- Available Colors: ■ 8704-10-04 ■ 8710-11-10 ■ 8742-12-02

8800 SERIES / THE CAFETORIUM POLY STACK CHAIR

- 18 gauge 1/2" round tubing fitted with 2" long & 3/4" thick Nylon Ganger/ glides
- TPU floor protector bottoms
- Seat and back made of .21" (5.5mm) thick polypropylene
- Back assembled to frame with two tamper-free screws
- 12-gauge steel cross braces
- Can stack up to 35 high with our DY-87 Dolly (20 1/4"H x 35"D x 75"H)
- Cal 117 rated
- 300 lbs. weight capacity
- Available Colors: ■ 8804-11-04 ■ 8810-11-10 ■ 8818-11-18 ■ 8820-11-20

BANQUET STACK CHAIRS

9100 SERIES / BASICS BY NPS

DIMENSIONS: OVERALL: 32 1/2"H X 17 3/4"W X 21 1/2"D
SEAT: 17 1/2"H X 16"W X 16 1/8"D

- Features a Sturdy 3/4" square frame 19-gauge steel tubing with non-marring plastic glides
- Steel Standard: ASTM A513
- Foam Standard: 1.8lb. density, 46 ILD
- Seat is cushioned with 1 1/2" of high-density Grade A foam
- Vinyl & Foam are Cal-117 rated
- Available with thick .80MM vinyl
- Tapered back has built-in handhold
- Eight plastic stack bumpers protect the powder-coated frame finish
- Stack 8-10 high with DY81 or DY9000 dollies
- Nylon glides
- 300 lbs. weight capacity
- Available Vinyl Upholstery Colors: ■ Pleasant Burgundy ■ Panther Black ■ Midnight Blue
- Available Frame Colors: ■ Black

9200 SERIES / DOME-BACK STACKER

DIMENSIONS: OVERALL: 34 3/4"H X 17 3/4"W X 20 1/2"D
SEAT: 18 7/8"H X 15 1/2"W X 16"D

- Features a 7/8" Square-tube 18-gauge steel frame with 5/8" under seat and H-braces
- Steel Standard: ASTM A513
- Foam Standard: 1.8lb. density, 46 ILD
- 2" thick Grade A foam; cushion is double stitched with a spacious 34"H x 16"W x 16"D waterfall seat
- Available in choice of institutional grade fabrics rated to 67,000-130,000 double rubs or thick .80MM vinyl
- Fabric and Foam are Cal-117 Rated
- The back has a convenient handhold for easier moving and stacking
- Stacking bars and 12 plastic stack bumpers ensure stacking securely without damaging the attractive powder-coated frame finish.
- Stack 8-10 high with DY81 or DY9000 dollies
- Nylon glides
- 500 lbs. static load weight capacity
- Available Fabric colors: ■ Midnight Blue ■ Ebony Black ■ Burgundy
- Available Upholstery color: ■ Diamond Navy

- Available Vinyl colors: ■ French Beige ■ Midnight Blue ■ Panther Black
- Available Chair frame colors: ■ Mocha (available with French Beige Vinyl only) ■ Silvervein ■ Black Santex

9300 SERIES / SILHOUETTE STACKER

DIMENSIONS: OVERALL: 37 1/4"H X 17 1/4"W X 21 3/4"D
SEAT: 18 7/8"H X 15 1/2"W X 16"D

- Features a 7/8" Square-tube 18-gauge steel frame with 5/8" under seat and H-braces
- Steel Standard: ASTM A513
- Foam Standard: 1.8lb. density, 46 ILD
- Waterfall seat, padded with 2" of 1.8lb. high-density Grade A foam with double-stitched box seat
- Features a concealed double back with 4 covered metal tabs for a more refined look.
- Available in choice of institutional grade fabrics rated to 67,000-130,000 double rubs or thick .80MM vinyl
- Fabric and Foam are Cal-117 rated
- Nylon glides won't scuff floors
- Built-in stack bar and 12 plastic stack bumpers help prevent wear and tear
- Stack 8-10 high with DY81 or DY9000 dollies
- 500 lbs. static load weight capacity
- Available Fabric/Frame color combos: ■ Midnight Blue Fabric/Silvervein Frame ■ Ebony Black Fabric/Black Santex Frame ■ Natural Chocolatier Fabric/Black Santex Frame ■ Natural Greystone Fabric/Black Santex Frame ■ Diamond Navy Fabric/Silvervein Frame ■ Diamond Burgundy Fabric/Silvervein Frame ■ Natural Blue Fabric/Black Santex Frame ■ Natural Taupe Fabric/Black Santex Frame ■ Midnight Blue Vinyl/Silvervein Frame ■ Panther Black Vinyl/Black Santex Frame ■ Panther Black Vinyl/Black Silvervein Frame

MOBILE CHAIR

COGO / MOBILE TABLET CHAIR

DIMENSIONS: TOTAL HEIGHT: 34" TOTAL WIDTH: 24.75" (W/TABLET IN SIDE POSITION)
SEAT: 17.5"W X 18.75"H X 16"D / TABLET: 19.5"W X 13.75"D
UNDER SEAT STORAGE: 16.75"W X 16.75"D
/ WEIGHT: 25LBS.

- Ergonomically designed for all-day seating support
- Fiberglass-reinforced polypropylene
- Features a tablet holder
- 440 lbs. weight capacity
- Heavy duty 16-gauge steel
- Strong twin wheeled 2" casters
- Optional glides available
- Steel washer plates are welded onto the frame and a steel tab is welded onto the arm, providing firm support and preventing the arm from sagging.
- Tablet can be installed on right or left side and boasts a 150 lbs. weight capacity
- Available seat colors: ■ Red ■ Black ■ Blue
- Available base and tablet colors: ■ Grey

CADDIES / DOLLIES

42-8 / CHAIR CADDY

DIMENSIONS: OVERALL: 67" W X 33 1/4"D x 70"H - weight 88 lbs.

- 7-gauge main frame features channeled steel with tube in tube design at peak stress point of frame for added strength and stability
- 14-gauge cross braces
- 16-gauge hanging rods
- Heavy-duty caster features 325lb. weight capacity and measures 4" x 1 1/4"
- Swivel wheels for easy gliding
- Chair capacity to hold 42 chairs and 8-10 tables either steel or plastic
- Dark Brown Powder Coated Steel
- Not for use with BT3060

MODEL 42-8-60 / CHAIR CADDY

DIMENSIONS: OVERALL: 67" W X 33 1/4"D X 70"H - WEIGHS 102LBS.

- 7-gauge main frame features channeled steel with tube in tube design at peak stress point of frame for added strength and stability
- 14-gauge cross braces

NPS Product Specifications

- 16-gauge hanging rods
- Heavy-duty caster features 325lb. weight capacity and measures 4" x 1 1/4"
- Swivel wheels for easy gliding
- Chair capacity to hold 42 chairs and 8-10 tables
- Includes two coat rods
- Dark Brown Powder Coated Steel

84 / CHAIR CADDY

DIMENSIONS: OVERALL: 67" W X 33 1/4"D X 70"H - WEIGHT 100 LBS.

- 7-gauge main frame features channeled steel with tube in tube design at peak stress point of frame for added strength and stability
- 14-gauge cross braces
- 16-gauge hanging rods
- Heavy duty caster features 325lb. weight capacity and measures 4" x 1 1/4"
- Swivel wheels for easy gliding
- Chair capacity 84 standard folding chairs
- Dark Brown Powder Coated Steel
- Optional EXT-8 Extension Bar Available

84-60 / CHAIR CADDY

DIMENSIONS: OVERALL: 67" W X 33 1/4"D X 70"H - WEIGHT 105 LBS.

- 7-gauge main frame features channeled steel with tube in tube design at peak stress point of frame for added strength and stability
- 14-gauge cross braces
- 16-gauge hanging rods
- Heavy-duty caster features 325lb. weight capacity and measures 4" x 1 1/4"
- Swivel wheels for easy gliding
- Capacity to hold 60-70 coats when two coat rods are in place. Coat rods can be removed to store up to 84 Folding Chairs
- Dark Brown Powder Coated Steel

MODEL 84/42-60-8 / CHAIR-TABLE-COAT CADDY

DIMENSIONS: OVERALL: 67" W X 33 1/4"D X 70"H - WEIGHS 122LBS.

- 7-gauge main frame features channeled steel with tube in tube design at peak stress point of frame for added strength and stability
- 14-gauge cross braces
- 16-gauge hanging rods
- Heavy-duty caster features 325lb. weight capacity and measures 4" x 1 1/4"
- Swivel wheels for easy gliding
- Interchangeable middle bar; one for hanging-chairs or straight bar for folding tables
- Two coat rods
- Dark Brown Powder Coated Steel

DY-35 & DY-50 / FOLDING CHAIR TRUCK

DIMENSIONS: DY-35 OVERALL: 38 1/2"H X 19 1/4"W X 81"D
DY-50 OVERALL: 38 1/2"H X 19 1/4"W X 106"D
INSIDE WIDTH: 19"W WITH A 2" LIP TO ACCOMMODATE CHAIRS 15 1/4"W - 19"W

- Optional Understage Conversion Kit to store chairs in a horizontal fashion underneath stages 25.5" Height capacity with chairs loaded
- 7-gauge steel bed
- Heavy-duty caster features 275lb. weight capacity; 2 swivel and 2 stationary
- DY-50 has extra swivel caster in the middle for support
- 3 tubular handles-one at each end and one in the middle
- Dark Brown Powder Coated Steel

DY81 / CHAIR TRUCK

DIMENSIONS: OVERALL: 3.5"H X 22 3/4"W X 23 1/2"D WITH A 5.25"W BED

- 16-gauge, 1.6MM steel
- Holds up to 10 8100 or 9000 Series Stack Chairs
- Black Powder Coated Steel
- Shipping Class 85
- Hard Rubber casters 4" x 1 1/4"
- 265 lbs. weight capacity

DY82 / DOLLY FOR 8200 SERIES CHAIRS

DIMENSIONS: OVERALL: 38"H X 22 3/4"W X 35"L

- 16-gauge, 3/4" round handles
- 17-gauge, 7/8" square frame
- Stacks up to 18 series 8200 chairs
- 4 casters; Two swivel, two non-swivel. 4" x 1 1/4"
- Ship weight: 24 lbs
- Chrome-plated steel
- 330 lbs. weight capacity

DY85 / CHAIR DOLLY

DIMENSIONS: OVERALL: 26"H X 20 1/2"W X 21"D

- Constructed of 11-gauge steel
- Chairs load at an angle to maximize stack ability
- Stacks up to 40 of the 8500 Series
- Black Powder Coated Steel
- Hard rubber casters: 4 x 1 1/3"
- Fully loaded: 20.5"W x 35"D x 77"H
- 650 lbs. weight capacity

DY86 / DOLLY FOR 8600 SERIES CHAIRS

DIMENSIONS: OVERALL: 26"H X 21"W X 21"D

- 11-gauge, 1" x 2" angled steel
- Stacks up to 20 series 8600 chairs (19"H x 36"D x 57"H)
- Ship weight: 37 lbs
- Nylon casters 2 3/4" x 1 1/5"
- 330 lbs. weight capacity

DY87 / DOLLY FOR 8700 SERIES CHAIRS

DIMENSIONS: OVERALL: 26"H X 18 1/2"W X 28"L

- 18-gauge steel frame
- Stacks up to 35 series 8700 chairs (20 1/4"W X 35"D X 75 1/2"H)
- 4 PVC swivel locking casters; 154lb. per caster weight capacity; 616 lb. total weight capacity
- Ship weight: 15 lbs
- Grey powder coated finish

DY87B / DOLLY FOR 8700B SERIES CHAIRS

DIMENSIONS: OVERALL: 26"H x 18 1/2"W x 28"L

- 18-gauge 7/8" tubing
- Stacks up to 24 series 8700B/8800B stools (84"H)
- Max stack for 80" doorway - 22 units
- Product weight: 18 lbs
- Carton weight: 23 lbs
- Carton dimensions: 19"W x 35"D x 51"H
- 4 PVC Swivel Locking Casters: 154 lbs. per caster weight capacity and 616 lbs. total weight capacity

DY700/800 / CHAIR DOLLY

DIMENSIONS: OVERALL: 35"H X 40"W X 19"D

- Constructed of 11-gauge steel
- 7/8" round tubular handle and 4" polyolefin casters; 2 swivel
- Stacks up to 36 of the 800 Series
- Optional strap to tie down chairs during transport and storage
- Black Powder Coated Steel
- Hard rubber casters: 4 x 1 1/4"
- 82" H when fully loaded with 36 chairs

DY1100 / CHAIR DOLLY

DIMENSIONS: OVERALL: 39"H X 19"W X 46 1/2"D

- 11-gauge powder-coated steel frame
- 2 swivel and 2 fixed 4" casters
- Storage and transport for 1100 Series Folding Chair
- Holds up to 26 chairs
- Black Powder Coated Steel

NPS Product Specifications

- Nylon casters: 4 x 1 1/4"
- Loaded height: 80"

DY1400 / DOLLY FOR AIRFLEX SERIES CHAIRS

DIMENSIONS: OVERALL: 38 1/2"H X 19 1/4"W X 109 1/2"D

- Stacks 54 AirFlex chairs.
- Heavy-duty caster features 275lb. weight capacity; 2 swivel and 2 stationary
- Extra swivel caster in the middle for support
- 3 tubular handles-one at each end and one in the middle
- Dark Brown Powder Coated Steel

DY-9000 / BANQUET STACK CHAIR DOLLY

DIMENSIONS: OVERALL: 52"H X 18"W X 34"D

- 1" Round Tubular 16-gauge steel
- 8"D x 2"W Polyolefin wheels
- Stacks up to 12 Series 9000 and 8100 Series chairs
- Ship weight: 26 lbs
- Dark Brown Powder Coated Steel

DY-60R • DYMU / TABLE TRUCK

DIMENSIONS: OVERALL: 31 1/4"H X 27 3/4"W X 47 1/2"L FRONT HANDLE: 27 3/4"W X 15"D

- Transportation and vertical storage of 48" & 60" round, plastic or laminate tables
- Easy handling with 4 casters: 2 swivel and 2 stationary
- 2 tubular handles, 1 front handle
- Constructed of brown powder-coated steel
- Distance between wood slats: 27 3/4"
- Distance from frame to top of handle: 25 1/2"
- Fully loaded height: 65"H
- Casters are 4" x 1 1/2"; made of Hard Rubber with weight capacity of 165 lbs. each / 660 lbs. total

DY-71R / TABLE TRUCK

DIMENSIONS: TOTAL FOOTPRINT: 40 1/2"H X 28"W X 61 1/2"D FRONT HANDLE: 27 3/4"W X 15"D

- Transportation and vertical storage of 71" round, plastic or laminate tables
- Easy handling with 4 casters: 2 swivel and 2 stationary
- 2 tubular handles, 1 front handle
- Constructed of brown powder-coated steel
- Distance between wood slats: 27 3/4"
- Fully loaded height: 76"
- Casters are 4" x 1 1/2"; made of Hard Rubber with a weight capacity of 165 lbs. each / 660 lbs. total

DY-3072 & DY-3096 / FOLDING TABLE DOLLY

DIMENSIONS: DY3072 OVERALL: 43"H X 31"W X 74"L DY3096 OVERALL: 43"H X 31"W X 90.25"L

- 1" O.D. steel handle provides stability and ease of handling
- Holds 4', 5', 6', or 8' tables
- Laid flat, stacks up to 12 tables high
- Rolls on 4 casters: 2 swivel and 2 stationary
- Dark Brown Powder Coated Steel
- Casters: 4 x 1 1/4" with Weight Capacity of 165 lbs. each / 660 lbs. total (DY3072 - Hard Rubber, DY3096 - Hard Rubber)

TAD DOLLY / FOLDING TABLE DOLLY

DIMENSIONS: 44.5"H X 38"W X 30"L

- 1" square 14-gauge tubular frame
- 7/8" O.D. Steel Handle (18-Gauge) provides stability and ease of handling
- May be used for 4', 5', 6', or 8' Tables
- Rolls On 4 swivel Casters: 2 locking and two non-locking
- Casters Are 5" X 1 1/4"; Hard rubber
- Textured black Powder-Coated Steel
- Plastic coated table support frames
- Total Weight Capacity: 1,000 Lbs.

Stools

6200 SERIES / HEAVY DUTY STEEL STOOLS

- 18"H, 24"H or 30"H sizes fixed and adjustable with an optional backrest
- 7/8" O.D. 18-gauge steel tubing
- Seat is a full 14" diameter with 11 1/2" diameter masonite board is recessed into the pan with 8 rivets and will not chip or crack
- Foot rings, 3/4" O.D. are welded to each leg by 4 contact points at each leg for added rigidity
- Optional backrest; 6"H x 12"W, adjusts up/down and forward/back
- Optional height adjustable legs; adjust in 1" increments up to eight additional inches
- All sizes available in black and grey colors

6300 SERIES / HEAVY DUTY SQUARE SEAT STEEL STOOLS

- 18"H, 24"H or 30"H sizes fixed and adjustable with an optional backrest
- 7/8" O.D. 18-gauge steel tubing
- Features a 14.5"Wx15"D contoured hardboard seat with 16 rivets
- Foot rings, 5/8" O.D. are welded to each leg by 4 contact points at each leg for added rigidity
- Optional backrest; 6"H x 12"W, adjusts up/down and forward/back
- Optional height adjustable legs; adjust in 1" increments up to eight additional inches

6400 SERIES / HEAVY DUTY STEEL STOOLS WITH VINYL PADDING

- 18"H, 24"H or 30"H sizes fixed and adjustable with an optional backrest
- 7/8" O.D. 18-gauge steel tubing with fixed or adjustable legs
- Seat is 14" diameter with an 11 1/2" diameter 1/2" vinyl padding riveted through the steel seat pan
- Foot rings, 3/4" O.D. are welded to each leg by 4 contact points at each leg for added rigidity
- Optional vinyl padded backrest; 6"H and 12"W and adjusts up/down and forward/back
- Optional height adjustable legs; adjust in 1" increments up to eight additional inches
- MDF seat board upgraded from 3mm to 4.75mm, with rivet heads fully embedded
- All sizes available in black and grey colors

6524H & 6524HB / ADJUSTABLE PREMIUM SWIVEL STOOL W/ BACKREST-GRAY

- Height adjustable from 24 - 32"
- 3/4" O.D. 16-gauge steel tubing
- Swivel seat 360 degrees
- Foot rings, 5/8" O.D. are welded to each leg by 4 contact points at each leg for added rigidity
- MDF seat board upgraded from 3mm to 4.75mm, with rivet heads fully embedded

6600 SERIES ELEPHANT Z-STOOL / HEAVY DUTY CHROME PLATED STOOLS WITH BLOW MOLDED SEAT

- 18"H, 22"H or 24"H sizes fixed with an optional backrest
- 14-gauge chrome-plated eye-shaped tubular steel frame
- Ergonomic blow molded contoured seat providing maximum air comfort
- U-shaped sled base legs with specially designed glides to be used on multiple floor types (including VCT tiles)
- Glides are permanently attached with embedded Thermoplastic Polyurethane (TPU) and provide quiet and smooth gliding on all floor types
- Nests on tabletops for easy cleanup and storage
- Optional blow molded contoured backrest
- Foot rests made of 17-gauge chrome eye-shaped tubular steel (available on 22"H and 24"H models)
- Available Colors: ■ Black

6722HB/6716HB KANGAROO STOOL / POLYURETHANE ADJUSTABLE STOOL

- Also available with arms as model 6722HB-A and 6716HB-A
- Heavy duty 1-1/4 inch thick Polyurethane seat with waterfall edge
- Polyurethane material is resistant to chemicals & punctures, & cleans easily
- 6722 Features 10" of pneumatic height adjustment from 22"-32"
- 6716 Features 5" of pneumatic height adjustment from 16"-21"
- Swivels 360 degrees for unlimited functionality
- Integrated under seat spring system allows for control of backrest tilt degree with a turn of a knob
- Footrest adjusts 12 inches up or down for comfort
- Built on five 2 inch industrial grade caster wheels for portability or install

NPS Product Specifications

- included mushroom glides for use in a stable environment
- Promotes natural sitting posture with lumbar support
- Convenient backrest handhold for maneuverability
- Material: Seat & Back: Polyurethane. Legs: Plastic. Footrest: Chrome.
- Seat height: 22 – 32 inches. Overall height: 38-48 inches
- Seat size: 17"D x 18"W · Backrest size: 16"W X 12"H · Weight capacity: 300 lbs.
- ANSI BIFMA tested.
- Green & LEED certification: MAS.
- Weight: 16lbs
- Ship via: UPS.
- Carton dimensions 24W" x 24L" x 12H" · Carton weight: 26 lbs.
- Available Colors: ■ Black

6800 DESIGNER STOOL

DIMENSIONS: OVERALL: 14½"W X 14½"D X 18"-25"H

- 1" diameter 18 gauge steel powdercoated tubing
- 13-3/4" diameter 18 gauge steel powdercoated seatpan with a variety of colored polypropylene surface
- 13-3/4" diameter 1" thick solid hardwood seat with a clear lacquer paint finishing
- Seat adjustable from 18" – 25" using the swivel mechanism
- 360° turning capability
- Metal center sleeve to conceal adjustable height pole
- Built in 4" height footrest with a 15" diameter
- Non-marring glides
- Seat is attached using a unique pressure connection mechanism
- The wooden seat is 1" thick hardwood with a clear lacquered paint finishing with either a Metallic Grey or a Black base.
- The stool frame is available in Metallic Grey and Black
- 20" Cross Leg Distance
- Product weight- 12.6 lbs.
- Carton weight- 16.5 lbs.
- Carton Dimensions- 15" x 17" x 21"
- Available colors Frames: ■ Metallic Grey ■ Black
- Seatpan: ■ Metallic Grey ■ Wood
- Seat Surface: ■ Blueberry ■ Persian Blue ■ Black ■ Burgundy
- Soft Seating: 3" H top in ■ Black ■ Charcoal ■ Cobalt Blue

8700B & 8800B CAFETERIUM BARSTOOL

DIMENSIONS: OVERALL: 44 5/8"H X 21 1/3"W X 21 5/8"D

- 18-Gauge 7/8" Tubing
- Solid 1" Plastic Stacking Glides
- Back Design Provides Ergonomic Support
- Cafeteria Chair in Bar/Café Height
- 300 lb Weight Capacity
- Available Colors Seat: ■ Black
- Available Colors Back: ■ Black
- Available Colors Frame: ■ Chrome

Tables

BT2448 / HEAVY DUTY FOLDING TABLE

- Speckled Grey Top/ Grey Hammertone Frame
- Available in 48" L rectangular size
- 1.75 in. Tabletop Thickness
- Plastic tabletop is heat-resistant up to 212° F
- Non-bowing eggshell structure
- Powder-coated 17-gauge steel frame
- Lightly Textured Surface Resist Scratching Yet Smooth Enough To Write On
- Extra Stable Gravity Lock
- 400 lbs. Weight Capacity when evenly distributed

BT3060 / BT3072 / BT3096 / LIGHTWEIGHT BLOW MOLDED FOLDING TABLES

- Available in 3 rectangular sizes – 60", 72", 96"
- 1 3/4" thick top for the BT3060 & BT3072
- 2" thick top for the BT3096
- Lightly spotted grey top w/ grey textured powder coated wishbone shaped legs.
- 17-gauge strength frame; 18-gauge legs
- 1,000lb. weight capacity on BT3060, BT3072, equally distributed weight

- 800lb. weight capacity on BT3096, equally distributed weight
- Stack up to 12 high on DY3072 and DY3096
- Can withstand heat up to 212 degrees Fahrenheit
- Gravity slide lock or snap lock, for extra stability
- Lightly textured surface to resist scratching yet smooth enough to write on

BT3072-20 / LIGHTWEIGHT BLOW MOLDED FOLDING TABLES

- 1 3/4" thick top
- Charcoal slate top w/ silver-tone frame.
- 17-gauge strength frame; 18-gauge legs
- 1,000lb. weight capacity, equally distributed weight
- Stack up to 12 high on DY3072 and DY3096
- Can withstand heat up to 212 degrees Fahrenheit
- Gravity slide lock or snap lock, for extra stability
- Lightly textured surface to resist scratching yet smooth enough to write on

BT3636 / SQUARE BLOW-MOLDED PLASTIC FOLDING TABLE

- Lightly textured surface to resist scratching yet smooth enough to write on
- Square shape
- 1 3/4" thick top
- Lightly spotted grey top w/ grey textured powder coated straight shaped legs on a square tabletop
- Tested and passed 500 lbs. distributed weight.
- Can withstand heat up to 212 degrees Fahrenheit
- Gravity slide lock or snap lock, for extra stability
- 19-Gauge Strength Frame And 19-Gauge Legs
- Attractive Arched tube leg connectors for added strength
- 10 Year Warranty
- Weighs 23 lbs.

BT48R / BT60R / BT71R / LIGHTWEIGHT BLOW MOLDED ROUND FOLDING TABLES

- Available in 3 round sizes - 48", 60", 71"
- 2" thick top
- Lightly spotted grey top w/ grey textured powder coated straight legs
- BT60R: 17-gauge strength frame; 18-gauge legs
- BT48R & BT71R: 19-gauge strength frame and legs
- 1,000lb. weight capacity on BT60R
- 700lb. weight capacity on BT48R & BT71R
- Holds up to 10 tables in DY60R and DY71R
- Can withstand heat up to 212 degrees Fahrenheit
- Gravity slide lock or snap lock, for extra stability
- Lightly textured surface to resist scratching yet smooth enough to write on

BTA-3072 / ALL AMERICAN COLORS BLOW MOLDED FOLDING TABLES

- Available in 72"L rectangular size
- 1 3/4" thick top
- BTA-3072 comes in primary colors Red or Blue & is height adjustable from 22"-28.5"H
- 17-gauge strength frame
- 1,000lb. weight capacity
- Stack up to 12 high on DY3072 and DY3096
- Can withstand heat up to 212 degrees Fahrenheit
- Gravity slide lock or snap lock, for extra stability
- Lightly textured surface to resist scratching yet smooth enough to write on
- Available colors: ■ Red ■ Blue

BT1860 / BT1872 / BT1896 / LIGHTWEIGHT FOLDING SEMINAR TABLES

- Available in 3 sizes; 60"L, 72"L & 96"L by 18"W
- 2-inch thick top
- Lightweight for easy set-up and transport
- 700lb. weight capacity
- Lightly spotted gray top w/ gray textured powder coated legs
- BT1860 & BT1872: 18-gauge strength frame
- BT1896: 17-gauge strength frame
- 16-gauge cantilevered comfort legs set 11" from back of table; no more banged up knees!
- Stack up to 12 high on DY3072 and DY3096
- Can withstand heat up to 212 degrees Fahrenheit
- Lightly textured surface to resist scratching yet smooth enough to write on

NPS Product Specifications

BPFT-2460 / PLASTIC FLIP-N-STORE TABLES

- Tops are made of lightweight HDPE blow molded plastic.
- Tops are furnished with two grommet holes for wire management.
- Equipped with dual levers, allowing for easy tabletop folding
- Tables nest together for space-saving storage.
- Frame and legs are made of grey hammer-tone powdercoated steel and includes a perforated steel modesty panel for an attractive design.
- Modesty panel features a built-in cable channel to conceal wires.
- Tables are equipped with four 2" casters (two locking) making them easy to roll.
- Tables tested to support up to 700 lbs. and are guaranteed for ten years.
- MAS certified Green®
- Tables are lightweight weighing only 46 lbs. and are easy to assemble.
- Opened dimensions are 60"L x 24"W x 29½"H
- Folded dimensions are 43½"H x 60"L x 24½"W
- Tabletop thickness: 1¾"
- Gauge of steel: 16 gauge
- Carton dimensions are 60 3/4"L x 24 3/4" W x 4 3/4" D. Carton weight 50 lbs.
- Ships with UPS oversize or by truck at class 125.
- Available Colors: ■ Grey ■ Charcoal

BPFT-2472 / PLASTIC FLIP-N-STORE TABLES

- Tops are made of lightweight HDPE blow molded plastic.
- Tops are furnished with two grommet holes for wire management.
- Equipped with dual levers, allowing for easy tabletop folding
- Tables nest together for space-saving storage.
- Frame and legs are made of grey hammer-tone powdercoated steel and includes a perforated steel modesty panel for an attractive design.
- Modesty panel features a built-in cable channel to conceal wires.
- Tables are equipped with four 2" casters (two locking) making them easy to roll.
- Tables tested to support up to 700 lbs. and are guaranteed for ten years.
- MAS certified Green®
- Tables are lightweight weighing only 52 lbs. and are easy to assemble.
- Opened dimensions are 72"L x 24"W x 29½"H
- Folded dimensions are 43½"H x 72"L x 24½"W
- Tabletop thickness: 1¾"
- Gauge of steel: 16 gauge
- Carton dimensions are 72 ¾"L x 24 ¾" W x 4 ¾" D. Carton weight 56.
- Ships with UPS oversize or by truck at class 125.
- Available Colors: ■ Grey ■ Charcoal

BMFIH3072 / PLASTIC FOLD-IN-HALF TABLES

- Open dimensions 71.8"L x 30"W x 29.5"H
- Folded dimensions 36"L x 30"W x 3.75"D
- Frame color Speckled grey
- Frame specifications- 19 gauge powder coated steel
- Leg specifications- 1 1/8 round 19 gauge tubing
- 700 lb. weight capacity
- Tabletop specifications - 1.5" High-Density Polyethylene (HDPE)
- Tabletop color - Grey
- Table weight 33 lbs.
- Carton weight 37 lbs.
- Carton Dimensions - 37" x 31" x 4.75"
- Ships with UPS
- Ships FOB Memphis TN
- 700lb. distributed weight capacity
- BIFMA tested
- Shipping class 70

MAX SEATING™ FOLDING TABLES

- 4 Tabletop Options:
 - .75" thick premium plywood tabletop with 3mm PVC edge
 - .75" thick premium plywood tabletop with Protect Edge
 - .75" thick Particleboard with T-molding
 - .75" thick premium plywood tabletop with T-molding
- Clear acrylic tabletop surface (on plywood core only) or HPL.
- 16 gauge C-channel frame design with textured black powdercoating
- 16 gauge frame joining plates
- Legs are made from 14 gauge 1.25" square leg tubing

- Legs are positioned at table corners to enable Max Seating™
- 2-point welded leg brace
- Auto-Engage locking mechanism
- Lock requires manual disengagement
- Proprietary leg clips
- 14 gauge Stability-Boost leg brackets
- Nylon stacking corner with standoff
- 16 gauge steel apron joining plates
- High-impact non-marring spring steel flower glides
- Folding legs and Auto-Engage lock tested to exceed 7,000 cycles

HDT HEAVY-DUTY TABLES

- Comes in 6 tabletop options:
 - .75" Standard high pressure laminate top
 - 1.25" Supreme high pressure laminate top
 - 1.25" Whiteboard top
 - 1" Chem-res top
 - .75" Phenolic top
 - 1.75" Butcherblock top
- 50 frame sizes available – Any frame combination using the following width/lengths: 18", 24", 30", 36", 42", 48", 54", 60", 72", 84" and 96".
- 16 gauge steel frame
- 11 gauge steel brackets
- Legs are built with 14 gauge thick 1 ½" square tubing
- Leg base is fastened to tabletop with 4 heavy-duty screws and gets inserted into the frame using a strong welded hangar bolt
- Legs connect to the frame corner brackets with industrial-grade nylon-insert lock nuts
- Adjustable and fixed height leg options
- Adjustable legs adjust in 1" increments, and are locked firmly in place with 2 k-9 external tooth lock washers and heavy-duty tamper-free hex screws.
- Fixed height leg is 28.5"H (without tabletop)
- Adjustable legs are 21.25"-36.25"H (without tabletop)
- Legs come standard with simple-adjust glides that can add an additional .75"H, and have a caster option.
- 2 peg boards, and a set of 50 variety pegs included in optional peg board set
- Peg boards available for 24" and 30" wide tables
- Peg boards are 16 gauge steel, and pegs are 7 gauge steel
- 4 13-gauge steel gussets and 4 3" heavy duty casters included in optional caster/gusset kit
- Gussets are included with all tables 31" & wider, and 73" and longer, and are recommended when using any table above 30" high
- All parts available with Textured black and Soft Grey powdercoating

HIGH PRESSURE LAMINATE TOP:

- Resistant to:

1	Distilled water	8	Fresh tea
2	50:50 Ethyl alcohol	9	Catsup
3	Acetone	10	Yellow mustard
4	Household ammonia	11	10% Povidone iodine
5	10% Citric acid	12	Black Permanent Marker
6	Vegetable oil	13	#2 pencil
7	Fresh coffee	14	Wax crayon
		15	Black paste shoe polish

Chem-Res Top:

- Black, Chem-Res high-pressure laminate top on a 1" thick core. Resistant to 13 chemicals:

NPS Product Specifications

NO.	CHEMICAL COMPOUND	CHEMICAL NAME	STAIN GRADE	TEST METHODS
1	NaOH (40%)	Sodium Hydroxide	0	NEMA LD3-2005
2	H ₂ O ₂ (3%)	Hydrogen Peroxide	0	NEMA LD3
3	HCl (37%)	Hydrochloric Acid	0	NEMA LD3
4	CH ₃ COOH (99%)	Acetic Acid	0	NEMA LD3
5	H ₂ SO ₄ (98%)	Vitriol	0	NEMA LD3
6	HNO ₃ (65%)	Nitric Acid	0	NEMA LD3
7	H ₃ PO ₄ (85%)	Phosphoric Acid	0	NEMA LD3
8	HF (48%)	Hydrofluoric Acid	0	NEMA LD3
9	Formaldehyde (37%)	Formallin	0	NEMA LD3
10	NH ₄ OH (25%)	Ammonia	0	NEMA LD3
11	Phenol	Phenol	0	NEMA LD3 - 2000
12	Na ₂ S	Saturated Sodium Sulfide	0	NEMA LD3 - 2000
13	CCl ₄	Carbon Tetrachloride	0	NEMA LD3 - 2000

Phenolic Top:

- Black, solid 3/4 phenolic resin composite thermo-fused under heat and pressure to form a solid black chemical resistant panel.
- Highly impervious to most chemicals, acids, corrosions, stains and moisture.
- Meant for tough use, comparable to Epoxy Resin tops, Emission free, UV Resistant
- Solid phenolic throughout allowing for easy care and maintenance
- Resistant to:

CHEMICAL NAME	CHEMICAL NAME
Acetate, Amyl	Hydrofluoric Acid, 48%
Acetate, Ethyl	Hydrogen Peroxide
Acetic Acid 98%	Iodine Tincture of
Acetone	Methyl Ethyl Ketone
Acid Dichromate, 5%	Methylene Chloride
Alcohol, Butyl	Mono Chlorobenzene
Alcohol, Ethyl	Naphthalene
Alcohol, Methyl	Nitric Acid, 30%
Ammonium Hydroxide	Phenol, 90%
Benzene	Phosphoric Acid, 85%
Carbon Tetrachloride	Silver Nitrate Saturated
Chloroform	Sodium Hydroxide 10%
Chromic Acid, 60%	Sodium Hydroxide 20%
Cresol	Sodium Hydroxide 40%
Dichlor Acetic Acid	Sulfuric Acid 33%
Dimethylformamide	Sulfuric & Nitric Acids
Dixane	Sulfuric & Nitric Acids mix 77%, 70%
Ethyl Ether	Zinc Chloride Saturated
Formaldehyde	
Furfural	

SLT1 / SLT2

SCIENCE LAB TABLE WOOD LEGS SERIES

- Tops are available in Phenolic, Chem-res, High Pressure Laminate, Whiteboard, Epoxy and Trespa
- Patent Pending Personal Lab Tables available
- 30"H & 36"H tables available in 24", 30" and 42" width
- 24"W table available in 30", 48", 54", 60" and 72" lengths
- 30"W table available in 60" and 72" lengths
- 42"W table available in 60" and 72" lengths
- Solid ash legs and apron
- Optional book compartments measuring 14 1/4"L x 12 3/4"D x 4"H
- Legs attach with metal on metal double bolt through assembly on 13-gauge steel corner braces
- Legs come standard with adjustable glides for accurate leveling and rubber liquid protecting boots
- Set of 4 3" heavy duty casters available for all tables, and includes a stretcher and braces for added support.
- Stretcher and braces are included with all tables 31" & wider, and 73" and longer

SLT3 / SLT7 / SLT8 / SLT9

SCIENCE LAB TABLE STEEL LEG SERIES

- Tops are available in Phenolic, Chem-res, High Pressure Laminate, Whiteboard, Epoxy and Trespa
- Patent Pending Personal Lab Tables available
- 16 gauge steel frame

- 11 gauge steel brackets
 - Legs are built with 14 gauge thick 1 1/2" square tubing
 - Leg base is fastened to tabletop with 4 heavy-duty screws and gets inserted into the frame using a strong welded hangar bolt
 - Legs connect to the frame corner brackets with industrial-grade nylon-insert lock nuts
 - Adjustable and fixed height leg options
 - Adjustable legs adjust in 1" increments, and are locked firmly in place with 2 k-9 external tooth lock washers and heavy-duty tamper-free hex screws.
 - Fixed height leg is 28.5"H (without tabletop)
 - Adjustable legs are 21.25"-36.25"H (without tabletop)
 - Legs come standard with simple-adjust glides that can add an additional .75"H, and have a caster option.
 - 4 13-gauge steel gussets and 4 3" heavy duty casters included in optional caster/gusset kit
 - Gussets are included with all tables 31" & wider, and 73" and longer, and are recommended when using any table above 30" high
 - All parts available with Textured black and Soft Grey powdercoating
- SEE HEAVY DUTY TABLE SECTION FOR ALL AVAILABLE OPTIONS

SLT4-2448 / SLT4-2454 / SLT4-2460 / SLT4-2472 / SLT4-3060 / SLT5-2448 / SLT5-2454 / SLT5-2460 / SLT5-2472 / SLT5-3060

SIGNATURE SCIENCE TABLES WITH ADJUSTABLE HEIGHT LEGS SERIES

- Tops are available in Phenolic, Chem-Res, or High Pressure Laminate
- Available in 24" & 30" width
- 24"W table available in 48", 54", 60" and 72" lengths
- 30"W table available in 60" length
- Solid ash apron and steel legs in your choice of Laminated Oak or Powder-coated Black
- Optional book compartments measuring 14 1/4"L x 12 3/4"D x 4"H
- Aprons are connected together with four semi-round 14 gauge stainless steel metal brackets
- Legs attach with six 18mm screws
- Table adjusts in 3/4" increments from 27"-42"H (with spacer provided)
- Optional 4 Double wheel locking casters available measuring 2 3/8" x 2 3/8" and are adjustable up to 1/2". Material: Plastic. Color: Black

SLT6-2448 / SLT6-2454 / SLT6-2460 / SLT6-2472 / SLT6-3060

SCIENCE LAB TABLE DESIGNER LEGS SERIES

- Available table tops: Phenolic, Chem-Res, High Pressure Laminate, Butcher-block, Whiteboard
- Patented designer legs adjust in 3/4" increments from 27"-42"H (with spacer provided).
- Legs come standard with simple-adjust glides. Optional casters available.
- 11 gauge leg-bases are fastened to the tabletop with 6 heavy-duty screws
- Under-table hat support provides 500lbs. weight capacity
- Adjustable glides for accurate leveling

MSC2436 / MOBILE SCIENCE CABINET

- 270 degree wrap-around hinges
- Fully oak veneered plywood core cabinet and shelf
- 1-1/4" thick high pressure laminated surface compliant with NEMA standard testing
- 4 heavy duty 4 inch swivel locking casters
- Adjustable height shelf
- Door Lock
- Cabinet Color - Light Oak Veneer
- Tabletop Color - Black HPL
- Product Dimensions - 24"W x 36"L x 36"H
- Product weight 103 lbs.
- Carton weight - 110 lbs.
- Carton Dimensions - 43" x 34" x 8"
- Ships UPS from - NJ
- Freight class 100

NPS Product Specifications

MOBILE TABLES

MOBILE FIXED BENCH TABLE

GENERAL Folding mobile cafeteria table with attached benches shall have a top surface measuring 30" wide and bench surface of 10" wide. The top surface shall be 29" high and bench surface shall be 17" high when opened for use. The overall top length shall be 12'1", 10'1", or 8'1". The overall width of the unit shall be 56". When folded the table shall fit through a 36" wide doorway.

ENTRANCES Each bench unit shall have six walk-in entry points. Benches shall be attached to the table structure in a manner that does not significantly obstruct the user from entering from either end or between the benches. The center leg bench support shall be an offset double tube design thus eliminating a trip point during entry. End leg metal components located near the floor, where feet may come into contact with them shall be chrome plated. All other metal frame components should be epoxy powder coated or chrome option.

LOCKING – OPENING A gravity lock shall automatically lock the table into the open position. The lock is disengaged manually, capable of operating from both sides of the table. The table design shall feature a midway position lock to secure the unit in a partially folded position for ease of movement during floor cleaning and to prevent finger/hand pinching. The lock rod shall be 7/16" diameter and chrome plated to resist wear.

LOCKING – FOLDING A storage lock shall automatically lock the table in the folded storage position. The lock is disengaged manually, capable of operating from both sides of the table within easy reach. Easy opening and closing via a perfectly balanced torsion bar system. Each unit will include 4, 3, or 2 torsion bars determined by table size and core material.

TABLE AND BENCH TOPS Table and bench tops shall be surfaced with high pressure laminate bonded to a 3/4" thick MDF core, sealed underneath with a phenolic backer sheet. Bench shall be surfaced with high pressure laminate bonded to a 3/4" thick MDF core, sealed underneath with a phenolic backer sheet. Edge of the tops and benches shall be sealed with ProtectEdge, a polyurethane epoxy resin, chemically bound to the edge of the laminate, core and phenolic backing sheet.

Optional Plywood core with ProtectEdge: Table and bench tops shall be surfaced with high pressure laminate bonded to a 3/4" thick AC grade plywood core, sealed underneath with a phenolic backer sheet. Edge of the tops and benches shall be sealed with a polyurethane epoxy resin, ProtectEdge, chemically bound to the edge of the laminate, core and backing sheet.

Optional Plywood Core with Vinyl T-molding: Table and bench tops shall be surfaced with high pressure laminate bonded to a 3/4" thick AC grade plywood core, sealed underneath with a poly resin backer sheet. Edge of the tops and benches shall be banded with vinyl T-molding, secured by staples to the tops underside approximately every 10".

Optional Particleboard Core with Vinyl T-molding: Table and bench tops shall be surfaced with high pressure laminate bonded to a 3/4" thick 47 lb. particleboard core, sealed underneath with a poly resin backer sheet. Edge of the tops and benches shall be banded with vinyl T-molding, secured by staples to the tops underside approximately every 10".

TABLE TOP SUPPORT Each top shall be supported by two 1 7/8" deep, 14-gauge steel aprons. Apron shall contain no holes greater than 1/2" diameter. Aprons shall be capped at the ends with riveted plastic protectors. Each top shall be supported across the width of the top in at least two places.

LEG ASSEMBLIES Leg assemblies shall have vertical tubes supporting the benches and shall be constructed of 1 1/2" diameter, 14-gauge steel tubing with 11-gauge tubing used on the base of the end leg assemblies. Caster lift-off shall be constructed of 14-gauge chrome plated rectangular steel. All other tubular components shall be 1.05" diameter, 14-gauge steel tubing, or structural members of equal or greater strength. Non-marring glides are glass infused nylon that is captured inside the leg tube with spring clips to stay in place.

CASTERS Casters shall be heavy-duty, double ball baring type with a minimum rated load capacity of 275 lbs. each. Casters should have hard rubber non-marking wheels 4" diameter x 1 1/4" wide.

SAFETY REQUIREMENTS Bench units shall be safety tested and listed by Underwriter's Laboratories, Inc. Bench units must display UL labels with valid UL file number. When bench unit is opened for use, all casters shall lift off the ground automatically to minimize table movement while in use. Casters that protrude past the end of the bench unit when opened for use, are prohibited to prevent tripping hazard. Bench units shall have no moving parts that can pinch, cut or pierce the operator's hand while the table is being folded up and down. There shall be at least a 1" gap between the inner leaves of the table tops to prevent pinched fingers.

WARRANTY MTFB units covered by 15-year warranty.

MOBILE STOOL TABLE

GENERAL Folding mobile cafeteria table with attached stools shall have a top surface measuring 30" wide. The top surface shall be 29" high and bench surface shall be 17" high when opened for use. The overall top length shall be 12'1", 10'1", or 8'1". Leg assemblies shall be chrome plated or epoxy powder coated. When folded the table shall fit through a 36" wide doorway.

ENTRANCES Each stool position shall have its own entrance clear of obstructions when entering the unit to sit down. Stool units having support members running across the entrance area are not acceptable.

LOCKING – OPENING A gravity lock shall automatically lock the table in the open position. The lock is disengaged manually, capable of operating from both sides of the table. The table design shall feature a midway position lock to secure the unit in a partially folded position for ease of movement during floor cleaning and to prevent finger or hand pinching. The lock rod shall be 7/16" diameter and chrome plated to resist wear.

LOCKING – FOLDING A storage lock shall automatically lock the table in the folded storage position. The lock is disengaged manually, capable of operating from both sides of the table within easy reach. Easy opening and closing via a perfectly balanced torsion bar system. Each unit will include 5, 4, 3, or 2 torsion bars determined by table size and core material.

TABLE TOPS Table tops shall be surfaced with high pressure laminate bonded to a 3/4" thick MDF core, sealed underneath with a phenolic backer sheet. Edge of the tops shall be sealed with ProtectEdge, a polyurethane epoxy resin, chemically bound to the edge of the laminate, core and phenolic backing sheet.

Optional Plywood core with ProtectEdge: Table tops shall be surfaced with high pressure laminate bonded to a 3/4" thick AC grade plywood core, sealed underneath with a phenolic backer sheet. Edge of the top shall be sealed with a polyurethane epoxy resin, ProtectEdge, chemically bound to the edge of the laminate, core and phenolic backing sheet.

Optional Plywood Core with Vinyl T-molding: Table tops shall be surfaced with high pressure laminate bonded to a 3/4" thick AC grade plywood core, sealed underneath with a poly resin backer sheet. Edge of the top shall be banded with vinyl T-molding, secured by staples to the tops underside approximately every 10". **Optional Particleboard Core with Vinyl T-molding:** Table tops shall be surfaced with high pressure laminate bonded to a 3/4" thick 47 lb. particleboard core, sealed underneath with a poly resin backer sheet. Edge of the top shall be banded with vinyl T-molding,

secured by staples to the tops underside approximately every 10".

TABLE TOP SUPPORT Each top shall be supported by two 1 7/8" deep, 14-gauge steel aprons. Apron shall contain no holes greater than 1/2" diameter. Apron shall contain no holes greater than 1/2" diameter. Aprons shall be capped at the ends with riveted plastic protectors. Each top shall be supported across the width of the top in at least two places.

LEG ASSEMBLIES Tubular leg components shall be 1.05" and 1 1/4" diameter, 14-gauge steel tubing. Legs and stool columns shall be constructed of 1 1/4" diameter, 14-gauge steel tubing and shall be braced horizontally to the stool support column on the opposite side of the table to resist bending. Units with stools braced from the floor are not acceptable. Non-marring glides are glass infused nylon that is captured inside the tube with spring clips to stay in place.

STOOLS Stools shall be injection molded with a minimum of 25 oz. of rubber modified, high impact polystyrene materials measuring 13" in diameter. Stools shall be reinforced to resist failure with a minimum of 12 integrally molded, tapered ribs. Ribs shall extend from the outer parameter of the stool to the mounting hub at the center of the stool. Stools shall be mounted with 5/16" diameter bolts and locking nuts with fender washers. Spring pins are not acceptable.

CASTERS Casters shall be heavy-duty, double ball baring type with a minimum rated load capacity of 275 lbs. each. Casters should have hard rubber non-marking wheels 4" diameter x 1 1/4" wide.

SAFETY REQUIREMENTS Stool units shall be safety tested and listed by Underwriter's Laboratories, Inc. Stool units must display UL labels with valid UL file number. When stool unit is opened for use, all casters shall lift off the ground automatically to minimize table movement while in use. Casters that protrude past the end of the stool unit when opened for use, are prohibited to prevent tripping hazard. Stool units shall have no moving parts that can pinch, cut or pierce the operator's hand while the table is being folded up and down. There shall be at least a 1" gap between the inner leaves of the table tops to prevent pinched fingers.

WARRANTY MTS units covered by 15-year warranty.

MOBILE SHAPE BENCH, STOOL AND COMBO

GENERAL Folding mobile shape cafeteria table shall offer attached benches, stools, or a combination of both benches and stools. The top surface shall be 29" high while bench and stool surface shall be 17" high when opened for use. Leg assemblies shall be chrome plated or epoxy powder coated. When folded the table shall fit through a 36" wide doorway.

ENTRANCES Each stool position shall have its own entrance clear of obstructions when entering the unit to sit down.

LOCKING – OPENING A gravity lock shall automatically lock the table in the open position. The lock is disengaged manually, capable of operating from both sides of the table. The table design shall feature a midway position lock to secure the unit in a partially folded position for ease of movement during floor cleaning and to prevent finger or hand pinching. The lock rod shall be 7/16" diameter and chrome plated to resist wear.

LOCKING – FOLDING A storage lock shall automatically lock the table in the folded storage position. The lock is disengaged manually, capable of operating from both sides of the table within easy reach. Easy opening and closing via a perfectly balanced torsion bar system. Each unit will include 4 torsion bars. 60" Bench Unit has gas springs.

TABLE AND BENCH TOPS Table and bench tops shall be surfaced with high pressure laminate bonded to a 3/4" thick MDF core, sealed underneath with a phenolic backer sheet. Bench shall be surfaced with high pressure laminate bonded to a 3/4" thick MDF core, sealed underneath with a phenolic backer sheet. Edge of the tops and benches shall be sealed with ProtectEdge, a polyurethane epoxy resin, chemically bound to the edge of the laminate, core and phenolic backing sheet.

Optional Plywood Core with ProtectEdge: Table and bench tops shall be surfaced with high pressure laminate bonded to a 3/4" thick AC grade plywood core, sealed underneath with a phenolic backer sheet. Edge of the tops and benches shall be sealed with a polyurethane epoxy resin, ProtectEdge, chemically bound to the edge of the laminate, core and backing sheet.

Optional Plywood Core with Vinyl T-molding: Table and bench tops shall be surfaced with high pressure laminate bonded to a 3/4" thick AC grade plywood core, sealed underneath with a poly resin backer sheet. Edge of the tops and benches shall be banded with vinyl T-molding, secured by staples to the tops underside approximately every 10".

Optional Particleboard Core with Vinyl T-molding: Table and bench tops shall be surfaced with high pressure laminate bonded to a 3/4" thick 47 lb. particleboard core, sealed underneath with a poly resin backer sheet. Edge of the tops and benches shall be banded with vinyl T-molding, secured by staples to the tops underside approximately every 10".

TABLE TOP SUPPORT Each top shall be supported by two 1 7/8" deep, 14-gauge steel aprons. Apron shall contain no holes greater than 1/2" diameter. Aprons shall be capped at the ends with riveted plastic protectors. Each top shall be supported across the width of the top in at least two places.

LEG ASSEMBLIES Tubular leg components shall be 1.05" and 1 1/4" diameter, 14-gauge steel tubing. Legs and bench/stool columns shall be constructed of 1 1/4" diameter, 14-gauge steel tubing and shall be braced horizontally to the stool support column on the opposite side of the table to resist bending. Units with stools braced from the floor are not acceptable. Non-marring glides are glass infused nylon that is captured inside the tube with spring clips to stay in place.

STOOLS Stools shall be injection molded with a minimum of 25 oz. of rubber modified, high impact polystyrene materials measuring 13" in diameter. Stools shall be reinforced to resist failure with a minimum of 12 integrally molded, tapered ribs. Ribs shall extend from the outer parameter of the stool to the mounting hub at the center of the stool. Stools shall be mounted with 5/16" diameter bolts and locking nuts with fender washers. Spring pins are not acceptable.

CASTERS Casters shall be heavy-duty, double ball baring type with a minimum rated load capacity of 275 lbs. each. Casters should have hard rubber non-marking wheels 4" diameter x 1 1/4" wide.

SAFETY REQUIREMENTS Stool units shall be safety tested and listed by Underwriter's Laboratories, Inc. Stool units must display UL labels with valid UL file number. When stool unit is opened for use, all casters shall lift off the ground automatically to minimize table movement while in use. Casters that protrude past the end of the stool unit when opened for use, are prohibited to prevent tripping hazard. Stool units shall have no moving parts that can pinch, cut or pierce the operator's hand while the table is being folded up and down. There shall be at least a 1" gap between the inner leaves of the table tops to prevent pinched fingers.

WARRANTY MTR units covered by 15-year warranty.

MOBILE TABLE WITHOUT SEATING

GENERAL Folding mobile cafeteria table shall have a top surface consistent with the size/shape specified. The top surface shall be 29" high unless otherwise noted. When folded the table shall fit through a 36" wide doorway.

NPS Product Specifications

ENTRANCES / FRAME Mobile Table units without seating offer open a continuous range of entry points around the table surface perimeter. All other metal frame components should be epoxy powder coated or chrome option.

LOCKING – OPENING A gravity lock shall automatically lock the table into the open storage position. The lock is disengaged manually, capable of operating from both sides of the table. The table design shall feature a midway position lock to secure the unit in a partially folded position for ease of movement during floor cleaning and to prevent finger/hand pinching. The lock rod shall be 7/16" diameter and chrome plated to resist wear.

LOCKING – FOLDING A storage lock shall automatically lock the table in the folded storage position on styles/sizes where applicable. The lock is disengaged manually, capable of operating from both sides of the table within easy reach. Easy opening and closing via a perfectly balanced torsion bar system when applicable. MT48, MT60, MT6072, and MT72 tables are balanced to operate without torsion bars. MTMT8, MT10, and MT12 units shall include 3, 2, or 1 torsion bar(s) determined by table size and core material.

TABLE TOPS Table tops shall be surfaced with high pressure laminate bonded to a 3/4" thick MDF core, sealed underneath with a phenolic backer sheet. Edge of the tops shall be sealed with ProtectEdge, a polyurethane epoxy resin, chemically bound to the edge of the laminate, core and phenolic backing sheet.

Optional Plywood core with ProtectEdge: Table tops shall be surfaced with high pressure laminate bonded to a 3/4" thick AC grade plywood core, sealed underneath with a phenolic backer sheet. Edge of the tops and benches shall be sealed with a polyurethane epoxy resin, ProtectEdge, chemically bound to the edge of the laminate, core and backing sheet.

Optional Plywood Core with Vinyl T-molding: Table and bench tops shall be surfaced with high pressure laminate bonded to a 3/4" thick AC grade plywood core, sealed underneath with a poly resin backer sheet. Edge of the tops and benches shall be banded with vinyl T-molding, secured by staples to the tops underside approximately every 10".

Optional Particleboard Core with Vinyl T-molding: Table and bench tops shall be surfaced with high pressure laminate bonded to a 3/4" thick 47 lb. particleboard core, sealed underneath with a poly resin backer sheet. Edge of the tops shall be banded with vinyl T-molding, secured by staples to the tops underside approximately every 10".

TABLE TOP SUPPORT Each top shall be supported by two 1 7/8" deep, 14-gauge steel aprons. Apron shall contain no holes greater than 1/2" diameter. Apron shall contain no holes greater than 1/2" diameter. Aprons shall be capped at the ends with riveted plastic protectors as needed.

LEG ASSEMBLIES Leg assemblies shall have vertical tubes supporting the benches and shall be constructed of 1 1/4" diameter, 14-gauge steel tubing. All other tubular components shall be 1.05" diameter, 14-gauge steel tubing, or structural members of equal or greater strength.

CASTERS Casters shall be heavy-duty, double ball baring type with a minimum rated load capacity of 275 lbs. each. Casters should have hard rubber non-marking wheels 4" diameter x 1 1/4" wide.

SAFETY REQUIREMENTS MTMT8, MT10, and MT12 Rectangular units shall be safety tested and listed by Underwriter's Laboratories, Inc. Rectangular units must display UL labels with valid UL file number. When unit is opened for use, all casters shall lift off the ground automatically to minimize table movement while in use. Units shall have no moving parts that can pinch, cut or pierce the operator's hand while the table is being folded up and down. There shall be at least a 1" gap between the inner leaves of the table tops to prevent pinched fingers.

WARRANTY MT units covered by 15-year warranty.

MOBILE CONVERTIBLE BENCH UNIT

GENERAL Folding mobile convertible bench unit shall have a top surface measuring 15" wide and a bench surface measuring 12". The top surface shall be 29" high when opened for use. The top and bench length shall be 8' or 7' or 6'. Each unit shall have a bench that can be opened for use and closed for transporting. Each unit shall have a tabletop that can be raised up as a tabletop or lowered as a bench back.

STANDARD: Standard ganging with all units allows joining two tables together securely for cafeteria style seating.

TABLE AND BENCH TOPS: Table and bench tops shall be surfaced with high pressure laminate bonded to a 3/4" thick MDF core, sealed underneath with a phenolic backer sheet. Edge of the tops and benches shall be sealed with a polyurethane epoxy resin, ProtectEdge, chemically bound to the edge of the laminate, core and phenolic backing sheet.

Optional Plywood Core with ProtectEdge: Table and bench tops shall be surfaced with high pressure laminate bonded to a 3/4" thick AC grade plywood core, sealed underneath with a phenolic backer sheet. Edge of the top and bench shall be sealed with a polyurethane epoxy resin, ProtectEdge, chemically bound to the edge of the laminate, core and backing sheet.

Optional Plywood Core with Vinyl T-molding: Table and bench tops shall be surfaced with high pressure laminate bonded to a 3/4" thick AC grade plywood core, sealed underneath with a poly resin backer sheet. Edge of the top and bench shall be banded with vinyl T-molding, secured by staples to the tops underside approximately every 10".

OPTIONAL PARTICLEBOARD CORE WITH VINYL T-MOLDING: Table and bench tops shall be surfaced with high pressure laminated bonded to a 3/4" thick 47 lb. particleboard core, sealed underneath with a poly resin backer sheet. Edge of the top and bench shall be banded with vinyl T-molding, secured by staples to the top and bench underside approximately every 10".

TABLE TOP SUPPORT Each top shall be supported by two 1 7/8" deep, 14-gauge steel aprons. Aprons shall contain no holes greater than 1/2" diameter. Table tops shall be supported with steel gussets at approximately every 30".

LEG ASSEMBLIES Vertical tubes supporting the tabletop and benches shall be constructed of 1 1/4" 14-gauge square tubing. Horizontal tubing for bench supports shall be made of 1 1/8" 14-gauge round tubing. Horizontal tubing shall be fitted to bench with eight 3" x 2" steel plates welded onto 1 1/4" 14-gauge metal tubes. The steel plates shall be connected to underside of bench with five screws. Horizontal leg bottoms shall be constructed of 1 1/4" 14-gauge square tubing and shall be chrome plated. All square and round tubing shall have plastic end closures. Rubber glides include a spring clip inside the square tubing of the leg to insure they stay in place.

GANGING & FOLDING SAFETY A flexible one-piece molded UV resistant glass-filled nylon draw latch shall be mounted to the outside of each apron. Two units facing together shall be quickly locked together at each end of the table for cafeteria-type seating configurations. The latch shall lock against the apron for storage when not in use. An embedded pin in the leg system will prevent finger pinching and wear on the table top and bench surface when in a closed storage position.

CASTERS Casters shall be heavy-duty, double ball baring type with a minimum load capacity of 150 lbs. each. Casters shall have non-marking wheels 3" diameter x 1" wide. Two of the casters shall be locking to keep unit in place while in use.

SAFETY REQUIREMENTS Units shall be safety tested and listed by Underwriter's Laboratories, Inc. Units must display UL labels with valid UL file number. Unit shall have no moving parts that can pinch, cut or pierce the operators hands while the tabletop or benches is being folded up or down. The exclusive embedded pin design will prevent pinching.

WARRANTY CB units are covered by a 15 year warranty.

EASYFOLD MOBILE FLIPPER TABLE

MTSSF-60R/Q/H/O/V MTSSF-48R/Q/H

GENERAL Folding mobile cafeteria table shall have a top surface consistent with the size/shape specified. The top surface shall be 29" high unless otherwise noted. When folded the table shall fit through a 36" wide doorway.

ENTRANCES/FRAME Mobile Table units without seating offer open a continuous range of entry points around the table surface perimeter. All metal frame components should be epoxy powder coated or chrome leg option.

LOCKING - OPENING A gravity lock shall automatically lock the table into the open storage position. The lock is disengaged manually, capable of operating from two locations on one side of the table. The lock rod shall be 7/16" diameter and chrome plated to resist wear. Tamper resistant lock nuts on all down lock assemblies with self-adjusting pawl catch ensure the down lock engages every time.

LOCKING – FOLDING MTSSF-60R/Q/H/O/V tables are balanced to operate with a gas/oil filled spring. The design of the table remains locked into the folded position without until the user begins to open the table manually.

TABLE TOPS Table tops shall be surfaced with high pressure laminate bonded to a 3/4" thick MDF core, sealed underneath with a phenolic backer sheet. Edge of the tops shall be sealed with Protect Edge, a polyurethane epoxy resin, chemically bound to the edge of the laminate, core and phenolic backing sheet. Tamper resistant table top screws provide superior holding power to frame with the ability to be serviced easily in the field.

Optional Plywood core with Protect Edge: Table tops shall be surfaced with high pressure laminate bonded to a 3/4" thick AC grade plywood core, sealed underneath with a phenolic backer sheet. Edge of the tops and benches shall be sealed with a polyurethane epoxy resin, Protect Edge, chemically bound to the edge of the laminate, core and backing sheet.

Optional Plywood Core with Vinyl T-molding: Table and bench tops shall be surfaced with high pressure laminate bonded to a 3/4" thick AC grade plywood core, sealed underneath with a poly resin backer sheet. Edge of the tops and benches shall be banded with vinyl T-molding, secured by staples to the tops underside approximately every 10".

Optional Particleboard Core with Vinyl T-molding: Table and bench tops shall be surfaced with high pressure laminate bonded to a 3/4" thick 47 lb. particleboard core, sealed underneath with a poly resin backer sheet. Edge of the tops shall be banded with vinyl T-molding, secured by staples to the tops underside approximately every 10".

TABLE TOP SUPPORT Each top shall be supported by two 1 7/8" deep, 14-gauge steel apron uni-frame design. Apron shall contain no holes greater than 1/2" diameter. Apron shall contain no holes greater than 1/2" diameter. Tamper resistant table top screws provide superior holding power to frame with the ability to be serviced easily in the field.

LEG ASSEMBLIES Leg assemblies shall have vertical tubes (round) supporting the tables and caster lift off tubes (square) shall be constructed of 1 1/4" diameter, 14-gauge steel tubing. All other tubular components shall be 1.05" diameter, 14-gauge steel tubing, or structural members of equal or greater strength. Tamper-proof non-marring nylon steel insert glides and tube closures will not break or fall out.

CASTERS Jarvis Casters shall be heavy-duty 4" diameter x 1 1/4" wide double ball swivel, non-marring with a minimum rated load capacity of 275 lbs. each. To minimize unnecessary table movement once in place, casters shall lift off the ground as table transitions from folded to open in-use position.

SAFETY REQUIREMENTS When unit is opened for use, all casters shall lift off the ground automatically to minimize table movement while in use. Units shall have no moving parts that can pinch, cut or pierce the operator's hand while the table is being folded up and down.

CERTIFICATIONS Cafeteria Tables have been tested to pass MAS Green® Certification.

WARRANTY Cafeteria Tables are warranted against manufacturer's defects for 15 years.

TGT2448PBTM/TGT2460PBTM/TGT3048PBTM/TGT3060PBTM/ TGT2448MDPE/TGT2460MDPE/TGT3048MDPE/TGT3060MDPE

TOGO MOBILE TABLE

· Available in 4 sizes: 24" x 48", 24" x 60", 30" x 48", 30" x 60"

· Table core options: MDF/ PARTICLEBOARD

· Table Edge options: PROTECT EDGE/ VINYL T-MOLDING

· Frame Color: Powder Coated

· Heavy duty magnet

· 14 gauge steel frame

· Easy nesting and storage

· laminate color options: Grey Nebula, Montana Walnut, Banister Oak, Wild Cherry, Fusion Maple, Marigold, Hollyberry, Persian Blue

NPS Product Specifications

TGB48PBTM/TGB60PBTM/TGB48MDPE/TGB60MDPE

TOGO MOBILE BENCH

- Available in 2 Sizes: 25" x 48", 25" x 60"
- Table core options: MDF/ PARTICLEBOARD
- Table Edge options: PROTECT EDGE/ VINYL T-MOLDING
- Frame Color: Powder Coated
- 14 gauge steel frame
- Easy nesting and storage
- Laminate Surface or Padded option available

CAFÉ

BCC/BCS SERIES / BUSHWICK CAFÉ CHAIR AND STOOL

- 8 layer bent plywood seat with a high end HPL finish
- Legs are made of 7/8 in. 16 gauge chrome tubing.
- Modern handle for easy movement and storage.
- 4 fully welded 12 gauge under-seat support brackets
- Heavy duty bumpers for safe and secure stackability
- Durable non-marring polypropylene glides
- Weight Capacity Exceeds 500 lbs
- Plywood core is made with poplar wood and eucalyptus wood
- Available colors: ■ Natural ■ Espresso

CT SERIES / FIXED HEIGHT CAFÉ TABLE

- 1 1/4" High Pressure Laminate tops with T-Mold available in standard and custom colors
- Available in round, square, rectangle, racetrack, and curved in a variety of sizes
- Legs available in X-base, T-base, or round base
- Legs come with 1/2" thick non-marring polypropylene mushroom leveling glides to prevent floor scratching
- Pole connects to base with 1 heavy-duty bolt with thread locker
- Textured Black Powder Coated Frame
- 16 gauge 3" thick pole
- 8 gauge steel base
- 12 gauge support plate is fully welded to base for extreme stability
- 300 lbs Weight Capacity

PCT / PREMIUM PLUS CAFE TABLES

- High pressure laminate and whiteboard tabletops are easy to clean and will resist scratches.
- Available in both round and square shapes in 24", 30" & 36" size tops.
- Tables adjust from 30" to 42" using a smooth and easy to adjust pneumatic lever.
- Heavy-duty 13 gauge steel column and 1/2 inch steel base.
- 3" Heavy-Duty Polyurethane non-marring locking swivel casters.
- Table top folds and locks into place and can be nested with other tables for safe compact storage.
- ANSI/BIFMA certified meeting all TSCA title VI requirements
- Blowmolded Top: Charcoal Slate
- Available laminate colors: ■ Grey Nebula ■ Montana Walnut ■ Banister Oak ■ Wild Cherry ■ Fusion Maple ■ Marigold ■ Hollyberry ■ Persian Blue

CTT3042 / ADJUSTABLE HEIGHT CAFE TABLE

- Tabletops are made of lightweight charcoal colored HDPE blow molded plastic.
- Tabletop measures 36"x 36"
- Tabletop thickness: 1 3/8"
- Features 12" of pneumatic height adjustment from 30"-42"
- Tabletops flip and tables nest together for space-saving storage
- Table frame, column and base are made of silver-tone powdercoated steel
- Gauge of steel: 16 gauge
- Tables tested to support up to 700 lbs. and are guaranteed for ten years.
- Furnished with plastic adjustable floor levelers
- MAS certified Green®
- Tables are lightweight weighing only 32 1/2" lbs. and are easy to assemble
- Carton dimensions are 36 1/2" L x 36 1/2" W x 4" D. Carton weight: 37 lbs.
- Ships with UPS or by truck at class 125.

CTS30 / BISTRO HEIGHT CAFE STOOL

- Seats and back are made of lightweight charcoal colored HDPE blow molded plastic.
- Seat height is 30"
- Seat size is 17"x 16"
- Seat thickness is 2 1/8"
- Back size is 18 1/8"W x 9"H x 1 1/8"D
- Overall height is 42"
- Frames are made of silver-tone powdercoated 1-1/8" steel
- Gauge of seat frame: 16 gauge
- Gauge of legs: 18 gauge
- Assembled width & depth: 22 3/4"W x 19 3/4"D
- Furnished with rubber floor friendly glides for floor protection.
- Stools are guaranteed for ten years.
- MAS certified Green®
- Stools are lightweight weighing only 12 1/2" lbs.
- Carton dimensions are 20 1/2" W x 23" D x 42 1/2" H. Carton weight: 17 lbs.
- Ships with UPS or by truck at class 300.
- Max stacking capacity: 3
- 300 lbs Weight Capacity

CLT SERIES/ COLLABORATOR TABLE

- Available with a 1 1/4"HPL, 1 3/4" Butcherblock or Whiteboard Industrial Grade top.
- Available in dining height (30") as well as bar height (42").
- Bar Height tables include crossbeam for extra stability.
- 5 gauge support plates
- Solid 8 gauge Industrial grade frame
- 2 leveling glides on each base
- Powder-Coated Black Santex Frame
- 500 lbs Weight Capacity

MUSIC

82MS / MUSIC STAND

- Durable 22-gauge aluminum surface is 20 1/2" wide and features safe rolled edges to prevent harm to instruments or people.
- Black textured finish resists chips and scratches
- Adjustable desk angle and height from 24 to 46 (from bookrest lip to floor) with the spring-loaded tube.
- Stand Is 18-Gauge, 1" O.D. Steel
- Tension Tilt Surface For Smooth Adjustment And Holds Strong In Any Position
- Powder-Coated In Black To Match Melody Music Chair
- New Rubber Tips Included To Prevent Noise And Floor Scratching
- New Attachment Style Eliminates The Need For Bolt Tightening
- 50mm thread lock base bolt and enhanced lock washer prevent the pole from loosening at the base.

SERIES 8200 / MELODY STACK CHAIR / MELODY STACK CHAIR JR.

8210 DIMENSIONS: 33 1/2"H X 19"W X 21 1/2"D
SEAT (8210): 17 1/2"H X 16 1/2"W X 16 1/2"D
OPTIONAL TABLET ARM WITH PLYWOOD CORE FLIPS UP TO FOLD BEHIND CHAIR: 13 3/4"W X 17"D X 1/2"H

8210-16 DIMENSIONS: 31 1/2"H X 19"W X 21 1/2"D
SEAT (8210-16): 16"H X 16 1/2"W X 16 1/2"D
OPTIONAL TABLET ARM WITH PLYWOOD CORE FLIPS UP TO FOLD BEHIND CHAIR: 13 3/4"W X 17"D X 1/2"H

- Features a 7/8" powder coated paint frame with 16-gauge square tubing
- 14-gauge rear seat brace
- Band-pitch style with a seat back angle of 97 degrees
- Durable Polypropylene contoured seat for extra comfort
- Can be stacked 18 high on our DY-82 with 4 stack bumpers to protect finish
- Weighs 12 lbs
- 300 lbs Weight Capacity
- Available Colors: ■ Black

DYMS10 / DOLLY FOR 82MS MUSIC STANDS

DIMENSIONS: OVERALL: 47"H X 27"W X 31"L

- Strong 15-gauge steel frame in chrome for long-lasting performance
- 10 stand capacity



NPS Product Specifications

- Large wheels measure 2" x 8" and small wheels are 3/4"x2"
- Handles are covered in soft rubber for extra comfort
- Plastic covering on holding arm for added protection
- Lightweight design it is easy to move a fully loaded unit up and down stairs
- Ship weight: 29lbs.

DYMS20 / DOLLY FOR 82MS MUSIC STANDS

DIMENSIONS: OVERALL: 27"W X 47"H X 59"L

- Strong 15-gauge steel frame in chrome for long-lasting performance
- Large stationary casters measure 2"x8" and small swivel casters measure 1"x5"
- 20 stand capacity
- Handles are covered in soft rubber for extra comfort
- Plastic covering on holding arm for added protection
- Ship weight: 48lbs.

STAGES & RISERS

PERFORMANCE STAGES AND SEATED RISERS

INCLUDES 36"W AND 48"W STAGES STAGE PIECES, STAGE PIES, & STAGE SETS

- Constructed with 3/4" solid plywood core
- Available with carpet in choice of 4 colors or 1/8" thick tempered hardboard
- 16-gauge, 1-13/16" high formed steel channel frame reinforced with 16-gauge steel angle welded to the inside of the channel
- 14-gauge steel tubing capped at the point of floor contact with high impact plastic glides
- Legs open and close using only one hand
- Stages and risers equipped with drop-in couplings that allow units of same or different heights to be joined together
- All ganging devices are permanently secured to each unit
- Exceeds 200 lbs. per square foot load bearing capacity
- Available in 36" and 48" widths
- Comes in 4 heights; 8", 16", 24" and 32"
- Skirting available for all stages in 2 styles; shirred pleat and box pleat
- Optional Stage Pies for semi-circle arrangements
- 3 step heights available to connect to 16"H Stages and above
- Optional Guardrails recommended for safety. Guardrails are 14-gauge
- 10-year warranty

TFX STAGES / ADJUSTABLE HEIGHT STAGES

- Constructed with 3/4" solid plywood core
- Available with carpet in choice of 4 colors or 1/8" thick tempered hardboard
- 16-gauge, 1-13/16" high formed steel channel frame reinforced with 16-gauge steel angle welded to the inside of the channel
- 14-gauge steel tubing
- Legs open and close using only one hand
- Stages equipped with drop-in couplings that allow units of same or different heights to be joined together
- All ganging devices are permanently secured to each unit
- Exceeds 200 lbs. per square foot load bearing capacity
- Stages measure 48"x48" or 48"x96" and are available in two adjusting sizes - 16"- 24" and 24"- 32"
- Adjustable legs are made of plated 14 gauge steel and are capped with high impact plastic glides
- Stage rolls on two 2" rubber casters for easy mobility
- Legs are equipped with clevis pins to lock adjusting legs in place
- Skirting available in 2 styles; shirred pleat and box pleat
- 3 step heights available to connect to 16"H Stages and above
- Optional Guardrails recommended for safety. Guardrails are 14-gauge
- 10-year warranty

CHORAL RISERS / RS AND RT SERIES

- Constructed with 3/4" solid plywood core
- Available with carpet in choice of 4 colors or 1/8" thick tempered hardboard
- 16-gauge, 1-13/16" high formed steel channel frame reinforced with 16-gauge steel angle welded to the inside of the channel
- 14-gauge steel tubing capped at the point of floor contact with high impact plastic glides
- Legs open and close using only one hand
- Nylon 6 glides + 30% glass fiber (PA6-630)
- Equipped with drop-in couplings that allow units of same or different heights to be joined together

- All ganging devices are permanently secured to each unit
- Exceeds 200 lbs. per square foot load bearing capacity
- Comes in 4 heights; 8", 16", 24" and 32"
- Straight and Tapered units for continuous and semi-circle configurations
- Optional Guardrails recommended for safety
- 10-year warranty

TRANS-PORT RISER

- Available in three 18" wide levels; 8", 16" and 24" high that are permanently joined with hinge mechanisms to enable the unit to open and close in a unified fashion
- Each unit is equipped with wheels for easy transportation when folded and to allow for easy positioning after set up
- Riser levels supported by a 3" deep, double walled, extruded anodized aluminum frame that overlaps the top of each level to protect the carpet edge
- Riser platforms constructed of 3/4" plywood, surfaced with polyolefin carpet
- Optional guardrails constructed of black epoxy powder-coated tubular steel and equipped with clamp-on attachments for easy installation
- Straight or Tapered units available for various configurations
- Now avail: 4th Level Add-On: TPA: 18-1/8"W x 72 1/2"L x 32 1/2"H TPRA: 18"W x 79"L x 32 1/2"H
- Standing Capacity: TP72: 15-18 adults (with 4th level TPA: 20-23) TPR72: 11-14 adults (with 4th level TPRA 16-19)
- 10-year warranty

STAGE ACCESSORY PARTS

STP16/STP24/STP32 / STEPS FOR STAGES

DIMENSIONS: STP16: 36"W X 14"D X 42"H, 42 LBS. STP24: 36"W X 28"D X 48"H, 72 LBS. STP32: 36"W X 42"D X 54"H, 110 LBS.

- Made of high grade plywood edged with vinyl t-molding
- Frame is powdercoated in black
- Steps coated with Polypropylene textured surface
- Color of steps is grey
- Frame is built with 14 gauge steel tubing
- Unit rolls on two wheels

GRR24S/GRR32S/GRR24T/GRR32T / BACK GUARDRAILS FOR RISERS

DIMENSIONS: GRR24S 94"L X 66"H, 51 LBS. GRR32S 94"L X 74"H, 55 LBS. GRR24T 70"L X 66"H, 40 LBS. GRR32T 76"L X 74"H, 43 LBS.

- For use with Straight & Tapered Risers
- Top and bottom horizontal tubes are 1 1/2" O.D.
- Black powdercoated steel
- Middle horizontal tubes are 1" O.D.
- All tubes are 14 gauge steel
- Ends of tubes are outfitted with high impact plastic flower end-caps.
- Vertical tubes are 1 1/4" O.D.

GRTPR3 / GRTPR4 / BACK GUARDRAILS FOR TRANS-PORT RISER

DIMENSIONS: GRTPR3 70 1/2"L X 66 1/2"H, 69 LBS. GRTPR4 70 1/2"L X 74 1/2"H, 75 LBS.

- For use with Straight & Tapered Trans-Port Risers
- Top and bottom horizontal tubes are 1 1/2" O.D.
- Black powdercoated steel
- Middle horizontal tubes are 1" O.D.
- All tubes are 14 gauge steel
- Ends of tubes are outfitted with high impact plastic flower end-caps.
- Vertical tubes are 1 1/4" O.D.

SGRTP3 / SGRTP4 / SIDE GUARD RAILS FOR TRANS-PORT RISERS

DIMENSIONS: GSGRTP3 59 1/2"L X 63 1/2"H, 10 LBS. SGRTP4 79 1/2"L X 71 5/8"H, 11LBS.

- For use with Straight & Tapered Trans-Port Risers
- Vertical and horizontal tubes are 1 1/4" O.D.
- Black powdercoated steel
- Ends of tubes are outfitted with high impact plastic flower end-caps.
- All tubes are 14 gauge steel

NPS Product Specifications

GRS30/GRS36/GRS48 / GUARDRAILS FOR STAGES

DIMENSIONS: GRS30 30"L X 30"H, 12 LBS. GRS36 36"L X 30"H, 13 LBS. GRS48 48"L X 30"H, 15 LBS.

- For use with stages
- Top horizontal tube is 1 ½" O.D.
- Black powdercoated steel
- Middle and bottom horizontal tubes are 1" O.D.
- All tubes are 14 gauge steel
- Ends of tubes are outfitted with high impact plastic flower end-caps.
- Vertical tubes are 1 ¼" O.D.

SGR2L/SGR3L/SGR4L / SIDE GUARD RAILS FOR STANDARD RISERS

DIMENSIONS: SGR2L 37 7/8"L X 30 7/8"H, 8 ¾ LBS. SGR3L 57 1/3"L X 28 5/8"H, 11 LBS. SGR4L 77 ¼"L X 30 7/8"H, 12 LBS.

- For use with standard risers
- Vertical and horizontal tubes are 1 ¼" O.D.
- Black powdercoated steel
- Ends of tubes are outfitted with high impact plastic flower end-caps.
- All tubes are 14 gauge steel

CG28/CG32/CG37/CG44/CG54/CG72/CG81/CG96 / CHAIR GUARDS

DIMENSIONS: CG28 28"L, 3 LBS. CG32 32"L, 3 LBS. CG37 37"L, 3¾ LBS. CG44 44"L, 3½ LBS. CG54 54"L, 4 LBS. CG72 72"L, 4½ LBS. CG81 81"L, 5 LBS. CG96 96"L, 5½ LBS.

- For use with stages and stage pies
- Ends of Chair Guards are outfitted with high impact plastic flower end-caps.
- Tube is made of 1" O.D.
- Tube is 14 gauge steel.
- Chair Guards are powdercoated in black.

SDL / STAGE DOLLY

DIMENSIONS CAPACITY: SIX STAGES

- Rolls on four 6" casters
- Can be used for both 36" 48" stages
- Black powdercoated steel
- Built with 14 gauge tubular steel

DIVIDERS

ROBO ROOM DIVIDERS:

Fabric:

- Units are 6' in height
- Available in the following four sizes:
 - 3-Panel (opened length 72")
 - 5-Panel (opened length 118")
 - 7-Panel (opened length 164")
 - 9-Panel (opened length 210")
 - 11-Panel (opened length 256")
- Sound Absorbing PET Panels
- Flame retardant: B1 grade
- Panels are Tackable
- Self-Leveling Casters
- Tech-Lock brakes for End Frame casters
- Full-Length Hinges
- Secure Storage Fastener
- Unique foot-pedal release.
- Position Regulator keeping panels in place
- Heavyweight- non tipping
- Gangable- Join multiple units together to form a long division or substitute room
- Available in the fabric colors: ■ Black ■ Blue ■ Grey

Acrylic:

- Units are 6' in height
- Available in the following four sizes:
 - 3-Panel (opened length 72")
 - 5-Panel (opened length 118")
 - 7-Panel (opened length 164")
 - 9-Panel (opened length 210")
- 3/16-inch clear OPTIX® acrylic

- Self-Leveling Casters
- Tech-Lock brakes for End Frame casters
- Full-Length Hinges
- Secure Storage Fastener
- Unique foot-pedal release.
- Position Regulator keeping panels in place
- Heavyweight- non tipping
- Ganging- Join multiple units together to form a long division or substitute room

LECTERNS

GSL GRAYSTONE LECTERN

DIMENSIONS: READING SURFACE: 22.75"W X 18.25"D
SIDE PULL OUT TRAYS(R&L): 14.25"W X 12"D
FRONT PULL OUT TRAY: 17.5"W X 9.25"D
TOP TWO CABINET SHELVES: 21"W X 14.75"D X 7"H
BOTTOM CABINET SHELF: 21"W X 14.75"D X 12"H
DRAWER: 6.25"W X 15"D X 13.25"H
PRODUCT WEIGHT: 93 LBS.

- Sleek grey plywood provides for a smooth writing surface
- Units roll on four 2" double wheeled hooded casters

GSL-S GRAYSTONE LECTERN WITH SOUND

DIMENSIONS: READING SURFACE: 22.75"W X 18.25"D
SIDE PULL OUT TRAYS(R&L): 14.25"W X 12"D
FRONT PULL OUT TRAY: 17.5"W X 9.25"D
TOP TWO CABINET SHELVES: 21"W X 14.75"D X 7"H
BOTTOM CABINET SHELF: 21"W X 14.75"D X 12"H
PRODUCT WEIGHT: 95 LBS.

- Sleek grey plywood provides for a smooth writing surface
- Units roll on four 2" double wheeled hooded casters
- Built in sound system
- Bluetooth enabled
- Includes a handheld mic with 9' cable and a gooseneck shock mount mic holder
- Amplifier works with OS wireless microphones
- Includes a tie-clip/lapel mic with 10' cable
- Multimedia capabilities include simultaneous usage with two wired and one wireless (optional) microphones

111PLS POWER PLUS LECTERN

COLORS: MAHOGANY, RIBBONWOOD
PRODUCT WEIGHT: 50LBS.
READING SURFACE DIMENSIONS: 20"W X 14.35"D
OVERALL DIMENSIONS: 22"W X 17"D X 46"H

- Power Output: 30 Watts
- Includes One Handheld Mic And One Tie-Clip/Lavaliere Mic
- Flexible Gooseneck Arm
- Input/output Lines For Media Players, Extension Speakers, Recording And Playing Mp3S
- Features A 12.5"W X 4.25"D Storage Shelf
- High Pressure Thermal-Fused Laminate On A MDF Core
- Durable Scratch Resistance Surface

ARISTOCRAT SERIES W/ SOUND

COLORS: MAHOGANY
PRODUCT WEIGHT: 90LBS.
READING SURFACE DIMENSIONS: 23.5"W X 17"D
OVERALL DIMENSIONS: 25"W X 20"D X 46"H

- Includes 50-Watt Multimedia Amplifier
- Two Built In 8" Speakers
- Includes One Handheld Mic And One Tie-Clip/Lavaliere Mic
- Equipped With One Digital Timepiece
- Flexible Gooseneck Arm
- Input/output Lines For Media Players, Extension Speakers, Recording And Playing Mp3S
- High Pressure Thermal-Fused Laminate On A Mdf Core
- Durable Scratch Resistance Surface
- Equipped With Four Roll Casters, Two Locking
- Assembly Required

NPS Product Specifications

800X ORATOR LECTERN

COLORS: MAHOGANY, RIBBONWOOD
PRODUCT WEIGHT: 63LBS.
READING SURFACE DIMENSIONS: 22.5"WX17"D
OVERALL DIMENSIONS: 22"WX17"DX46"H

- Equipped With 40 Watts Multiplayer Amplifier
- Amp has a USB port and Bluetooth capabilities
- Includes One Handheld Mic And One Tie-Clip/Lavaliere Mic
- Input/output Lines For Media Players, Extension Speakers, Recording And Playing Mp3S
- Features A 12"X4" Storage Shelf
- Equipped With A Reading Lamp
- Digital Timepiece Included
- High Pressure Thermal-Fused Laminate On A MDF Core
- Durable Scratch Resistance Surface
- Equipped With Four Casters, Two Locking

950/901 COMBO FLOOR SOUND LECTERN

COLORS: MAHOGANY ON WALNUT
PRODUCT WEIGHT: 187LBS.
READING SURFACE DIMENSIONS: 22.5"WX12.6"D
OVERALL DIMENSIONS: 24"WX20.5"DX48"H

- Custom Built-In 75 Watt Multimedia Amplifier
- Four 4" Speakers Mounted In
- For Audiences Up To 7500 People Or 750000 Sq.
- Includes One Handheld Mic And One Tie-Clip/Lavaliere Mic
- Input/output Lines For Media Players, Extension Speakers, Recording And Playing MP3
- Three Sizeable Storage Spaces And Two Adjustable Shelves
- Two Locking Doors
- Equipped With Reading Lamp
- Digital Timepiece Included
- Ac Plug And Optional Battery Operation Include

611S FLOOR LECTERN W/ SOUND

COLORS: RIBBONWOOD
PRODUCT WEIGHT: 71LBS.
READING SURFACE DIMENSIONS: 16.25"WX23.6"D
OVERALL DIMENSIONS: 24"WX21"DX46"H

- Equipped With Two Shelves
- High Pressure Thermal-Fused Laminate On A Miff Core
- Durable Scratch Resistant Surface
- Equipped With Four Concealed Casters, Two Locking
- Assembly Required

612S FLOOR LECTERN W/ SCREEN AND SOUND

COLORS: RIBBONWOOD
PRODUCT WEIGHT: 73LBS.
READING SURFACE DIMENSIONS: 16.25"WX23.6"D
OVERALL DIMENSIONS: 24"WX21"DX46"H

- Perfect For Customizing Logos for Institutions and Presentations
- Equipped With a 15" LCD Screen Build Into the Front Of The Unit
- Display Images Uploaded With a SD-Card or Flash DriveIncludes a Remote Control
- High Pressure Thermal-Fused Laminate on A MDF Core
- Durable Scratch Resistant Surface
- Equipped With Four Concealed Casters, Two Locking

22 TABLETOP LECTERN

COLORS: MAHOGANY, MEDIUM OAK, BLACK
PRODUCT WEIGHT: 31LBS.
OVERALL DIMENSIONS: 23.75"WX19.875"DX13.75"H

- Functions On Its Own or In Conjunction With 112 Floor Lectern Base
- Features A Paper/Book Stop
- High Pressure Thermal-Fused Laminate On A particleboard Core
- Durable Scratch Resistant Surface

112 LECTERN BASE

COLORS: MAHOGANY, MEDIUM OAK, BLACK
PRODUCT WEIGHT: 50LBS.
OVERALL DIMENSIONS: 21.125"WX17.5"DX33.75"H

- Use with 22 Tabletop Lectern to make a Full Floor Lectern
- Use As An A/V Cart For Presentation Equipment
- Includes Storage Shelf
- Equipped With Four Roll Casters, Two Locking
- Durable Scratch Resistant Surface
- High Pressure Thermal-Fused Laminate On A particleboard Core

222 FULL FLOOR LECTERN

COLORS: MAHOGANY, MEDIUM OAK
PRODUCT WEIGHT: 55LBS.
OVERALL DIMENSIONS: 23"WX16"DX46.5"H

- Features Full Size Reading Surface
- Spacious Shelf for Storage
- Built In Paper/Book Stop
- High Pressure Thermal-Fused Laminate on a Particleboard Core
- Durable Scratch Resistant Surface
- Floor Glides Provided
- Assembly Required
- Optional Caster Kit Available

401S ACRYLIC LECTERN

COLORS: CLEAR
PRODUCT WEIGHT: 55LBS.
OVERALL DIMENSIONS: 24"WX15"DX46"H

- Light Weight and Made From 1/2" And 3/8" Thick Acrylic Plexiglas
- Features a 24"X16" Reading Surface with Book Stop
- Features Convenient 14"X8" Shelf
- Contemporary Style Lectern
- Perfect for Worship and Modern Business Setting

70 LECTERN

COLORS: CHERRY, MEDIUM OAK, MAHOGANY
PRODUCT WEIGHT: 14LBS.
OVERALL DIMENSIONS: 20"WX18.25"DX30-44"H

- Practical Speaker Stand Lectern
- Features 16"X20" Reading Surface

NPS Product Specifications

- Adjustable Height From 30"-44"
- Features Protective T-Mold Edging
- Includes Paper/Book Stop
- Features A 16-Gauge Steel Frame

600 ARISTOCRAT NON-SOUND LECTERN

COLORS: MAHOGANY, MEDIUM OAK, WILD CHERRY
PRODUCT WEIGHT: 92LBS.
OVERALL DIMENSIONS: 25"WX20"DX46"H

- Features 2 Built-In Shelves
- Features 1 Slide-Out Shelf
- Slide Out Shelf Wt. Capacity: 35 Lbs.
- High Pressure Thermal-Fused Laminate On A Mdf Core
- Durable Scratch Resistant Surface
- Attractive T-Mold Edging
- Equipped With Four Roll Casters, Two Locking
- Assembly Required

611 VISION LECTERN

COLORS: RIBBONWOOD
PRODUCT WEIGHT: 68LBS.
READING SURFACE DIMENSIONS: 16.25"WX23.6"D
OVERALL DIMENSIONS: 24"WX21"DX46"H

- Equipped with Two Shelves
- High Pressure Thermal-Fused Laminate on a MDF Core
- Durable Scratch Resistant Surface
- Equipped With Four Concealed Casters, Two Locking
- Assembly Required

612 VISION LECTERN W/ SCREEN

COLORS: RIBBONWOOD
PRODUCT WEIGHT: 70LBS.
READING SURFACE DIMENSIONS: 16.25"WX23.6"D
OVERALL DIMENSIONS: 24"WX21"DX46"H

- Perfect for Customizing Logos for Institutions and Presentations
- Equipped with a 15" LCD Screen Built into the Front of the Unit
- Display Images Uploaded with a SD-Card or Flash Drive
- Includes a Remote Control
- High Pressure Thermal-Fused Laminate on a MDF Core
- Durable Scratch Resistant Surface
- Equipped With Four Concealed Casters, Two Locking

ZED LECTERN

COLOR: BLACK
PRODUCT WEIGHT: 47.6 LBS.
PRODUCT DIMENSIONS: 19.5"W X 19.5"D X 46.5"H

- Equipped With 40 Watts Multiplayer Amplifier
- Built four 4" 40W speakers
- Includes One gooseneck Mic and One Tie-Clip/Lavaliere Mic
- Input/output Lines for Media Players, Extension Speakers, USB, Bluetooth, Recording & Playing Mp3S
- Equipped with a Halogen Lamp
- Digital Timepiece Included
- High Pressure Thermal-Fused Laminate on A MDF Core
- Durable Scratch Resistance Surface
- Equipped with Four Casters

CHARGING CARTS

DCC DUET CHARGING CART

DIMENSIONS: OVERALL: 281/8"W X 22"D X 38 3/4"H
SURFACE: 22 3/4"W X 21 1/8"D
SHELF: 22 3/4"W X 15 1/2"D

- 2 UL approved power strips with 32 outlet
- Power components are UL and cUL certified
- Adjustable height shelves can be adjusted in 2 1/3" increments
- Fits laptops and tablets with all types of screens up to 15.6" when configured to hold 32 devices

- Maintenance area with four storage shelves for device adaptors
- 18-gauge heavy-duty steel parts
- 4 heavy-duty 4" casters, 2 locking
- 2 point locking system on front and back doors
- One 12ft. power cord to plug into wall
- Hook to wrap the power cord on the side of the cart
- Removable well-ventilated dividers
- Dividers can be positioned at any width in 1 1/8" increments
- Built in wire channels on each divider
- Two-tone modern design
- Dura-flex working surface on top of cart

PRESENTATION CARTS

WIZARD PRESENTATION CART

COLORS: WILD CHERRY, BLACK
PRODUCT WEIGHT: 95LBS.
OVERALL DIMENSIONS: 21"WX18"DX40"H

- Constructed Of 18-Gauge Steel With Square Tube Corner Support
- Equipped With A Console—Including Both VGA/HDMI Pass-Through Plate
- One Lockable Storage Cabinet
- Features One Sliding Shelf
- Outfitted With A Flip Up Side Shelf On Desk Surface For Additional Space
- A Large Secured Cabinet With Adjustable Shelf
- Equipped With Four 4" Roll Casters
- Mounted In A 25-Foot Cord With A 6-Outlet Power Strip

MMC PRESENTATION CART

COLORS: WILD CHERRY, BLACK
PRODUCT WEIGHT: 93LBS.
OVERALL DIMENSIONS: 25"WX19"DX38"H

- Features A Front Slide-Out Shelf
- Large Work Surface With Dual Flip-Up Shelves
- One Lockable Storage Cabinet With Adjustable Height Shelf
- One Lockable Drawer
- Constructed From High Pressure Thermofused Laminate On Board Core
- Equipped With 3" Casters, Two Locking

PRC200 PRESENTATION CART

COLORS: IVORY WOODGRAIN/BLACK, BLACK
PRODUCT WEIGHT: 36LBS.
OVERALL DIMENSIONS: 18"WX30"DX40.5"H

- Features 4 Shelves For Audio-Visual Equipment
- Adjustable Shelf From 19" To 39.5" For Sitting Or Standing Position
- Equipped With Wire Management Grommets
- Mounted Six Outlet Power Strip
- Furnished In Black Steel Frame With Ivory Wood Grain Shelves
- Equipped With Four 3" Caster, Two Locking

PRC250 PRESENTATION CART

COLORS: IVORY WOODGRAIN/BLACK, BLACK
PRODUCT WEIGHT: 84LBS.
OVERALL DIMENSIONS: 18"WX30"DX40.5"H

- Features 4 Shelves For Audio-Visual Equipment
- Adjustable Shelf From 19" To 39.5" For Sitting Or Standing Position
- Features a lockable cabinet with 3 adjustable/removable shelves Equipped With Wire Management Grommets
- Mounted Six Outlet Power Strip
- Furnished In Black Steel Frame With Ivory Wood Grain Shelves
- Equipped With Four 3" Caster, Two Locking

PRC400 PRESENTATION CART

COLORS: IVORY WOODGRAIN/BLACK, BLACK
PRODUCT WEIGHT: 100.5LBS.
OVERALL DIMENSIONS: 21"WX333"DX40"H

- Features An Extra Large Work Surface And Optional Board
- Outfitted With A Storage Compartment To Safeguard Av Equipment
- 18-Gauge, Black Steel Frame With An Ivory Wood Grain Finish
- Locking Cabinet With An Adjustable Middle Shelf

NPS Product Specifications

- Wire Management And Grommets Included
- Equipped With Four 4" Casters, Two Locking

PRC450 PRESENTATION CART

COLORS: IVORY WOODGRAIN/BLACK, BLACK
PRODUCT WEIGHT: 117.5LBS.
OVERALL DIMENSIONS: 18"W X 30"D X 40.5"H

- Features An Extra Large Work Surface And Optional Board
- Outfitted With A Storage Compartment To Safeguard Av Equipment
- 18-Gauge, Black Steel Frame With An Ivory Wood Grain Finish
- Locking Cabinet With An Adjustable Middle Shelf
- Wire Management And Grommets Included
- A Six-Outlet Power Strip With 20 Ft Cord, And A Cpu Holder Included
- Equipped With Four 4" Casters, Two Locking

BASICS BY NPS

PT3020 / PERSONAL TABLE

- 1.67" thick tabletop.
- NPS Speckled Grey tabletop.
- 20" x 30" tabletop
- Tabletop has a plastic clip to hold the legs in place.
- Powder coated textured grey frames and legs
- Table weight is: 10 lbs
- Table glides are strong and not removable by hand.
- Hex bolt connecting the cross tubes is installed with a nylon insert lock nut and cannot be easily removed.
- Cross brace and tubes are welded nicely.
- Table can be adjusted to 6 different heights:
 - 13-2/3"
 - 18-1/3"
 - 21-2/3"
 - 24-1/4"
 - 26-1/4"
 - 27-7/8"

CL 850 SERIES / COMMERCIALLINE STACK CHAIR

DIMENSIONS: OVERALL: 20"W X 19 1/2"D X 31 3/4"H
SEAT: 17 3/4"W X 17"D X 17"H · BACK: 17 1/2"W X 13 1/2"H

- Polypropylene seat and back
- 18 gauge, 1/2" steel tubing
- Black powdercoated frame
- Ganging glides
- Can stack up to 30 high with our DY-CL85 Dolly
- Chair weight - 8.2 lbs.
- Carton of 4 weight 38.8 lbs. · Carton of 1 weight 13.2 lbs.
- Carton of 4 Dimensions- 23" x 21" x 37" · Carton of 1 Dimensions 22" x 21" x 33"
- Ships from TN
- Freight Class 150
- 250 lbs. weight capacity
- Available Colors: ■ Navy ■ Black

DIMENSIONS: OVERALL: 29 1/4"H X 18"W X 19 1/2"D
FOLDED: 37 3/4"H X 18 1/8"W X 2"D
SEAT: 17 1/4"H X 16"W X 16" D / BACK: 7"H X 17 7/8"W

- Front leg tube: 7/8"x19 gauge
- Rear leg tube: 7/8"x 20 gauge
- Cross bar: 15mm x 21 gauge
- Seat steel plate: 0.8mm
- Back steel plate: 0.6mm
- Chair weight - 8.5 lbs
- Gross weight with box - 36.5 lbs
- 250 lbs. weight capacity
- Available Colors: ■ Beige ■ Grey ■ Black

CL 950 SERIES / COMMERCIALLINE VINYL PADDED FOLDING CHAIR

DIMENSIONS: OVERALL: 29 1/4"H X 18 1/2"W X 19 1/2"D
FOLDED: 37 3/4"H X 18 1/8"W X 2 1/2"D

SEAT: 17 3/4"H X 15 1/2"W X 15 1/2" D / BACK: 7"H X 18"W

- Front leg tube: 7/8"x19 gauge
- Rear leg tube: 7/8"x 20 gauge
- Cross bar: 15mm x 21 gauge
- Seat steel plate: 0.7mm
- Back steel plate: 0.6mm
- Seat fibreboard: 3mm
- Seat/back vinyl: 0.24mm
- Chair weight - 9.75 lbs
- Gross weight with box - 36.5 lbs
- 250 lbs. weight capacity
- Available Colors: ■ Beige/Beige ■ Grey/Grey ■ Black/Black

CL 970 SERIES / COMMERCIALLINE FABRIC PADDED FOLDING CHAIR

DIMENSIONS: OVERALL: 29 1/4"H X 18 1/2"W X 19 1/2"D
FOLDED: 37 3/4"H X 18 1/8"W X 2 1/2"D
SEAT: 17 3/4"H X 15 1/2"W X 15 1/2" D / BACK: 7"H X 18"W

- Front leg tube: 7/8"x19 gauge
- Rear leg tube: 7/8"x 20 gauge
- Cross bar: 15mm x 21 gauge
- Seat steel plate: 0.7mm
- Back steel plate: 0.6mm
- Seat fibreboard: 3mm
- Seat/back vinyl: 0.24mm
- Chair weight - 9.75 lbs
- Gross weight with box - 36.5 lbs
- 250 lbs. weight capacity
- Available Colors: ■ Star Trail Black Fabric / Black Frame, ■ Star Trail Brown Fabric / Beige Frame, ■ Star Trail Blue / Navy Blue Frame

DY-CL85 / DOLLY FOR CL-850 SERIES CHAIRS

DIMENSIONS: OVERALL: 21 3/4"W X 31 1/2"L X 17-1/3"H

- Stacks 30 850-CL chairs.
- Product weight 52 lbs.
- Carton dimensions 22" x 32 1/4" x 18"
- Carton weight 57 lbs.
- Hard Rubber Locking Casters 3" x 1 1/4"

Protecting the environment is one of the most important factors affecting the future of the planet. Most people are now aware of the necessity of preserving and protecting nature in order to ensure our well-being and that of our children. Pollution, especially that related to the over-consumption of raw materials, has reached alarming levels due to our current lifestyle. That is why at National Public Seating® we are constantly striving to minimize the consequences of our activities.

At National Public Seating®, the quality of our products and the protection of the environment go hand in hand. As a consumer of raw material, we are committed to the use of pre and post consumer waste (recycled material), while preserving the high quality standards of our products.



ENVIRONMENTAL STATEMENT

EXAMPLES OF THIS INCLUDE:

- **STEEL** - All of the steel for our products contain 30-40% of post-consumer waste (recycled).
- **CORRUGATED CONTAINERS** - Are made of recycled fiber. 100% total recycled content and 90% post consumer content minimum.
- **PLASTIC** - Our plastic products contain up to 35% of pre-consumer waste.
- **WOOD** - 100% of wood used for our products comes from non-boreal forests.
- **POWDER COATING VS. LIQUID FINISHES** - Our products are powder coated and are highly protective to our environment. While liquid finishes contain solvents which have pollutants known as volatile organic compounds (VOCs), powder coating contains no solvents and releases negligible amounts, if any, of VOCs into the atmosphere. In addition, most powder coating overspray that does not adhere to the part is retrieved and reused, virtually eliminating the waste commonly found in liquid finishing processes.
- **ENERGY** - During November 2008, National Public Seating®, completed a retrofit of all its lighting (over 800 fixtures), to eco-friendly units, saving 135,586 kWh annually. This reduction in energy consumption has an environmental impact equivalent to removing 20 cars from the road, 84 tons of greenhouse gas (CO₂) and saving 198 barrels of oil annually!
- **AIR EMISSIONS** - Our Folding Chairs are manufactured within ANSI BIFMA X7.1 2007 VOC Air Emission guidelines; Criteria #1 - TVOC, Formaldehyde, All Aldehydes & 4-Phenylcyclohexene.
- **MAS CERTIFIED GREEN** - The entire NPS® Product Line is now MAS Certified Green™, a nationally recognized registered trademark delineating low VOC emitting products in the marketplace so that purchasers and specifiers of those products know that they can earn credits in sustainability programs like LEED, BIFMA's Level, and California CHP program.
- **SOLAR ENERGY** - As the industry leader in institutional-grade furniture, including portable folding furniture for lunch rooms, training rooms, etc., & furniture for worship halls, science labs, music programs, performing arts, cafeterias & others, NPS® continues to trailblaze in setting the standard for environmental stewardship. In addition to minimizing its eco footprint in the areas of raw material sourcing, energy consumption & air emissions, NPS® is proud to announce a major solar panel installation on the roof of its 200,000 square foot factory facility in its corporate headquarters in Clifton, NJ, completed Summer 2011. Via the installation of a 240KW solar PV system on its roof, we will offset most of the local utility's need to burn oil and gas for electrical production in the public grid and therefore reduce greenhouse gas emissions into the atmosphere. Since we will be generating 80% of the electricity that we use with this system, we have cut our carbon footprint significantly.



WARRANTY INFORMATION

National Public Seating® offers the original user a warranty against all manufacturing defects in material and workmanship from date of purchase for ten years*. If defective, NPS will, at its option, repair or replace the defective product. This warranty does not apply to damage resulting from misuse, abuse or neglect. Excessive swaying back and forth on any banquet stack chair will entirely void the warranty. Authorization for return and / or repairs is required by contacting your dealer. This warranty gives you specific rights, and you may also have other rights which vary by state.

Orders are accepted under the express agreement that under no circumstances will seller be liable for any incidental or consequential damages, or for any other loss,

damage or expense of any kind, including loss of profits, arising in connection with the order or with the use or inability to use seller's products furnished under the order. Seller's maximum liability shall not exceed and buyer's remedy is limited to either (i) repair or replacement of the defective part or product, or at seller's option (ii) return of the product and refund of the purchase price. Such remedy shall be the buyer's entire and exclusive remedy.

*Fifteen years for Mobile Cafeteria Tables,

*One year for Basics By NPS



ADDRESS 149 Entin Road | Clifton, New Jersey 07014
TEL 800.261.4112 | **FAX** 973.594.9339
www.nationalpublicseating.com





SOLD THRU:

**National
Public
Seating**



149 Entin Road | Clifton, NJ 07014
Tel 800.261.4112 | Fax 888.261.4113
www.nationalpublicseating.com

