

**ALL MODELS:** • Freight class 200 • WARRANTY: 30 Days initial defect on lids/ pans/ panholders/ false bottoms, graphics; 90 days on sneeze guards & wheels installed by end user; 1 year on other factory installed items

### SNEEZE GUARDS - For MobileServ® Food Carts



• Stainless steel & polycarbonate • UL Sanitary • May be attached by end user









SG-1: Sneeze Guard for CBC-HHH Carts

• Stainless top shelf for filled plates

Stainless top shelf for filled plates

SG-4: Sneeze Guard for CBC-HHHH Carts SGJ-2: Sneeze Guard for Junior/ CBC-HH Carts

# LIDS & STAINLESS STEAM PANS (• UL Sanitary) & FALSE BOTTOMS (• \*NSF)

















C-DPF2-HD

CL-3

**FALSE BOTTOMS** 

 Hold food above pan bottom for draining and/or keeping food moist • Universal fit for 1/3 and 1/2 size steam pans

 Stainless steel • 1/2" height above pan bottom

• 3/8" diameter holes

CDT-2: Half Size False Bottom CDT-3: Third Size False Bottom CDT-6: SixthSize False Bottom

# C-DPF2-HD: Clear Rolltop Lid

- Fits full size steam pan
- Eastman Tritan™ copolyester
- Corrosion-resistant metal hinges

# CL-2: Half Size Clear Lids Accessory Pack

2 clear polycarbonate lids for 1/2 size pans

# **CL-3: Third Size Clear Lids Accessory Pack** • 3 clear polycarbonate lids for 1/3 size pans

- SPL-2P: Half Size Steam Pan with Clear Lid
- 1/2 size (2-1/2" deep) stainless pan w/clear lid
- SPL-3P: Third Size Steam Pan with Clear Lid
- 1/3 size (2-1/2" deep) stainless pan w/clear lid

# STAINLESS PAN HOLDERS & COLD BAY KIT - For All Current Food & Demo Carts

# ALL MODELS:

- Hold pans on cart warming surface
  - May be attached by end user
- ONLY for Food Carts built after 9-1-2013 / Demo Carts built after 1/1/2016

UL Sanitary

# PS-CBC-2: Steam Pan Holder Accessory For 21/2" High Pans

- Holds one full size, 2 half size, or 3 third size steam pans
- PS-CBC-4: Steam Pan Holder Accessory For 4" High Pans
- Holds one full size, 2 half size, or 3 third size steam pans









PS-CBC-2

PS-CBC-4

PS-CBC-6

PS-CBC-6: Pan Holder Accessory for 6" Deep Cold Pans

• Stainless pan holder holds 2 half size 6" deep Cambro® ColdFest™ pans (or equivalent; pans not included.) Converts cart hot bay to cold bay.

# PS-CBC-6CP: Cold Bay Pan Holder Kit

 Stainless pan holder & 2 half size 6" deep Cambro® ColdFest™ pans with Cambro® lids. Converts cart hot bay to cold bay.

# **TRAY SLIDES**

• Flips up & locks for use; flips down for storage • Stainless steel • Adds 14" to cart depth when up • UL Sanitary • Factory installed during cart build





# **TS-OCT:** Tray Slide for CBC-OCT Carts

- One 25" W x 14"D stainless shelf
- Adds 12 lbs. to cart ship weight

# TS-GG2: Tray Slide for CBC-GG-2/GG-B2 Carts

- One 32" W x 14"D stainless shelf
- Adds 14 lbs. to cart ship weight

# TS-3: Tray Slide for CBC-HHH Carts

- W: 45-1/2" x H: 1" x D: 14"
- Adds 18 lbs. to cart ship weight

# TS-GG3: Tray Slide for CBC-GG-B3 Carts

- One 48-3/4" W x 14"D stainless shelf
- Adds 21 lbs. to cart ship weight

# TS-4: Tray Slide for CBC-HHHH Carts

- W: 60-1/4" x H: 1" x D: 14"
- Adds 24 lbs. to cart ship weight.

# TS-GG4: Tray Slide for CBC-GG-4/B4 Carts

- One 53-1/2" W x 14"D stainless shelf
- Adds 23 lbs. to cart ship weight



# **Accessories for MobileServ® Food Carts** & Demo/Sampling Carts

# **SAFETY SHIELDS - For Food & Demo Carts**

Prevent diners from touching hot top of cart surface
Stainless steel
May be attached by end-user; for carts built after 1/1/2016
UL



SS-36: For CBC-SDCX Demo Carts SS-46: For CBC-PHRX Demo Carts



SS-49: For CBC-HHH Carts SS-64: For CBC-HHHH Carts

# FLIP-UP OUTER SHELF





FUS-1L: Flip-up Outer Shelf (left side - user view) FUS-1R: Flip-up Outer Shelf (right side - user view)

- Flips up & locks for use; flips down for storage
- One 22" W x 25-3/4" D stainless shelf
- Adds 19" to cart width when up
- Factory installed during cart build
- UL Sanitary

# **JUNCTION BOX**



# C-JB: Junction Box for Carts with Heat

- Provides additional 120V outlet inside cart for other appliances (1 outlet used by cart hot bays & register outlet; available power depends on power draw of cart & register outlet)
- Factory installed during cart build

# PNEUMATIC WHEELS










# PW-4: Outdoor Pneumatic Wheels Kit

- Set of (4) 6" diameter wheels w/ locks
- Rubber wheels w/ steel hardware
- 7-1/2" floor clearance
- Factory installed during cart build

# **BEVERAGE STATION**



- Hooks onto Cadco FUS-1L/ FUS-1R Flip-up Shelves cart accessories
  - Stainless steel construction
- Space for 2 airpots, 4 flavoring dispensers, cups and lids (not included)
  - May be attached by end user
    - 90 day limited warranty





**GGAS-2** 

# Adjustable Inner Shelves for CBC-GG Series Grab & Go Carts

- Adjustable height stainless shelf for inside of cart
- Stainless steel
- May be attached by end user

**GGAS-4:** for CBC-GG-4 / B4 carts (set of 2 - half width) GGAS-3: for CBC-GG-B3 carts (set of 2 - half width) GGAS-2: for CBC-GG-2 / B2 carts (1 - full width)



GGAS-3/ GGAS-4



# **SECURITY DOORS**

**DC-SD:** Security Doors for CBC-DC Carts

- Stainless swing-out doors with lock & 2 keys
- Factory installed during cart build
- UL Sanitary

# **CUSTOM GRAPHICS PANELS**

- Set of vinyl decal panels for front & sides of cart
- See cadco-ltd.com for artwork guidelines & template library
  - Factory installed during cart build

CG-S: for CBC-GG-2/B2, CBC-HH, SDCX, BC-4, BC-2 Carts CG-M: for CBC-GG-B3, CBC-HHH, CBC-DC, CBC-PHRX Carts CG-L: for CBC-GG-4/B4, CBC-HHHH, BC-3 Carts





**CUSTOM MAGNETS** (for carts with stainless or Clad-Rex™ front & side panels) CM-LOGO: Set of 2 small (up to 144 sq. in. ea.) magnets

1 magnet to fill front panel of cart:

CM-FRONT-L: for CBC-GG-4/B4 carts; CM-FRONT-M for CBC-GG-B3 carts; CM-FRONT-S for CBC-GG-2/B2 carts



Model	Color	Unit Dimensions	Unit Wt.	Ship Wt.*	Carton Dimensions*	Cube	UPC#
BEVS-1	Stainless	w:24", h:10", d:16"	11 lbs.	19 lbs.	w:28", h:13, d:19	4.0	654796-99287-4
CDPF-2-HD	Clear	w:211/2", h:7", d:131/4"	4 lbs.	9 lbs.	w:163/4", h:81/2, d:221/8"	1.82	654796-96121-4
CDT-2	Stainless	w:95/32", h:1/2", d:117/32"	0.9 lb.	1 lb.	w:11", h:3/4", d:15"	0.08	654796-96231-0
CDT-3	Stainless	w:59/32", h:1/2", d:117/32"	0.6 lb.	1 lb.	w:11", h:3/4", d:15"	0.08	654796-96230-3
CDT-6	Stainless	w:5", h:3/8", d:51/2"	0.25 lb.	1 lb.	w:11", h:3/4", d:15"	0.08	654796-96230-3
CG-L	Custom	varies with cart model	-	-	Factory installed on cart	-	654796-99419-9
CG-M	Custom	varies with cart model	-	-	Factory installed on cart	-	654796-99418-2
CG-S	Custom	varies with cart model	-	-	Factory installed on cart	-	654796-99417-5
C-JB	Stainless	w:23/8", h:41/2", d:11/4"	5 lbs.	5 lbs.	Factory installed on cart	-	654796-99280-5
CL-2	Clear	ea.: w:127/8", h:21/2", d:101/2"	2 = 1.3 lbs.	2 = 3 lbs.	w:15", h:5", d:12"	0.52	654796-96117-7
CL-3	Clear	ea.: w:127/8", h:21/2", d:7"	2 = 1.35 lbs.	3 = 3 lbs.	w:15", h:5", d:12"	0.52	654796-96116-0
CM-FRONT-L	Custom	varies with cart model	5.67 lbs.	7 lbs.	w:51/4", h:36", d:51/4"	0.58	654796-99219-5
CM-FRONT-M	Custom	varies with cart model	4.24 lbs.	6 lbs.	w:51/4", h:36", d:51/4"	0.58	654796-99218-8
CM-FRONT-S	Custom	varies with cart model	3 lbs.	5 lbs.	w:51/4", h:36", d:51/4"	0.58	654796-99217-1
CM-LOGO	Custom	varies with logo design	1.13 lbs.	3 lbs.	w:183/4", h:1/2", d:141/2"	0.08	654796-99207-2
DC-SD	Stainless	w:47", h:24", d:1"	20 lbs.	20 lbs.	Factory installed on cart	-	654796-99281-2
FUS-1L	Stainless	w:22", h:1", d:25 <sub>3/4</sub> "	20 lbs.	20 lbs.	Factory installed on cart	-	654796-99410-6
FUS-1R	Stainless	w:22", h:1", d:25 <sub>3/4</sub> "	20 lbs.	20 lbs.	Factory installed on cart	-	654796-99416-8
GGAS-2	Stainless	w:30", h:11/8", d:287/8"	10 lbs.	15 lbs.	w:32", h:31/2", d:31"	2	654796-99274-4
GGAS-3	Stainless	w:221/2", h:11/8", d:287/8"	13 lbs.	20 lbs.	w:243/4", h:43/4", d:31"	2.11	654796-99275-1
GGAS-4	Stainless	w:243/4", h:11/8", d:251/2"	15 lbs.	25 lbs.	w:263/4", h:43/4", d:271/2"	2.04	654796-99276-8
PS-CBC-2	Stainless	w:203/4", h:21/2", d:141/4"	2 lbs.	6 lbs.	w:27", h:31/2", d:15"	0.82	654796-99997-2
PS-CBC-4	Stainless	w:203/4", h:4", d:141/4"	3 lbs.	8 lbs.	w:24", h:41/4", d:15"	1.02	654796-99996-5
PS-CBC-6	Stainless	w:207/8", h:61/2", d:137/8"	5.4 lbs.	10 lbs.	w:28", h:91/2", d:171/4"	2.6	654796-99999-6
PS-CBC-6CP	SS/White	w:207/8", h:7", d:137/8"	21 lbs.	30 lbs.	w:28", h:91/2", d:171/4"	2.6	654796-99406-9
PW-4	SS/Black	ea.: w:9", h:10", d:51/2"	4 = 29.6 lbs.	4 = 33 lbs.	w:171/4", h:11", d:171/4"	2.0	654796-99282-9
SG-1	SS/Clear	w:461/2", h:203/4", d:245/8"	17 lbs.	*100 lbs.	*w:42", h:531/2", d:48"	*62.4	654796-99994-1
SG-4	SS/Clear	w:611/4", h:203/4", d:245/8"	40 lbs.	*110 lbs.	*w:42", h:69", d48"	*80.5	654796-99998-9
SGJ-2	SS/Clear	w:46", h:15", d:15"	10 lbs.	*100 lbs.	*w:42", h:531/2", d:48"	*62.4	654796-99995-8
SPL-2P	SS/Clear	w:127/8", h:5", d:101/2"	1.95 lbs.	2 lbs.	w:131/4", h:31/2", d:11"	0.3	654796-96122-1
SPL-3P	SS/Clear	w:127/8", h:5", d:7"	1.3 lbs.	2 lbs.	w:131/4", h:31/2", d:71/2"	0.2	654796-96123-8
SS-36	Stainless	w:363/8", h:41/2", d:7"	3 lbs.	6 lbs.	w:38", h:5", d:8"	0.9	654796-99414-4
SS-46	Stainless	w:463/8", h:41/2", d:7"	4.2 lbs.	8 lbs.	w:48", h:5", d:8"	1.11	654796-99415-1
SS-49	Stainless	w:493/8", h:41/2", d:7"	4.6 lbs.	8 lbs.	w:51", h:5", d:8"	1.18	654796-99412-0
SS-64	Stainless	w:64", h:41/2", d:7"	6.5 lbs.	12 lbs.	w:65", h:5", d:8"	1.5	654796-99413-7
TS-3	Stainless	w:451/2", h:1", d:14"	21 lbs.	21lbs.	Factory installed on cart	-	654796-99407-6
TS-4	Stainless	w:601/4", h:1", d:14"	25 lbs.	25 lbs.	Factory installed on cart	-	654796-99408-3
TS-GG2	Stainless	w:32", h:1", d:14"	14 lbs.	14 lbs.	Factory installed on cart	-	654796-99284-3
TS-GG3	Stainless	w:48 <sub>3/4</sub> ", h:1", d:14"	21 lbs.	21 lbs.	Factory installed on cart	-	654796-99285-0
TS-GG4	Stainless	w:531/2", h:1", d:14"	23 lbs.	23 lbs.	Factory installed on cart	-	654796-99286-7
TS-OCT	Stainless	w:25", h:1", d:14"	12 lbs.	12 lbs.	Factory installed on cart	-	654796-99283-6
SS-32	Stainless	w:32.5", h:4.5", d:0.5"	6 lbs.	6.75	Factory installed on cart	-	654796-99416-2
SS-54	Stainless		8 lbs.	8.75	Factory installed on cart	-	654796-99416-3

All Sneeze Guards: \*Ship Weights/Dimensions include shipping skid

For more information, please contact Cadco, Ltd, 200 International Way, Winsted, CT 06098 Tel. (860)738-2500 • Fax (860) 738-9772 • E-mail: info@cadco-ltd.com • Web site: cadco-ltd.com