

EVERSTEEL™



The reliability of T&S, now in **PREMIUM STAINLESS STEEL**

EVERSTEEL™

The reliability of T&S, now in
PREMIUM STAINLESS STEEL



T&S' EVERSTEEL LINE: A CLASS BY ITSELF



- ✓ Superior-grade stainless steel
- ✓ Unparalleled build quality
- ✓ Surprisingly affordable
- ✓ Lifetime warranty



T&S' EVERSTEEL OPTIONS ARE AVAILABLE IN:

- Manual faucets
- Pre-rinse units
- Low profile pre-rinse units
- Spray valves
- Glass fillers
- Accessories



DESIGNED TO MEET THE FOLLOWING COMPLIANCE/CERTIFICATIONS

NORTH AMERICA

- ASME A112.18.1 / CSA B125.1
- NSF 61
- NSF 372

GLOBAL (ongoing)

- DVGW
- PUB
- WaterMark
- SASO




EverSteel standard and low profile pre-rinse units feature the **NEW STAINLESS STEEL S-0107-Y SPRAY VALVE**, a new patented design with more cleaning power and the highest durability of any spray valve on the market.

EVERSTEEL™

Designed to last



PRE-RINSE UNITS



PENDING GLOBAL CERTIFICATIONS

Designed to meet all global certification requirements, including SASO, WaterMark, PUB, CSA, NSF and DVGW

EASY TO CLEAN

Stainless steel resists staining and water spots

LEAD-FREE

Stainless-steel construction is completely lead-free for worry-free performance

PROVEN T&S DESIGN

EverSteel uses time-tested T&S designs to provide long-lasting reliability

BRUSHED SATIN FINISH

NEW S-0107-Y SPRAY VALVE

Standard on U.S. and Canada pre-rinse units and low-profile pre-rinse units, this new design boasts more cleaning power and the highest durability on the market

ADD-ON FAUCETS

Models available with and without

S-0107-Y

Lack of center screw prevents overtightening and there are fewer replaceable parts.

TRUE STAINLESS STEEL

Heavy-duty construction with stainless steel provides commercial-duty durability

QUARTER-TURN CARTRIDGES

With built-in cross-flow prevention



COMMERCIAL-DUTY CONSTRUCTION
with professional-grade materials provides long-lasting durability.



LIFETIME COMPREHENSIVE WARRANTY
for assurance and peace of mind.



LOW-PROFILE MODELS
available to fit smaller spaces.



GLOBAL SHIPPING
T&S products available worldwide.



A NEW CLASSIC
Same design as classic T&S pre-rinse units, now in true stainless steel.

STAINLESS STEEL PRE-RINSE UNITS

S-0113-BY

- Single hole deck-mount mixing faucet
- EasyInstall riser for quick installation
- 44" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107-Y)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



S-0113-A12-B

- Single hole deck-mount mixing faucet
- EasyInstall add-on faucet
- 12" swing nozzle with stream regulator outlet, Series 1
- 44" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



S-0113-A12-BY

- Single hole deck-mount mixing faucet
- EasyInstall add-on faucet
- 12" swing nozzle with stream regulator outlet, Series 1
- 44" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107-Y)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



S-0113-BJ

- Single hole deck-mount mixing faucet
- EasyInstall riser for quick installation
- 44" flexible hose with heat resistant handle
- 1.07 GPM spray valve (S-0107-J)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



S-0113-B

- Single hole deck-mount mixing faucet
- EasyInstall riser for quick installation
- 44" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



S-0113-A12-BJ

- Single hole deck-mount mixing faucet
- EasyInstall add-on faucet
- 12" swing nozzle with stream regulator outlet, Series 1
- 24" rigid riser
- 44" flexible hose with heat resistant handle
- 1.07 GPM spray valve (S-0107-J)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



S-0133-BY

- 8" wall-mount mixing faucet
- EasyInstall riser for quick installation
- 44" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107-Y)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 1/2" NPT female eccentric inlets with 2" flanges
- Adjustable centers from 7 3/4" to 8 1/4"



S-0133-A12-B

- 8" wall-mount mixing faucet
- EasyInstall add-on faucet
- 12" swing nozzle with stream regulator outlet, Series 1
- 44" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 1/2" NPT female eccentric inlets with 2" flanges
- Adjustable centers from 7 3/4" to 8 1/4"



S-0133-A12-BY

- 8" wall-mount mixing faucet
- EasyInstall add-on faucet
- 12" swing nozzle with stream regulator outlet, Series 1
- 44" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107-Y)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 1/2" NPT female eccentric inlets with 2" flanges
- Adjustable centers from 7 3/4" to 8 1/4"



S-0133-BJ

- 8" wall-mount mixing faucet
- EasyInstall riser for quick installation
- 44" flexible hose with heat resistant handle
- 1.07 GPM spray valve (S-0107-J)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 1/2" NPT female eccentric inlets with 2" flanges
- Adjustable centers from 7 3/4" to 8 1/4"



S-0133-B

- 8" wall-mount mixing faucet
- 44" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 1/2" NPT female eccentric inlets with 2" flanges
- Adjustable centers from 7 3/4" to 8 1/4"



S-0133-A12-BJ

- 8" wall-mount mixing faucet
- EasyInstall riser for quick installation
- EasyInstall add-on faucet
- 12" swing nozzle with stream regulator outlet, Series 1
- 44" flexible hose with heat resistant handle
- 1.07 GPM spray valve (S-0107-J)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 1/2" NPT female eccentric inlets with 2" flanges
- Adjustable centers from 7 3/4" to 8 1/4"



STAINLESS STEEL LOW PROFILE PRE-RINSE UNITS

SMPF-2DLN-06

- Single hole deck-mount mixing faucet
- EasyInstall add-on faucet
- 6" swing nozzle with stream regulator outlet, Series 1
- 24" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107-Y)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



SMPK-2DLN-06

- Single hole deck-mount mixing faucet
- EasyInstall add-on faucet
- 6" swing nozzle with stream regulator outlet, Series 1
- 24" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



SMPF-2DLN-08

- Single hole deck-mount mixing faucet
- EasyInstall add-on faucet
- 8" swing nozzle with stream regulator outlet, Series 1
- 24" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107-Y)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



SMPK-2DLN-08

- Single hole deck-mount mixing faucet
- EasyInstall add-on faucet
- 8" swing nozzle with stream regulator outlet, Series 1
- 24" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



SMPF-8WLN-06

- Wall-mount mixing faucet
- EasyInstall add-on faucet
- 6" swing nozzle with stream regulator outlet, Series 1
- 24" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107-Y)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 1/2" NPT female eccentric inlets with 2" flanges
- Adjustable centers from 7 3/4" to 8 1/4"



SMPK-8WLN-06

- 8" wall-mount mixing faucet
- EasyInstall add-on faucet
- 6" swing nozzle with stream regulator outlet, Series 1
- 24" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 1/2" NPT female eccentric inlets with 2" flanges
- Adjustable centers from 7 3/4" to 8 1/4"



SMPM-2DLN-06

- Single hole deck-mount mixing faucet
- EasyInstall add-on faucet
- 6" swing nozzle with stream regulator outlet, Series 1
- 24" flexible hose with heat resistant handle
- 1.07 GPM spray valve (S-0107-J)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



SMPM-2DLN-08

- Single hole deck-mount mixing faucet
- EasyInstall add-on faucet
- 8" swing nozzle with stream regulator outlet, Series 1
- 24" flexible hose with heat resistant handle
- 1.07 GPM spray valve (S-0107-J)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



SMPM-8WLN-06

- 8" wall-mount mixing faucet
- EasyInstall add-on faucet
- 6" swing nozzle with stream regulator outlet, Series 1
- 24" flexible hose with heat resistant handle
- 1.07 GPM spray valve (S-0107-J)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 1/2" NPT female eccentric inlets with 2" flanges
- Adjustable centers from 7 3/4" to 8 1/4"



STAINLESS STEEL PRE-RINSE UNIT ACCESSORIES

S-0107-Y

- 1.15 GPM spray valve
- Blue rubber bumper and handle
- Hold-down ring
- 3/4-14 UN male inlet fitting



S059X

- 6" swing nozzle with stream regulator outlet
- Fits all T&S swivel outlet faucets



S-0107

- 1.15 GPM spray valve
- Blue rubber bumper and handle
- Hold-down ring
- 3/4-14 UN male inlet fitting



S060X

- 8" swing nozzle with stream regulator outlet
- Fits all T&S swivel outlet faucets



S-0107-J

- 1.07 GPM spray valve
- Blue rubber bumper and handle
- Hold-down ring
- 3/4-14 UN male inlet fitting



S062X

- 12" swing nozzle with stream regulator outlet
- Fits all T&S swivel outlet faucets



S-0155-LNEZ

- Add-on faucet less nozzle
- EasyInstall quick installation inlet
- Quarter-turn Eterna cartridge with spring check
- Swivel outlet accepts T&S swing nozzles
- 3/8" NPT female outlet




S133X


- 5 3/4" swivel gooseneck
- S-PT stream regulator outlet
- Fits all T&S swivel outlet faucets



S-0970-FEZ

- 3/8" continuous pressure dual check vacuum breaker
- EasyInstall quick installation inlet for T&S swivel outlet faucets
- 3/8" NPT female inlet and outlet
- Lock washer for rigid conversion included





ITEM NO.	SALES NO.	DESCRIPTION
1	S-0107-Y	1.15 GPM Spray Valve (Blue)
2	010476-45	#27 Washer
3	S000907-30	Stainless Steel Spray Valve Hold-Down Ring
4	S020795-30	Stainless Steel Grip Handle (Blue)
5	001014-45	Washer, Hose Barrel
6	S-0044-H2A	44" Flexible Stainless Steel Hose, Less Handle
7	S000888-30	Stainless Steel EasyInstall Overhead Spring
8	S000821-30	Stainless Steel Spring Body
9	S-0109-01	Stainless Steel 6" Wall Bracket
10	S004R	Stainless Steel Finger Hook
11	S000369-30	Stainless Steel 3/8" NPT x 18" Riser
12	S-0155-LNEZ	Stainless Steel EasyInstall Add-On Faucet with Quarter-Turn Eterna Cartridge & Lever Handle, Less Nozzle
13	SEZ-K	Stainless Steel EasyInstall Kit: Nut, Bushing, O-Ring and Lock Washer
14	S002711-30NS	Stainless Steel Quarter-Turn Eterna Cartridge with Spring Check, Handle, Blue Index and Screw, LTC
15	S012442-30NS	Stainless Steel Quarter-Turn Eterna Cartridge, LTC with Spring Check
16	S00AA	Stainless Steel 1/2" NPT Female Eccentric Flange
17	S002712-30NS	Stainless Steel Quarter-Turn Eterna Cartridge with Spring Check, Handle, Red Index and Screw, RTC
18	S012443-30NS	Stainless Steel Quarter-Turn Eterna Cartridge with Spring Check, RTC
19	S062X	Stainless Steel 12" Swing Nozzle with Stream Regulator Outlet

STAINLESS STEEL GLASS FILLERS

S-1200

- Wall-mount glass filler
- Adjustable 2" wall flange
- Torx wrench adjustable flow outlet (wrench included)
- Dark blue push-back arm
- Instantaneous shut-off



S-1205

- Wall-mount glass filler
- 3/8" NPT male inlet less wall flange
- Torx wrench adjustable flow outlet (wrench included)
- Dark blue push-back arm
- Instantaneous shut-off



S-1210

- 8" deck-mount glass filler
- pedestal with adjustable 2" flange
- Torx wrench adjustable flow outlet (wrench included)
- Dark blue push-back arm
- Instantaneous shut-off



S-1230

- 8" deck-mount water station
- 18 gauge drip pan with drop-in grid and 1 1/4" drain
- 1/2" NPT male inlet
- Torx wrench adjustable flow outlet (wrench included)
- Dark blue push-back arm
- Instantaneous shut-off




EVERSTEEL™

Designed to last



FAUCETS



COMMERCIAL-DUTY
CONSTRUCTION



LIFETIME
COMPREHENSIVE
WARRANTY



EASY TO CLEAN



GLOBAL
SHIPPING



A NEW CLASSIC

S-1110

- 4" deck-mount mixing faucet
- 6" swing nozzle
- Lever handles with color coded indexes
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



S-1115

- 4" wall-mount mixing faucet
- 6" swing nozzle
- Lever handles with color coded indexes
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



S-1110-LN

- 4" deck-mount mixing faucet
- Lever handles with color coded indexes
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections
- Swivel outlet accepts T&S EverSteel swing nozzles



S-1115-LN

- 4" deck-mount mixing faucet
- Lever handles with color coded indexes
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections
- Swivel outlet accepts T&S EverSteel swing nozzles



STAINLESS STEEL WORKBOARD FAUCETS

S-1120-LN

- 8" deck-mount mixing faucet
- Lever handles with color coded indexes
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



S-1142-04

- 8" deck-mount mixing faucet
- 4" wrist action handles with color coded indexes
- 5 3/4" swivel gooseneck
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



S-1125-LN

- 8" wall-mount mixing faucet
- Lever handles with color coded indexes
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



S-1146

- 4" wall-mount mixing faucets
- Lever handles with color coded indexes
- 5 3/4" swivel gooseneck
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



S-1141

- 4" deck-mount mixing faucet
- Lever handles with color coded indexes
- 5 3/4" swivel gooseneck
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



S-1146-04

- 4" wall-mount mixing faucet
- 4" wrist action handles with color coded indexes
- 5 3/4" swivel gooseneck
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



S-1141-04

- 4" deck-mount mixing faucet
- 4" wrist action handles with color coded indexes
- 5 3/4" swivel gooseneck
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



S-1147

- 8" wall-mount mixing faucet
- 5 3/4" swivel gooseneck
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



S-1142

- 8" deck-mount mixing faucet
- Lever handles with color coded indexes
- 5 3/4" swivel gooseneck
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



S-0231

- 8" wall-mount mixing faucet
- Lever handles with color coded indexes
- 12" swing nozzle with stream regulator outlet
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT female eccentric inlets with 2" flanges
- Lock washer provided for rigid application
- Adjustable centers from 7 3/4" to 8 1/4"



S-0300

- Single hole deck-mount mixing faucet
- Lever handles with color coded indexes
- 5 3/4" swivel/rigid gooseneck
- 18" flexible supply hoses with G1/2" female swivel connections
- Stream regulator outlet
- Quarter-turn Eterna cartridges with spring checks



S-0230-LN

- 8" wall-mount mixing faucet
- Lever handles with color coded indexes
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT female eccentric inlets with 2" flanges
- Swivel outlet accepts EverSteel swing nozzles
- Lock washer provided for rigid application
- Adjustable centers from 7 3/4" to 8 1/4"



S-0200-LN

- Single hole deck-mount mixing faucet
- Lever handles with color coded indexes
- 18" flexible supply hoses with G1/2" female swivel connections
- Quarter-turn Eterna cartridges with spring checks
- Lock washer provided for rigid application



S059X

- 6" swing nozzle with stream regulator outlet
- Fits all T&S EverSteel swivel outlet faucets



S062X

- 12" swing nozzle with stream regulator outlet
- Fits all T&S EverSteel swivel outlet faucets



S060X

- 8" swing nozzle with stream regulator outlet
- Fits all T&S EverSteel swivel outlet faucets



S133X

- 5 3/4" swivel gooseneck
- S-PT stream regulator outlet
- Fits all T&S EverSteel swivel outlet faucets









A HISTORY OF EXCELLENCE

T&S Brass and Bronze Works has built a reputation for quality, service and innovation for 75 years –beginning with our original pre-rinse unit, the market’s very first. Today, our products have become the standard for many U.S. hospitals, schools, restaurants, supermarkets and public facilities.

T&S products are highly acclaimed throughout the industry for being well-built, long-lasting and reliable. Rigorous testing and a focus on interchangeability have helped set T&S apart from the competition.

T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690

U.S. Toll-free 800-476-4103 • +1 864-834-4102 • *Fax* 800-868-0084

E-mail customerservice@tsbrass.com

Canada Toll-free +1 888-288-0432

