

# EVERSTEEL™



The reliability of T&S, now in **PREMIUM STAINLESS STEEL**

# EVERSTEEL™

The reliability of T&S, now in  
**PREMIUM STAINLESS STEEL**



## T&S' EVERSTEEL LINE: A CLASS BY ITSELF



- ✓ Superior-grade stainless steel
- ✓ Unparalleled build quality
- ✓ Surprisingly affordable
- ✓ Lifetime warranty



### T&S' EVERSTEEL OPTIONS ARE AVAILABLE IN:

- Manual faucets
- Pre-rinse units
- Low profile pre-rinse units
- Spray valves
- Glass fillers
- Accessories



### DESIGNED TO MEET THE FOLLOWING COMPLIANCE/CERTIFICATIONS

#### NORTH AMERICA

- ASME A112.18.1 / CSA B125.1
- NSF 61
- NSF 372

#### GLOBAL (ongoing)

- DVGW
- PUB
- WaterMark
- SASO



EverSteel standard and low profile pre-rinse units feature the **NEW STAINLESS STEEL S-0107-Y SPRAY VALVE**, a new patented design with more cleaning power and the highest durability of any spray valve on the market.

# EVERSTEEL™

Designed to last



## PRE-RINSE UNITS

### PENDING GLOBAL CERTIFICATIONS

Designed to meet all global certification requirements, including SASO, WaterMark, PUB, CSA, NSF and DVGW

### LEAD-FREE

Stainless-steel construction is completely lead-free for worry-free performance

### BRUSHED SATIN FINISH

### ADD-ON FAUCETS

Models available with and without

### TRUE STAINLESS STEEL

Heavy-duty construction with stainless steel provides commercial-duty durability

### EASY TO CLEAN

Stainless steel resists staining and water spots

### PROVEN T&S DESIGN

EverSteel uses time-tested T&S designs to provide long-lasting reliability

### NEW S-0107-Y SPRAY VALVE


Standard on U.S. and Canada pre-rinse units and low-profile pre-rinse units, this new design boasts more cleaning power and the highest durability on the market

### S-0107-Y

Lack of center screw prevents overtightening and there are fewer replaceable parts.

### QUARTER-TURN CARTRIDGES

With built-in cross-flow prevention



**COMMERCIAL-DUTY CONSTRUCTION**  
with professional-grade materials provides long-lasting durability.



**LIFETIME COMPREHENSIVE WARRANTY**  
for assurance and peace of mind.



**LOW-PROFILE MODELS**  
available to fit smaller spaces.



**GLOBAL SHIPPING**  
T&S products available worldwide.



**A NEW CLASSIC**  
Same design as classic T&S pre-rinse units, now in true stainless steel.

# STAINLESS STEEL PRE-RINSE UNITS

## S-0113-BY

- Single hole deck-mount mixing faucet
- EasyInstall riser for quick installation
- 44" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107-Y)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



## S-0113-A12-B

- Single hole deck-mount mixing faucet
- EasyInstall add-on faucet
- 12" swing nozzle with stream regulator outlet, Series 1
- 44" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



## S-0113-A12-BY

- Single hole deck-mount mixing faucet
- EasyInstall add-on faucet
- 12" swing nozzle with stream regulator outlet, Series 1
- 44" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107-Y)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



## S-0113-BJ

- Single hole deck-mount mixing faucet
- EasyInstall riser for quick installation
- 44" flexible hose with heat resistant handle
- 1.07 GPM spray valve (S-0107-J)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



## S-0113-B

- Single hole deck-mount mixing faucet
- EasyInstall riser for quick installation
- 44" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



## S-0113-A12-BJ

- Single hole deck-mount mixing faucet
- EasyInstall add-on faucet
- 12" swing nozzle with stream regulator outlet, Series 1
- 24" rigid riser
- 44" flexible hose with heat resistant handle
- 1.07 GPM spray valve (S-0107-J)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



**S-0133-BY**

- 8" wall-mount mixing faucet
- EasyInstall riser for quick installation
- 44" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107-Y)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 1/2" NPT female eccentric inlets with 2" flanges
- Adjustable centers from 7 3/4" to 8 1/4"



**S-0133-A12-B**

- 8" wall-mount mixing faucet
- EasyInstall add-on faucet
- 12" swing nozzle with stream regulator outlet, Series 1
- 44" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 1/2" NPT female eccentric inlets with 2" flanges
- Adjustable centers from 7 3/4" to 8 1/4"



**S-0133-A12-BY**

- 8" wall-mount mixing faucet
- EasyInstall add-on faucet
- 12" swing nozzle with stream regulator outlet, Series 1
- 44" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107-Y)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 1/2" NPT female eccentric inlets with 2" flanges
- Adjustable centers from 7 3/4" to 8 1/4"



**S-0133-BJ**

- 8" wall-mount mixing faucet
- EasyInstall riser for quick installation
- 44" flexible hose with heat resistant handle
- 1.07 GPM spray valve (S-0107-J)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 1/2" NPT female eccentric inlets with 2" flanges
- Adjustable centers from 7 3/4" to 8 1/4"




**S-0133-B**

- 8" wall-mount mixing faucet
- 44" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 1/2" NPT female eccentric inlets with 2" flanges
- Adjustable centers from 7 3/4" to 8 1/4"



**S-0133-A12-BJ**

- 8" wall-mount mixing faucet
- EasyInstall riser for quick installation
- EasyInstall add-on faucet
- 12" swing nozzle with stream regulator outlet, Series 1
- 44" flexible hose with heat resistant handle
- 1.07 GPM spray valve (S-0107-J)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 1/2" NPT female eccentric inlets with 2" flanges
- Adjustable centers from 7 3/4" to 8 1/4"



# STAINLESS STEEL LOW PROFILE PRE-RINSE UNITS

## SMPF-2DLN-06

- Single hole deck-mount mixing faucet
- EasyInstall add-on faucet
- 6" swing nozzle with stream regulator outlet, Series 1
- 24" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107-Y)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



## SMPK-2DLN-06

- Single hole deck-mount mixing faucet
- EasyInstall add-on faucet
- 6" swing nozzle with stream regulator outlet, Series 1
- 24" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



## SMPF-2DLN-08

- Single hole deck-mount mixing faucet
- EasyInstall add-on faucet
- 8" swing nozzle with stream regulator outlet, Series 1
- 24" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107-Y)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



## SMPK-2DLN-08

- Single hole deck-mount mixing faucet
- EasyInstall add-on faucet
- 8" swing nozzle with stream regulator outlet, Series 1
- 24" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 18" flexible supply hoses with G1/2" female swivel connections



## SMPF-8WLN-06

- Wall-mount mixing faucet
- EasyInstall add-on faucet
- 6" swing nozzle with stream regulator outlet, Series 1
- 24" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107-Y)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 1/2" NPT female eccentric inlets with 2" flanges
- Adjustable centers from 7 3/4" to 8 1/4"



## SMPK-8WLN-06

- 8" wall-mount mixing faucet
- EasyInstall add-on faucet
- 6" swing nozzle with stream regulator outlet, Series 1
- 24" flexible hose with heat resistant handle
- 1.15 GPM spray valve (S-0107)
- Quarter-turn Eterna cartridges with spring checks
- Lever handles with color coded indexes
- 6" adjustable wall bracket
- 1/2" NPT female eccentric inlets with 2" flanges
- Adjustable centers from 7 3/4" to 8 1/4"





# STAINLESS STEEL PRE-RINSE UNIT ACCESSORIES

## S-0107-Y

- 1.15 GPM spray valve
- Blue rubber bumper and handle
- Hold-down ring
- 3/4-14 UN male inlet fitting



## S059X

- 6" swing nozzle with stream regulator outlet
- Fits all T&S swivel outlet faucets



## S-0107

- 1.15 GPM spray valve
- Blue rubber bumper and handle
- Hold-down ring
- 3/4-14 UN male inlet fitting



## S060X

- 8" swing nozzle with stream regulator outlet
- Fits all T&S swivel outlet faucets



## S-0107-J

- 1.07 GPM spray valve
- Blue rubber bumper and handle
- Hold-down ring
- 3/4-14 UN male inlet fitting



## S062X

- 12" swing nozzle with stream regulator outlet
- Fits all T&S swivel outlet faucets



## S-0155-LNEZ

- Add-on faucet less nozzle
- EasyInstall quick installation inlet
- Quarter-turn Eterna cartridge with spring check
- Swivel outlet accepts T&S swing nozzles
- 3/8" NPT female outlet




## S133X

- 5 3/4" swivel gooseneck
- S-PT stream regulator outlet
- Fits all T&S swivel outlet faucets




## S-0970-FEZ

- 3/8" continuous pressure dual check vacuum breaker
- EasyInstall quick installation inlet for T&S swivel outlet faucets
- 3/8" NPT female inlet and outlet
- Lock washer for rigid conversion included







| ITEM NO. | SALES NO.    | DESCRIPTION  |
|----------|--------------|--|
| 1        | S-0107-Y     | 1.15 GPM Spray Valve (Blue)  |
| 2        | 010476-45    | #27 Washer   |
| 3        | S000907-30   | Stainless Steel Spray Valve Hold-Down Ring   |
| 4        | S020795-30   | Stainless Steel Grip Handle (Blue)   |
| 5        | 001014-45    | Washer, Hose Barrel  |
| 6        | S-0044-H2A   | 44" Flexible Stainless Steel Hose, Less Handle   |
| 7        | S000888-30   | Stainless Steel EasyInstall Overhead Spring  |
| 8        | S000821-30   | Stainless Steel Spring Body  |
| 9        | S-0109-01    | Stainless Steel 6" Wall Bracket  |
| 10       | S004R        | Stainless Steel Finger Hook  |
| 11       | S000369-30   | Stainless Steel 3/8" NPT x 18" Riser   |
| 12       | S-0155-LNEZ  | Stainless Steel EasyInstall Add-On Faucet with Quarter-Turn Eterna Cartridge & Lever Handle, Less Nozzle |
| 13       | SEZ-K        | Stainless Steel EasyInstall Kit: Nut, Bushing, O-Ring and Lock Washer                                    |
| 14       | S002711-30NS | Stainless Steel Quarter-Turn Eterna Cartridge with Spring Check, Handle, Blue Index and Screw, LTC       |
| 15       | S012442-30NS | Stainless Steel Quarter-Turn Eterna Cartridge, LTC with Spring Check                                     |
| 16       | S00AA        | Stainless Steel 1/2" NPT Female Eccentric Flange   |
| 17       | S002712-30NS | Stainless Steel Quarter-Turn Eterna Cartridge with Spring Check, Handle, Red Index and Screw, RTC        |
| 18       | S012443-30NS | Stainless Steel Quarter-Turn Eterna Cartridge with Spring Check, RTC                                     |
| 19       | S062X        | Stainless Steel 12" Swing Nozzle with Stream Regulator Outlet  |




# EVERSTEEL™

Designed to last



## FAUCETS



COMMERCIAL-DUTY  
CONSTRUCTION



LIFETIME  
COMPREHENSIVE  
WARRANTY



EASY TO CLEAN



GLOBAL  
SHIPPING



A NEW CLASSIC

### S-1110

- 4" deck-mount mixing faucet
- 6" swing nozzle
- Lever handles with color coded indexes
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



### S-1115

- 4" wall-mount mixing faucet
- 6" swing nozzle
- Lever handles with color coded indexes
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



### S-1110-LN

- 4" deck-mount mixing faucet
- Lever handles with color coded indexes
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections
- Swivel outlet accepts T&S EverSteel swing nozzles



### S-1115-LN

- 4" deck-mount mixing faucet
- Lever handles with color coded indexes
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections
- Swivel outlet accepts T&S EverSteel swing nozzles



# STAINLESS STEEL WORKBOARD FAUCETS

## S-1120-LN

- 8" deck-mount mixing faucet
- Lever handles with color coded indexes
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



## S-1142-04

- 8" deck-mount mixing faucet
- 4" wrist action handles with color coded indexes
- 5 3/4" swivel gooseneck
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



## S-1125-LN

- 8" wall-mount mixing faucet
- Lever handles with color coded indexes
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



## S-1146

- 4" wall-mount mixing faucets
- Lever handles with color coded indexes
- 5 3/4" swivel gooseneck
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



## S-1141

- 4" deck-mount mixing faucet
- Lever handles with color coded indexes
- 5 3/4" swivel gooseneck
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



## S-1146-04

- 4" wall-mount mixing faucet
- 4" wrist action handles with color coded indexes
- 5 3/4" swivel gooseneck
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



## S-1141-04

- 4" deck-mount mixing faucet
- 4" wrist action handles with color coded indexes
- 5 3/4" swivel gooseneck
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



## S-1147

- 8" wall-mount mixing faucet
- 5 3/4" swivel gooseneck
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



## S-1142

- 8" deck-mount mixing faucet
- Lever handles with color coded indexes
- 5 3/4" swivel gooseneck
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT male inlets
- Tailpieces and nuts for 1/4" NPT stainless male connections



## S-0231

- 8" wall-mount mixing faucet
- Lever handles with color coded indexes
- 12" swing nozzle with stream regulator outlet
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT female eccentric inlets with 2" flanges
- Lock washer provided for rigid application
- Adjustable centers from 7 3/4" to 8 1/4"



## S-0300

- Single hole deck-mount mixing faucet
- Lever handles with color coded indexes
- 5 3/4" swivel/rigid gooseneck
- 18" flexible supply hoses with G1/2" female swivel connections
- Stream regulator outlet
- Quarter-turn Eterna cartridges with spring checks



## S-0230-LN

- 8" wall-mount mixing faucet
- Lever handles with color coded indexes
- Quarter-turn Eterna cartridges with spring checks
- 1/2" NPT female eccentric inlets with 2" flanges
- Swivel outlet accepts EverSteel swing nozzles
- Lock washer provided for rigid application
- Adjustable centers from 7 3/4" to 8 1/4"



## S-0200-LN

- Single hole deck-mount mixing faucet
- Lever handles with color coded indexes
- 18" flexible supply hoses with G1/2" female swivel connections
- Quarter-turn Eterna cartridges with spring checks
- Lock washer provided for rigid application



## S059X

- 6" swing nozzle with stream regulator outlet
- Fits all T&S EverSteel swivel outlet faucets



## S062X

- 12" swing nozzle with stream regulator outlet
- Fits all T&S EverSteel swivel outlet faucets



## S060X

- 8" swing nozzle with stream regulator outlet
- Fits all T&S EverSteel swivel outlet faucets



## S133X

- 5 3/4" swivel gooseneck
- S-PT stream regulator outlet
- Fits all T&S EverSteel swivel outlet faucets









## A HISTORY OF EXCELLENCE

T&S Brass and Bronze Works has built a reputation for quality, service and innovation for 75 years –beginning with our original pre-rinse unit, the market’s very first. Today, our products have become the standard for many U.S. hospitals, schools, restaurants, supermarkets and public facilities.

T&S products are highly acclaimed throughout the industry for being well-built, long-lasting and reliable. Rigorous testing and a focus on interchangeability have helped set T&S apart from the competition.

## T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690

*U.S. Toll-free* 800-476-4103 • +1 864-834-4102 • *Fax* 800-868-0084

*E-mail* [customerservice@tsbrass.com](mailto:customerservice@tsbrass.com)

*Canada Toll-free* +1 888-288-0432

